

EasyABC: a R package to perform efficient approximate Bayesian computation sampling schemes

Franck Jabot, Thierry Faure, Nicolas Dumoulin

EasyABC version 1.2, 2013-02-26

Contents

1	Summary	2
2	Overview of the package EasyABC	2
2.1	The standard rejection algorithm of Pritchard et al. (1999)	2
2.2	Sequential algorithms	2
2.3	Coupled to MCMC algorithms	2
3	Installation and requirements	3
3.1	Installing the package	3
3.2	The simulation code - for use on a single core	3
3.3	The simulation code - for use with multiple cores	3
3.4	Management of pseudo-random number generators	4
3.5	Encoding the prior distributions	4
3.6	The target summary statistics	4
3.7	The option verbose	4
3.8	Building a R function calling a C/C++ program	4
4	A first worked example	5
4.1	The toy model	5
4.2	Performing a standard ABC-rejection procedure	6
4.3	Performing a sequential ABC scheme	8
4.4	Performing a ABC-MCMC scheme	13
4.5	Using multiple cores	17
5	A second worked example	18
5.1	The trait model	18
5.2	Performing a standard ABC-rejection procedure	19
5.3	Performing a sequential ABC scheme	22
5.4	Performing a ABC-MCMC scheme	26
5.5	Using multiple cores	30
6	Troubleshooting and development	30
7	Programming Acknowledgements	30
8	References	31

¹This document is included as a vignette (a L^AT_EX document created using the R function `Sweave`) of the package `EasyABC`. It is automatically downloaded together with the package and can be accessed through R typing `vignette("EasyABC")`.

1 Summary

The aim of this vignette is to present the features of the **EasyABC** package. Section 2 describes the different algorithms available in the package. Section 3 details how to install the package and the formatting requirements. Sections 4 and 5 present two detailed worked examples.

2 Overview of the package EasyABC

EasyABC enables to launch various ABC schemes and to retrieve the outputs of the simulations, so as to perform post-processing treatments with the various R tools available. **EasyABC** is also able to launch the simulations on multiple cores of a multi-core computer. Three main types of ABC schemes are available in **EasyABC**: the standard rejection algorithm of Pritchard et al. (1999), sequential schemes first proposed by Sisson et al. (2007), and coupled to MCMC schemes first proposed by Marjoram et al. (2003). Four different sequential algorithms are available: the ones of Beaumont et al. (2009), Drovandi and Pettitt (2011), Del Moral et al. (2012) and Lenormand et al. (2012). Three different MCMC schemes are available: the ones of Marjoram et al. (2003), Wegmann et al. (2009a) and a modification of Marjoram et al. (2003)'s algorithm in which the tolerance and proposal range are determined by the algorithm, following the modifications of Wegmann et al. (2009a). Details on how to implement these various algorithms with **EasyABC** are given in the manual pages of each function and two examples are detailed in Sections 4 and 5. We provide below a short presentation of each implemented algorithm.

2.1 The standard rejection algorithm of Pritchard et al. (1999)

This sampling scheme consists in drawing the model parameters in the prior distributions, in using these model parameter values to launch a simulation and in repeating this two-step procedure `nb_simul` times. At the end of the `nb_simul` simulations, the simulations closest to the target (or at a distance smaller than a tolerance threshold) in the space of the summary statistics are retained to form an approximate posterior distribution of the model parameters.

2.2 Sequential algorithms

Sequential algorithms for ABC have first been proposed by Sisson et al. (2007). These algorithms aim at reducing the required number of simulations to reach a given quality of the posterior approximation. The underlying idea of these algorithms is to spend more time in the areas of the parameter space where simulations are frequently close to the target. Sequential algorithms consist in a first step of standard rejection ABC, followed by a number of steps where the sampling of the parameter space is not anymore performed according to the prior distributions of parameter values. Various ways to perform this biased sampling have been proposed, and four of them are implemented in the package **EasyABC**.

2.3 Coupled to MCMC algorithms

The idea of ABC-MCMC algorithms proposed by Marjoram et al. (2003) is to perform a Metropolis-Hastings algorithm to explore the parameter space, and in replacing the step of likelihood ratio computation by simulations of the model. The original algorithm of Marjoram et al. (2003) is implemented in the method "Marjoram_original" in **EasyABC**. Wegmann et al. (2009) later proposed a number of improvements to the original scheme of Marjoram et al. (2003): they proposed to perform a calibration step so that the algorithm automatically determines the tolerance threshold, the scaling of the summary statistics and the scaling of the jumps in the parameter space during the MCMC. These improvements have been implemented in the method "Marjoram". Wegmann et al. (2009) also proposed additional modifications, among which a PLS transformation of the summary statistics. The complete Wegmann et al. (2009)'s algorithm is implemented in the method "Wegmann".

3 Installation and requirements

3.1 Installing the package

A version of R greater than or equal to 2.15.0 is required. The package has been tested on Windows 32 and Linux, but not on Mac. To install the **EasyABC** package from R, simply type:

```
> install.packages("EasyABC")
```

Once the package is installed, it needs to be loaded in the current R session to be used:

```
> library(EasyABC)
```

For online help on the package content, simply type:

```
> help(package="EasyABC")
```

For online help on a particular command (such as the function `ABC_sequential`), simply type:

```
> help(ABC_sequential)
```

3.2 The simulation code - for use on a single core

Users need to develop a simulation code with minimal compatibility constraints. The code can either be a R function or a binary executable file.

If the code is a R function, its argument must be a vector of parameter values and it must return a vector of summary statistics. If the option `use_seed=TRUE` is chosen, the first parameter value passed to the simulation code corresponds to the seed value to be used by the simulation code to initialize the pseudo-random number generator. The following parameters are the model parameters.

If the code is a binary executable file, it needs to read the parameter values in a file named 'input' in which each line contains one parameter value, and to output the summary statistics in a file named 'output' in which each summary statistics must be separated by a space or a tabulation. If the code is a binary executable file, a wrapper R function named 'binary_model' is available to interface the executable file with the R functions of the **EasyABC** package (see section 5 below).

Alternatively, users may prefer building a R function calling their binary executable file. A short tutorial is provided in section 3.8 to call a C/C++ program.

3.3 The simulation code - for use with multiple cores

Users need to develop a simulation code with minimal compatibility constraints. The code can either be a R function or a binary executable file.

If the code is a R function, its argument must be a vector of parameter values and it must return a vector of summary statistics. The first parameter value passed to the simulation code corresponds to the seed value to be used by the simulation code to initialize the pseudo-random number generator. The following parameters are the model parameters. This means that the option `use_seed` must be turned to `TRUE` when using **EasyABC** with multiple cores.

If the code is a binary executable file, it needs to have as its single argument a positive integer `k`. It has to read the parameter values in a file named 'inputk' (where `k` is the integer passed as argument to the binary code: 'input1', 'input2'...) in which each line contains one parameter value, and to output the summary statistics in a file named 'outputk' (where `k` is the integer passed as argument to the binary code: 'output1', 'output2'...) in which each summary statistics must be separated by a space or a tabulation. This construction avoids multiple cores to read/write in the same files. If the code is a binary executable file, a wrapper R function named 'binary_model_cluster' is available to interface the executable file with the R functions of the **EasyABC** package (see section 5 below).

Alternatively, users may prefer building a R function calling their binary executable file. A short tutorial is provided in section 3.8 to call a C/C++ program.

3.4 Management of pseudo-random number generators

To insure that stochastic simulations are independent, the simulation code must either possess an internal way of initializing the seeds of its pseudo-random number generators each time the simulation code is launched. This can be achieved for instance by initializing the seed to the clock value. It is often desirable though to have a way to re-run some analyses with similar seed values. If this option is chosen, a seed value is provided in the input file as a first (additional) parameter, and incremented by 1 at each call of the simulation code. This means that the simulation code must be designed so that the first parameter is a seed initializing value. In the worked example (Section 5), the simulation code `trait_model` makes use of this package option, and in the first example (Section 4), the way this option can be used with a simple R function is demonstrated.

NB: Note that when using multicores with the package functions (`n_cluster=x` with `x` larger than 1), the option `use_seed=TRUE` is forced, since the seed value is also used to distribute the tasks to each core.

3.5 Encoding the prior distributions

A list encoding the prior distributions used for each model parameter must be supplied by the user. Each element of the list corresponds to a model parameter. The list element must be a vector whose first argument determines the type of prior distribution: possible values are "unif" for a uniform distribution on a segment, "normal" for a normal distribution, "lognormal" for a lognormal distribution or "exponential" for an exponential distribution. The following arguments of the list elements contain the characteristics of the prior distribution chosen: for "unif", two numbers must be given: the minimum and maximum values of the uniform distribution; for "normal", two numbers must be given: the mean and standard deviation of the normal distribution; for "lognormal", two numbers must be given: the mean and standard deviation on the log scale of the lognormal distribution; for "exponential", one number must be given: the rate of the exponential distribution.

NB: Note that a fixed variable can be passed to the simulation code by choosing for this fixed variable a uniform prior distribution and a trivial range (with equal lower and upper bounds). The **EasyABC** methods will not work properly if these fixed variables are passed with other types of prior distributions (like a normal distribution with a standard deviation equal to zero).

3.6 The target summary statistics

A vector containing the summary statistics of the data must be supplied. The statistics must be in the same order as in the simulation outputs.

3.7 The option verbose

Intermediary results can be written in output files in the working directory. Users solely need to choose the option `verbose=TRUE` when launching the **EasyABC** functions (otherwise, the default value for `verbose` is `FALSE`). Intermediary results consist in the progressive writing of simulation outputs for the functions `ABC_rejection` and `ABC_mcmc` and in the writing of intermediary results at the end of each step for the function `ABC_sequential`. Additional details are provided in the help files of the functions.

3.8 Building a R function calling a C/C++ program

Users having a C/C++ simulation code may wish to construct a R function calling their C/C++ program, instead of using the provided wrappers (see sections 3.2 and 3.3). The procedure is abundantly described in the *'Writing R Extensions' manual*. In short, this can be done by:

- Adapt your C/C++ program by wrapping your main method into a `extern "C" { ... }` block. Here is an excerpt of the source code of the trait model provided in this package, in the folder `src`:

```
extern "C" {
    void trait_model(double *input, double *stat_to_return){
        // compute output and fill the array stat_to_return
    }
}
```

- Build your code into a binary library (`.so` under Linux or `.dll` under Windows) with the R CMD SHLIB command. In our example, the command for compiling the trait model and the given output are:

```
$ R CMD SHLIB trait_model_rc.cpp
g++ -I/usr/share/R/include -DNDEBUG -fpic -O2 -pipe -g -c trait_model_rc.cpp
-o trait_model_rc.o
g++ -shared -o trait_model_rc.so trait_model_rc.o -L/usr/lib/R/lib -lR
```

- Load the builded library in your session with the `dyn.load` function.

```
> dyn.load("trait_model_rc.so")
```

- Use the `.C` function for calling your program, like we've done in our `trait_model` function:

```
trait_model <- function(input=c(1,500,1,1,1,1)) {
    .C("trait_model", input=input, stat_to_return=array(0,4))$stat_to_return
}
```

4 A first worked example

4.1 The toy model

We here consider a very simple stochastic model coded in the R language:

```
> toy_model<-function(x){
+     c( x[1] + x[2] + rnorm(1,0,0.1) , x[1] * x[2] + rnorm(1,0,0.1) )
+ }

function(x){
    c( x[1] + x[2] + rnorm(1,0,0.1) , x[1] * x[2] + rnorm(1,0,0.1) )
}
```

We will use two different types of prior distribution for the two model parameters ($x[1]$ and $x[2]$): a uniform distribution between 0 and 1 and a normal distribution with mean 1 and standard deviation 2.

```
> toy_prior=list(c("unif",0,1),c("normal",1,2))
```

```
[[1]]
[1] "unif" "0"    "1"
```

```
[[2]]
[1] "normal" "1"      "2"
```

And we will consider an imaginary dataset of two summary statistics that the `toy_model` is aiming at fitting:

```
> sum_stat_obs=c(1.5,0.5)
[1] 1.5 0.5
```

4.2 Performing a standard ABC-rejection procedure

A standard ABC-rejection procedure can be simply performed with the function `ABC_rejection`, in precisising the number n of simulations to be performed and the proportion of simulations which are to be retained p :

```
> set.seed(1)

NULL

> n=10
[1] 10

> p=0.2
[1] 0.2

> ABC_rej<-ABC_rejection(model=toy_model, prior=toy_prior, nb_simul=n,
+ summary_stat_target=sum_stat_obs, tol=p)

$param
      [,1]      [,2]
param 0.6927316 0.8877425
param 0.3162717 1.0934523

$stats
      [,1]      [,2]
[1,] 1.564895 0.4678920
[2,] 1.386153 0.2915392

$weights
[1] 0.5 0.5

$stats_normalization
[1] 0.7266951 0.5603033

$nsim
[1] 10

$nrec
[1] 2

$comptime
[1] 0.004258871
```

Alternatively, `ABC_rejection` can be used to solely launch the simulations and to store the simulation outputs without performing the rejection step. This option enables the user to make use of the R package `abc` (Csilléry et al. 2012) which offers an array of more sophisticated post-processing treatments than the simple rejection procedure:

```
> # Run the ABC rejection on the model
> set.seed(1)

NULL

> n=10

[1] 10

> ABC_rej<-ABC_rejection(model=toy_model, prior=toy_prior, nb_simul=n)

$param
      [,1]      [,2]
param 0.2655087 0.3475333
param 0.6607978 1.6590155
param 0.7698414 0.9884657
param 0.2121425 1.7796865
param 0.8696908 0.1769783
param 0.6684667 2.6424424
param 0.7829328 1.2666727
param 0.6927316 0.8877425
param 0.3162717 1.0934523
param 0.3323947 1.7753432

$stats
      [,1]      [,2]
[1,] 0.7460219 0.21951603
[2,] 2.2377665 1.14501671
[3,] 1.9987724 0.83732115
[4,] 1.9297049 0.15607719
[5,] 1.0718915 0.06472432
[6,] 3.3702993 1.85828258
[7,] 2.1300244 0.98600890
[8,] 1.5648945 0.46789202
[9,] 1.3861534 0.29153921
[10,] 2.1023574 0.45240868

$weights
[1] 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1

$stats_normalization
[1] 0.7266951 0.5603033

$nsim
[1] 10

$comptime
[1] 0.002327919

> # Install if needed the "abc" package
> install.packages("abc")
```

```

> # Post-process the simulations outputs
> library(abc)

[1] "EasyABC"      "abc"          "locfit"       "quantreg"     "SparseM"      "nnet"
[7] "parallel"     "MASS"         "mnormt"       "pls"          "lhs"          "stats"
[13] "graphics"     "grDevices"    "utils"        "datasets"     "methods"      "base"

> rej<-abc(sum_stat_obs, ABC_rej$param, ABC_rej$stats, tol=0.2, method="rejection")

Call:
abc(target = sum_stat_obs, param = ABC_rej$param, sumstat = ABC_rej$stats,
    tol = 0.2, method = "rejection")
Method:
Rejection

Parameters:
P1, P2

Statistics:
S1, S2

Total number of simulations 10

Number of accepted simulations: 2

> # simulations selected:
> rej$unadj.values

      [,1]      [,2]
param 0.6927316 0.8877425
param 0.3162717 1.0934523

> # their associated summary statistics:
> rej$ss

      [,1]      [,2]
[1,] 1.564895 0.4678920
[2,] 1.386153 0.2915392

> # their normalized euclidean distance to the data summary statistics:
> rej$dist

[1] 1.6103923 1.9542368 1.2025193 1.0981535 1.2163667 4.6145013 1.5879393
[8] 0.1448057 0.4716867 1.2112846

```

4.3 Performing a sequential ABC scheme

Other functions of the **EasyABC** package are used in a very similar manner. To perform the algorithm of Beaumont et al. (2009), one needs to specify the sequence of tolerance levels *tolerance_tab* and the number *nb_simul* of simulations to obtain below the tolerance level at each iteration:

```

> n=10

[1] 10

> tolerance=c(1.25,0.75)

```



```

[1] 1.25 0.75

> ABC_Beaumont<-ABC_sequential(method="Beaumont", model=toy_model,
+ prior=toy_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ tolerance_tab=tolerance)

$param
      [,1]      [,2]
[1,] 0.7800180 0.4830061
[2,] 0.3181763 2.3673583
[3,] 0.1811065 2.6700808
[4,] 0.8456229 0.2467030
[5,] 0.1418500 1.9097104
[6,] 0.3282295 2.8256064
[7,] 0.1976839 1.2863106
[8,] 0.3323167 2.3794734
[9,] 0.2252921 1.5824478
[10,] 0.6077307 0.4225812

$stats
      [,1]      [,2]
[1,] 1.3838109 0.49279371
[2,] 2.6442826 0.65600856
[3,] 2.8649926 0.47168981
[4,] 1.0743703 0.19859866
[5,] 2.0575765 0.21200292
[6,] 3.0582520 0.80427662
[7,] 1.4783048 0.06284696
[8,] 2.6188539 0.64199282
[9,] 1.7743399 0.35304040
[10,] 0.8912953 0.24977382

$weights
[1] 0.09597405 0.09105900 0.10164109 0.10169384 0.12145842 0.08442337
[7] 0.11758458 0.08987372 0.11027429 0.08601765

$stats_normalization
[1] 2.290391 1.433019

$epsilon
[1] 0.5079519

$nsim
[1] 31

$comptime
[1] 0.02973795

```

To perform the algorithm of Drovandi and Pettitt (2011), one needs to specify four arguments: the initial number of simulations *nb_simul*, the final tolerance level *tolerance_tab*, the proportion α of best-fit simulations to update the tolerance level at each step, and the target proportion *c* of unmoved particles during the MCMC jump. Note that default values $\alpha = 0.5$ and $c = 0.01$ are used if not specified, following Drovandi and Pettitt (2011).

```
> n=10
```

```

[1] 10

> tolerance=0.75

[1] 0.75

> c_drov=0.7

[1] 0.7

> ABC_Drovandi<-ABC_sequential(method="Drovandi", model=toy_model,
+ prior=toy_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ tolerance_tab=tolerance, c=c_drov)

$param
      [,1]      [,2]
[1,] 0.6988245 0.8190878
[2,] 0.6860284 0.1430693
[3,] 0.3080524 2.0202168
[4,] 0.4009210 0.8702183
[5,] 0.4295584 0.4770350
[6,] 0.6366469 0.8473816
[7,] 0.9931522 0.2698854
[8,] 0.3444874 0.5230873
[9,] 0.5484915 1.4070225
[10,] 0.3991026 0.7969931

$stats
      [,1]      [,2]
[1,] 1.5335613 0.4986674
[2,] 0.9236163 0.1415199
[3,] 2.3118317 0.6644022
[4,] 1.3034399 0.4532500
[5,] 0.8410152 0.2013222
[6,] 1.5010774 0.4530792
[7,] 1.3363126 0.3626958
[8,] 1.0170970 0.2974128
[9,] 1.9362341 0.9295290
[10,] 1.2003607 0.1584102

$weights
[1] 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1

$stats_normalization
[1] 1.953418 1.214883

$epsilon
[1] 0.1910321

$nsim
[1] 45

$comptime
[1] 0.02700663

```

To perform the algorithm of Del Moral et al. (2012), one needs to specify five arguments: the initial number of simulations *nb_simul*, the number α controlling the decrease in effective sample size of the particle set at each step, the number M of simulations performed for each particle, the minimal effective sample size *nb_threshold* below which a resampling of particles is performed and the final tolerance level *tolerance_target*. Note that default values $\alpha = 0.5$, $M = 1$ and $nb_threshold = nb_simul/2$ are used if not specified.

```
> n=10

[1] 10

> alpha_delmo=0.5

[1] 0.5

> tolerance=0.75

[1] 0.75

> ABC_Delmoral<-ABC_sequential(method="Delmoral", model=toy_model,
+ prior=toy_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ alpha=alpha_delmo, tolerance_target=tolerance)

$param
      [,1]      [,2]
[1,] 0.78127811 -0.2702393
[2,] 0.05077116  2.1359039
[3,] 0.06904047  2.8398604
[4,] 0.68078598  0.8291069
[5,] 0.09484793  1.6327956
[6,] 0.49198560 -0.2347007
[7,] 0.64359353  0.8969070
[8,] 0.20850839  1.1239227
[9,] 0.08957006  1.0364054
[10,] 0.42904699  0.1828383

$stats
      [,1]      [,2]
[1,] 0.4462728 -0.146496105
[2,] 2.1294208 -0.027886795
[3,] 2.6991126  0.095629112
[4,] 1.4473701  0.655829205
[5,] 1.6872698  0.178016895
[6,] 0.2232969 -0.054842893
[7,] 1.4422756  0.577653747
[8,] 1.1639790  0.219924657
[9,] 0.9855821  0.236920205
[10,] 0.7760881  0.001486995

$weights
[1] 0.0000000 0.1428571 0.0000000 0.1428571 0.1428571 0.0000000 0.1428571
[8] 0.1428571 0.1428571 0.1428571

$stats_normalization
[1] 1.8358809 0.9232688
```

```
$epsilon
[1] 0.7914557
```

```
$nsim
[1] 33
```

```
$comptime
[1] 0.03596306
```

To perform the algorithm of Lenormand et al. (2012), one needs to specify three arguments: the initial number of simulations *nb_simul*, the proportion α of best-fit simulations to update the tolerance level at each step, and the stopping criterion *p_acc_min*. Note that default values $\alpha = 0.5$ and $p_acc_min = 0.05$ are used if not specified, following Lenormand et al. (2012). Also note that the method "Lenormand" is only supported with uniform prior distributions (since it performs a Latin Hypercube sampling at the beginning). Here, we therefore need to alter the prior distribution of the second model parameter:

```
> toy_prior2=list(c("unif",0,1),c("unif",0.5,1.5))

[[1]]
[1] "unif" "0"    "1"

[[2]]
[1] "unif" "0.5"  "1.5"

> n=10

[1] 10

> pacc=0.4

[1] 0.4

> ABC_Lenormand<-ABC_sequential(method="Lenormand", model=toy_model,
+ prior=toy_prior2, nb_simul=10, summary_stat_target=sum_stat_obs,
+ p_acc_min=pacc)

$param
      [,1]      [,2]
[1,] 0.4641413 0.9797916
[2,] 0.6570981 0.6739328
[3,] 0.5057388 0.8138545
[4,] 0.5811322 0.7198858
[5,] 0.3532434 1.1942109

$stats
      [,1]      [,2]
[1,] 1.430449 0.5941463
[2,] 1.402482 0.4181929
[3,] 1.388391 0.4710175
[4,] 1.402969 0.5362035
[5,] 1.476313 0.4590384

$weights
[1] 0.09792603 0.41266334 0.24760993 0.06619967 0.17560103
```

```
$stats_normalization
[1] 0.5679161 0.4919836
```

```
$epsilon
[1] 0.0162022
```

```
$nsim
[1] 30
```

```
$comptime
[1] 0.04111028
```

4.4 Performing a ABC-MCMC scheme

To perform the algorithm of Marjoram et al. (2003), one needs to specify five arguments: the number of sampled points *n_rec* in the Markov Chain, the number of chain points between two sampled points *n_between_sampling*, the maximal distance accepted between simulations and data *dist_max*, a vector *tab_normalization* precising the scale of each summary statistics, and a vector *proposal_range* precising the maximal distances in each dimension of the parameter space for a jump of the MCMC. All these arguments have default values (see the package help for the function `ABC_mcmc`), so that `ABC_mcmc` will work without user-defined values.

```
> n=10
```

```
[1] 10
```

```
> ABC_Marjoram_original<-ABC_mcmc(method="Marjoram_original", model=toy_model,
+ prior=toy_prior, summary_stat_target=sum_stat_obs, n_rec=n)
```

```
[1] "Warning: summary statistics are normalized by default through a division by the target summa
[1] "Consider providing normalization constants for each summary statistics in the option 'tab_no
[1] "Warning: default values for proposal distributions are used - they may not be appropriate to
[1] "Consider providing proposal range constants for each parameter in the option 'proposal_range
[1] "Warning: a default value for the tolerance has been computed - it may not be appropriate to
[1] "Consider providing a tolerance value in the option 'dist_max' or using the method 'Marjoram'
$param
```

```
      [,1]      [,2]
[1,] 0.8839274 0.5705832
[2,] 0.9467358 0.5539386
[3,] 0.9883138 0.4011020
[4,] 0.9894666 0.5408442
[5,] 0.9731407 0.5870707
[6,] 0.9027518 0.5927339
[7,] 0.9326425 0.4892581
[8,] 0.9263911 0.4359171
[9,] 0.8330674 0.6056937
[10,] 0.8183917 0.4352542
```

```
$stats
      [,1]      [,2]
[1,] 1.511882 0.3267091
[2,] 1.503009 0.2528409
[3,] 1.476273 0.2886111
[4,] 1.464827 0.6538048
[5,] 1.646586 0.4146581
```

```

[6,] 1.645313 0.5722755
[7,] 1.333882 0.3365552
[8,] 1.320344 0.3825558
[9,] 1.680312 0.6526745
[10,] 1.277570 0.3812505

$dist
[1] 0.03009247 0.06109164 0.04493545 0.02420576 0.01683318 0.01460858
[7] 0.03897878 0.02813818 0.03775938 0.03609037

$stats_normalization
[1] 1.5 0.5

$epsilon
[1] 0.06109164

$nsim
[1] 105

$n_between_sampling
[1] 10

$comptime
[1] 0.01066971

```

To perform the algorithm of Marjoram et al. (2003) in which some of the arguments (*dist_max*, *tab_normalization* and *proposal_range*) are automatically determined by the algorithm via an initial calibration step, one needs to specify three arguments: the number *n_calibration* of simulations to perform at the calibration step, the tolerance quantile *tolerance_quantile* to be used for the determination of *dist_max* and the scale factor *proposal_phi* to determine the proposal range. These modifications are drawn from the algorithm of Wegmann et al. (2009a), without relying on PLS regressions. The arguments are set by default to: *n_calibration* = 10000, *tolerance_quantile* = 0.01 and *proposal_phi* = 1. This way of automatic determination of *dist_max*, *tab_normalization* and *proposal_range* is strongly recommended, compared to the crude automatic determination proposed in the method *Marjoram_original*.

```

> n=10

[1] 10

> ABC_Marjoram<-ABC_mcmc(method="Marjoram", model=toy_model,
+ prior=toy_prior, summary_stat_target=sum_stat_obs, n_rec=n)

$param
      [,1]      [,2]
[1,] 0.7004615 0.7571668
[2,] 0.7856341 0.6524855
[3,] 0.7739015 0.6785046
[4,] 0.7803486 0.6224821
[5,] 0.6832348 0.7128443
[6,] 0.6834520 0.7743264
[7,] 0.7450688 0.7230227
[8,] 0.7455799 0.7642250
[9,] 0.6751189 0.6931419
[10,] 0.6628280 0.7585917

```

```

$stats
      [,1]      [,2]
[1,] 1.528928 0.5260671
[2,] 1.527549 0.5289410
[3,] 1.502538 0.4677511
[4,] 1.456333 0.4601486
[5,] 1.417496 0.4790009
[6,] 1.518852 0.4818331
[7,] 1.495914 0.5170391
[8,] 1.506556 0.5219924
[9,] 1.437522 0.4332653
[10,] 1.508195 0.5581631

$dist
[1] 0.0006677064 0.0007578980 0.0007173878 0.0015488435 0.0019302513
[6] 0.0003121051 0.0002038317 0.0003431902 0.0039983295 0.0023445967

$stats_normalization
[1] 2.045577 1.205326

$epsilon
[1] 0.00399833

$nsim
[1] 10091

$n_between_sampling
[1] 10

$comptime
[1] 3.282067

```

To perform the algorithm of Wegmann et al. (2009a), one needs to specify four arguments: the number *n_calibration* of simulations to perform at the calibration step, the tolerance quantile *tolerance_quantile* to be used for the determination of *dist_max*, the scale factor *proposal_phi* to determine the proposal range and the number of components *numcomp* to be used in PLS regressions. The arguments are set by default to: *n_calibration* = 10000, *tolerance_quantile* = 0.01, *proposal_phi* = 1 and *numcomp* = 0, this last default value encodes a choice of a number of PLS components equal to the number of summary statistics.

```

> n=10

[1] 10

> ABC_Wegmann<-ABC_mcmc(method="Wegmann", model=toy_model,
+ prior=toy_prior, summary_stat_target=sum_stat_obs, n_rec=n)

$param
      [,1]      [,2]
[1,] 0.4307597 1.1896182
[2,] 0.5249995 0.9857762
[3,] 0.5751644 0.8521686
[4,] 0.6362145 0.7458568
[5,] 0.6362145 0.7458568

```

```

[6,] 0.6430811 0.8557265
[7,] 0.6920523 0.8004671
[8,] 0.6929472 0.8968692
[9,] 0.6302050 0.8732258
[10,] 0.5781878 0.9170787

```

\$stats

```

      [,1]      [,2]
[1,] 1.504210 0.5568815
[2,] 1.590579 0.5419802
[3,] 1.521145 0.4927649
[4,] 1.442695 0.5271453
[5,] 1.442695 0.5271453
[6,] 1.425367 0.5525921
[7,] 1.534125 0.4420175
[8,] 1.482271 0.4466708
[9,] 1.545452 0.5634035
[10,] 1.553904 0.5389753

```

\$dist

```

[1] 0.0024586459 0.0032164179 0.0001402911 0.0012960980 0.0012960980
[6] 0.0033407430 0.0028089263 0.0022384631 0.0035319906 0.0018225368

```

\$epsilon

```

[1] 0.003531991

```

\$nsim

```

[1] 10091

```

\$n_between_sampling

```

[1] 10

```

\$min_stats

```

[1] -7.232656 -4.633246

```

\$max_stats

```

[1] 9.113675 7.477301

```

\$lambda

```

[1] 0.6060606 0.6060606

```

\$geometric_mean

```

[1] 1.529336 1.420602

```

\$boxcox_mean

```

[1] 0.5758864 0.4512736

```

\$boxcox_sd

```

[1] 0.12429324 0.09771958

```

\$pls_transform

```

      [,1]      [,2]
[1,] -0.7121574 -0.7048897
[2,] -0.6569843 0.7539043

```



```
$n_component  
[1] 2
```

```
$comptime  
[1] 79.85902
```

4.5 Using multiple cores

The functions of the package **EasyABC** can launch the simulations on multiple cores of a computer: users have to indicate the number of cores they wish to use in the argument `n_cluster` of the functions, and they have to use the option `use_seed=TRUE`. Users also need to design their code in a slightly different way so that it is compatible with the option `use_seed=TRUE` (see Section 3.3 for additional details). For the toy model above, the modifications needed are the following:

```
> toy_model_parallel<-function(x){  
+   set.seed(x[1]) # so that each core is initialized with a different seed value.  
+   c( x[2] + x[3] + rnorm(1,0,0.1) , x[2] * x[3] + rnorm(1,0,0.1) )  
+ }  
  
function(x){  
  set.seed(x[1]) # so that each core is initialized with a different seed value.  
  c( x[2] + x[3] + rnorm(1,0,0.1) , x[2] * x[3] + rnorm(1,0,0.1) )  
}  
  
> set.seed(1)  
  
NULL  
  
> n=10  
  
[1] 10  
  
> p=0.2  
  
[1] 0.2  
  
> ABC_rej<-ABC_rejection(model=toy_model_parallel, prior=toy_prior,  
+ nb_simul=n, summary_stat_target=sum_stat_obs, tol=p, n_cluster=2,  
+ use_seed=TRUE)  
  
$param  
      [,1]      [,2]  
[1,] 0.6870228 0.4105591  
[2,] 0.2121425 1.7796865  
  
$stats  
      [,1]      [,2]  
[1,] 1.013496 0.4204994  
[2,] 1.983370 0.4615872  
  
$weights  
[1] 0.5 0.5  
  
$stats_normalization  
[1] 1.420082 0.687775
```

```

$nsim
[1] 10

$nrec
[1] 2

$comptime
[1] 0.9198711

```

5 A second worked example

5.1 The trait model

We turn now to a stochastic ecological model hereafter called `trait_model` to illustrate how to use `EasyABC` with models not initially coded in the R language. `trait_model` represents the stochastic dynamics of an ecological community where each species is represented by a set of traits (i.e. characteristics) which determine its competitive ability. A detailed description and analysis of the model can be found in Jabot (2010). The model requires four parameters: an immigration rate I , and three additional parameters (h , A and σ) describing the way traits determine species competitive ability. The model additionally requires two fixed variables: the total number of individuals in the local community J and the number of traits used n_t . The model outputs four summary statistics: the species richness of the community S , its Shannon's index H , the mean of the trait value among individuals MTV and the skewness of the trait value distribution STV .

NB: Three parameters (I , A and σ) have non-uniform prior distributions: instead, their log-transformed values have a uniform prior distribution. The simulation code `trait_model` therefore takes an exponential transform of the values proposed by `EasyABC` for these parameters at the beginning of each simulation.

In the following, we will use the values $J = 500$ and $n_t = 1$, and uniform prior distributions for $\ln(I)$ in $[3; 5]$, h in $[-25; 125]$, $\ln(A)$ in $[\ln(0.1); \ln(5)]$ and $\ln(\sigma)$ in $[\ln(0.5); \ln(25)]$. The simulation code `trait_model` reads sequentially J , I , A , n_t , h and σ .

NB: Note that the fixed variables J and n_t are included in the prior list (elements 1 and 4) using uniform distributions with a trivial ranges:

```

> trait_prior=list(c("unif",500,500), c("unif",3,5),
+ c("unif",-2.3,1.6), c("unif",1,1),
+ c("unif",-25,125), c("unif",-0.7,3.2))

[[1]]
[1] "unif" "500"  "500"

[[2]]
[1] "unif" "3"    "5"

[[3]]
[1] "unif" "-2.3" "1.6"

[[4]]
[1] "unif" "1"    "1"

[[5]]
[1] "unif" "-25"  "125"

```

```
[[6]]
[1] "unif" "-0.7" "3.2"
```

We will consider an imaginary dataset whose summary statistics are $(S, H, MTV, STV) = (100, 2.5, 20, 30000)$:

```
> sum_stat_obs=c(100,2.5,20,30000)

[1] 100.0 2.5 20.0 30000.0
```

5.2 Performing a standard ABC-rejection procedure

A standard ABC-rejection procedure can be simply performed with the function `ABC_rejection`, in precising the number n of simulations to be performed and the proportion p of retained simulations. Note that the option `use_seed=TRUE` is used, since `trait_model` requires a seed initializing value for its pseudo-random number generator:

```
> set.seed(1)

NULL

> n=10

[1] 10

> p=0.2

[1] 0.2

> ABC_rej<-ABC_rejection(model=trait_model, prior=trait_prior, nb_simul=n,
+ summary_stat_target=sum_stat_obs, tol=p, use_seed=TRUE)

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,]  500 4.435237  1.568434    1 32.00528 2.332036
[2,]  500 3.534441 -0.794155    1 -22.99145 0.791313

$stats
      [,1]      [,2]      [,3]      [,4]
[1,]  116 4.104226 32.9882 3029.800
[2,]   84 3.994615 49.1732 1950.147

$weights
[1] 0.5 0.5

$stats_normalization
[1] 3.981680e+01 6.631974e-01 1.451333e+01 1.526571e+04

$nsim
[1] 10

$nrec
[1] 2

$comptime
[1] 9.784798
```

Alternatively, `ABC_rejection` can be used to solely launch the simulations and to store the simulation outputs without performing the rejection step. This option enables the user to make use of the R package `abc` (Csilléry et al. 2012) which offers an array of more sophisticated post-processing treatments than the simple rejection procedure:

```
> install.packages("abc")

> library(abc)

[1] "EasyABC"      "abc"          "locfit"       "quantreg"     "SparseM"      "nnet"
[7] "parallel"     "MASS"         "mnormt"       "pls"          "lhs"          "stats"
[13] "graphics"     "grDevices"    "utils"        "datasets"     "methods"      "base"

> set.seed(1)

NULL

> n=10

[1] 10

> p=0.2

[1] 0.2

> ABC_rej<-ABC_rejection(model=trait_model, prior=trait_prior, nb_simul=n, use_seed=TRUE)

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,]  500 3.531017 -0.8487168    1 60.928005 2.84201038
[2,]  500 3.403364 1.2037198    1 116.701290 1.87711139
[3,]  500 4.258228 -2.0590335    1  5.896186 -0.01142867
[4,]  500 4.374046 -0.8019955    1 90.476213 1.24102704
[5,]  500 4.435237 1.5684338    1 32.005277 2.33203636
[6,]  500 4.869410 -1.4726442    1 72.751065 -0.21033513
[7,]  500 3.534441 -0.7941550    1 -22.991450 0.79131303
[8,]  500 4.739382 -0.9726389    1 47.312017 1.63830672
[9,]  500 3.987083 -1.5737514    1 99.105998 1.90702028
[10,] 500 4.588480 -1.8790199    1 83.556642 0.90397028

$stats
      [,1]      [,2]      [,3]      [,4]
[1,]   90 3.614738 58.8120 -6071.7199
[2,]   63 2.602216 77.6068 -37081.9028
[3,]  140 4.502762 48.8376 -2900.4530
[4,]  125 3.694395 75.3258 -31065.1721
[5,]  116 4.104226 32.9882  3029.7998
[6,]  180 4.828517 47.7092  -842.1061
[7,]   84 3.994615 49.1732  1950.1471
[8,]  164 4.532558 50.4868  2525.3002
[9,]  101 3.818715 74.3012 -27249.2048
[10,] 171 4.716238 57.1520 -14206.1651

$weights
[1] 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
```

```

$stats_normalization
[1] 3.981680e+01 6.631974e-01 1.451333e+01 1.526571e+04

$nsim
[1] 10

$comptime
[1] 5.922772

> rej<-abc(sum_stat_obs, ABC_rej$param[,c(2,3,5,6)], ABC_rej$stats,
+ tol=0.2, method="rejection")

Call:
abc(target = sum_stat_obs, param = ABC_rej$param[, c(2, 3, 5,
  6)], sumstat = ABC_rej$stats, tol = 0.2, method = "rejection")
Method:
Rejection

Parameters:
P1, P2, P3, P4

Statistics:
S1, S2, S3, S4

Total number of simulations 10

Number of accepted simulations: 2

> # simulations selected:
> rej$unadj.values

      [,1]      [,2]      [,3]      [,4]
[1,] 4.435237 1.568434 32.00528 2.332036
[2,] 3.534441 -0.794155 -22.99145 0.791313

> # their associated summary statistics:
> rej$ss

      [,1]      [,2]      [,3]      [,4]
[1,] 116 4.104226 32.9882 3029.800
[2,] 84 3.994615 49.1732 1950.147

> # their normalized euclidean distance to the data summary statistics:
> rej$dist

[1] 6.030324 9.400513 5.613765 8.993603 3.847707 5.885814 4.960505 5.605648
[9] 8.706420 7.113637

```

Note that a simulation code `My_simulation_code` can be passed to the function `ABC_rejection` in several ways depending on its nature:

- if it is a R function
`ABC_rejection(My_simulation_code, prior, nb_simul,...)`
- if it is a binary executable file and a single core is used (see section 3.2 for compatibility constraints)
`ABC_rejection(binary_model("./My_simulation_code"), prior, nb_simul, use_seed=TRUE,...)`

- if it is a binary executable file and multiple cores are used (see section 3.3 for compatibility constraints)
`ABC_rejection(binary_model_cluster("./My_simulation_code"), prior, nb_simul, n_cluster=2, use_seed=TRUE)`

5.3 Performing a sequential ABC scheme

Other functions of the **EasyABC** package are used in a very similar manner. To perform the algorithm of Beaumont et al. (2009), one needs to specify the sequence of tolerance levels *tolerance_tab* and the number *nb_simul* of simulations to obtain below the tolerance level at each iteration:

```
> n=10

[1] 10

> tolerance=c(8,5)

[1] 8 5

> ABC_Beaumont<-ABC_sequential(method="Beaumont", model=trait_model,
+ prior=trait_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ tolerance_tab=tolerance, use_seed=TRUE)

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,]  500 3.362110 -1.9163965    1 23.0654334 -0.599666827
[2,]  500 3.543818  0.9455070    1 17.2848491  0.716968486
[3,]  500 3.260380 -0.9270426    1 25.3968857  0.779964720
[4,]  500 3.398492  0.4703746    1 15.1099903  0.938328200
[5,]  500 3.017150 -1.8711144    1 26.1860829 -0.002416091
[6,]  500 4.053298 -1.7809923    1 14.1823387 -0.159038819
[7,]  500 4.398392  1.0919829    1  5.7191547  2.949045622
[8,]  500 4.358355  0.7294188    1 14.7202497  2.627312598
[9,]  500 4.694502  1.1509709    1  0.9577352  3.095833860
[10,] 500 3.672407  0.7490497    1 13.0817551  3.067217787

$stats
      [,1]      [,2]      [,3]      [,4]
[1,]   60 2.406482 35.3478 15610.260
[2,]   52 1.891610 21.0018 12123.542
[3,]   50 1.762070 31.1942 10202.962
[4,]   45 2.162352 17.7182 11280.426
[5,]   46 1.682788 34.1128 12557.523
[6,]  119 3.615008 36.6096 13923.754
[7,]  122 4.144510 14.6302 17235.203
[8,]  118 4.079771 19.0042 12605.343
[9,]  149 4.212484 14.8760 20535.516
[10,]  86 3.506517 17.2494  6748.929

$weights
[1] 0.11597293 0.06118753 0.07779398 0.05992568 0.15439436 0.07654255
[7] 0.11863352 0.08190165 0.18240961 0.07123820

$stats_normalization
[1] 4.530833e+01 9.914929e-01 1.550687e+01 1.311587e+04
```

```
$epsilon
[1] 4.732098
```

```
$nsim
[1] 72
```

```
$comptime
[1] 36.71337
```

To perform the algorithm of Drovandi and Pettitt (2011), one needs to specify four arguments: the initial number of simulations *nb_simul*, the final tolerance level *tolerance_tab*, the proportion α of best-fit simulations to update the tolerance level at each step, and the target proportion *c* of unmoved particles during the MCMC jump. Note that default values *alpha* = 0.5 and *c* = 0.01 are used if not specified, following Drovandi and Pettitt (2011).

```
> n=10
```

```
[1] 10
```

```
> tolerance=3
```

```
[1] 3
```

```
> c_drov=0.7
```

```
[1] 0.7
```

```
> ABC_Drovandi<-ABC_sequential(method="Drovandi", model=trait_model,
+ prior=trait_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ tolerance_tab=tolerance, c=c_drov, use_seed=TRUE)
```

```
$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,]  500 4.372120 -0.001121019    1  5.4715372 -0.12568710
[2,]  500 4.051867 -0.125022011    1 12.1207510 -0.67154259
[3,]  500 4.357840 -0.158636879    1  4.0214488 -0.14801890
[4,]  500 4.003453  0.155106599    1 11.8676334 -0.43394316
[5,]  500 4.497001  0.296629792    1  0.4179174  0.04238219
[6,]  500 4.614254 -0.421605678    1 11.7121630 -0.13055283
[7,]  500 4.255693 -0.030613125    1 13.7085732 -0.09558018
[8,]  500 4.320190  0.177067473    1 15.5170178  0.26745481
[9,]  500 4.704030 -0.007652111    1  9.6886842  0.34755989
[10,] 500 4.202139 -0.031661415    1  9.6060166 -0.11315922
```

```
$stats
      [,1]      [,2]      [,3]      [,4]
[1,]   96 2.038106 16.2344 24729.78
[2,]   76 1.519483 22.5206 27628.05
[3,]   95 2.213074 16.8628 31063.59
[4,]   65 1.960228 18.8398 21922.02
[5,]   93 2.712320 13.6572 37907.42
[6,]  110 2.657473 25.9604 20921.48
[7,]   91 1.819804 22.4596 19743.10
[8,]   85 2.351128 21.5434 15320.82
[9,]  124 2.648244 22.0450 26811.07
```

```

[10,] 85 2.017672 17.5428 20111.10

$weights
[1] 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1

$stats_normalization
[1] 45.687583 1.130895 18.184548 14175.858029

$epsilon
[1] 1.204596

$nsim
[1] 40

$comptime
[1] 13.74209

```

To perform the algorithm of Del Moral et al. (2012), one needs to specify five arguments: the initial number of simulations *nb_simul*, the number α controlling the decrease in effective sample size of the particle set at each step, the number M of simulations performed for each particle, the minimal effective sample size *nb_threshold* below which a resampling of particles is performed and the final tolerance level *tolerance_target*. Note that default values $\alpha = 0.5$, $M = 1$ and $nb_threshold = nb_simul/2$ are used if not specified.

```

> n=10

[1] 10

> alpha_delmo=0.5

[1] 0.5

> tolerance=3

[1] 3

> ABC_Delmoral<-ABC_sequential(method="Delmoral", model=trait_model,
+ prior=trait_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ alpha=alpha_delmo, tolerance_target=tolerance, use_seed=TRUE)

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,] 500 4.340312 0.27803253 1 12.362276 1.38257144
[2,] 500 4.142546 -0.85552836 1 8.562840 0.51965039
[3,] 500 4.137010 0.08351261 1 3.671017 2.36717400
[4,] 500 4.108617 -0.06937268 1 10.516238 -0.03101547
[5,] 500 4.254593 0.35733560 1 13.356750 1.44322454
[6,] 500 4.129874 0.13015864 1 10.201600 -0.10552508
[7,] 500 4.157252 -0.16565665 1 4.865025 1.99019890
[8,] 500 4.034561 -0.46067583 1 5.810586 1.22583149
[9,] 500 4.186188 -0.13743236 1 7.820983 1.35175359
[10,] 500 4.254593 0.35733560 1 13.356750 1.44322454

$stats
      [,1]      [,2]      [,3]      [,4]
[1,] 101 3.233236 20.2856 22151.89

```



```
[2,] 93 2.580371 22.1176 22572.67
[3,] 107 3.402067 15.8006 32264.44
[4,] 77 1.631609 19.8354 25750.84
[5,] 87 3.080927 19.0860 17732.19
[6,] 81 2.024566 17.0106 18401.83
[7,] 97 3.042123 14.1450 26042.48
[8,] 87 3.104230 14.3686 28931.67
[9,] 97 2.808620 17.5424 28791.39
[10,] 87 3.080927 19.0860 17732.19
```

```
$weights
```

```
[1] 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
```

```
$stats_normalization
```

```
[1] 32.616288 1.050966 14.887083 13081.213750
```

```
$epsilon
```

```
[1] 1.37042
```

```
$nsim
```

```
[1] 52
```

```
$comptime
```

```
[1] 17.97551
```

To perform the algorithm of Lenormand et al. (2012), one needs to specify three arguments: the initial number of simulations *nb_simul*, the proportion α of best-fit simulations to update the tolerance level at each step, and the stopping criterion *p_acc_min*. Note that default values $\alpha = 0.5$ and $p_acc_min = 0.05$ are used if not specified, following Lenormand et al. (2012).

```
> n=10
```

```
[1] 10
```

```
> pacc=0.4
```

```
[1] 0.4
```

```
> ABC_Lenormand<-ABC_sequential(method="Lenormand", model=trait_model,
+ prior=trait_prior, nb_simul=n, summary_stat_target=sum_stat_obs,
+ p_acc_min=pacc, use_seed=TRUE)
```

```
$param
```

```
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,] 500 4.254358 0.6773488 1 -16.8617382 2.647960
[2,] 500 4.446139 0.5622282 1 0.4552584 1.235527
[3,] 500 4.311531 0.8012966 1 -8.7946928 1.875167
[4,] 500 4.435250 1.0990685 1 -8.8816397 1.732896
[5,] 500 4.106934 0.2576428 1 -20.2351035 3.164763
```

```
$stats
```

```
      [,1]      [,2]      [,3]      [,4]
[1,] 97 2.350220 14.5432 38810.13
[2,] 101 2.672578 10.8930 31662.51
[3,] 91 2.006699 13.4912 37209.62
[4,] 104 2.456860 14.7392 30083.10
```

```
[5,] 82 2.770388 10.5970 28138.22
```

```
$weights
```

```
[1] 0.813848785 0.048022055 0.061124627 0.067988285 0.009016248
```

```
$stats_normalization
```

```
[1] 32.028460 0.789409 18.695073 20209.843809
```

```
$epsilon
```

```
[1] 0.6504161
```

```
$nsim
```

```
[1] 30
```

```
$comptime
```

```
[1] 10.02144
```

5.4 Performing a ABC-MCMC scheme

To perform the algorithm of Marjoram et al. (2003), one needs to specify five arguments: the number of sampled points *n_obs* in the Markov Chain, the number of chain points between two sampled points *n_between_sampling*, the maximal distance accepted between simulations and data *dist_max*, a vector *tab_normalization* precising the scale of each summary statistics, and a vector *proposal_range* precising the maximal distances in each dimension of the parameter space for a jump of the MCMC. All these arguments have default values (see the package help for the function `ABC_mcmc`), so that `ABC_mcmc` will work without user-defined values.

```
> n=10
```

```
[1] 10
```

```
> ABC_Marjoram_original<-ABC_mcmc(method="Marjoram_original", model=trait_model,
+ prior=trait_prior, summary_stat_target=sum_stat_obs, n_rec=n, use_seed=TRUE)
```

```
[1] "Warning: summary statistics are normalized by default through a division by the target summa
```

```
[1] "Consider providing normalization constants for each summary statistics in the option 'tab_no
```

```
[1] "Warning: default values for proposal distributions are used - they may not be appropriate to
```

```
[1] "Consider providing proposal range constants for each parameter in the option 'proposal_range
```

```
[1] "Warning: a default value for the tolerance has been computed - it may not be appropriate to
```

```
[1] "Consider providing a tolerance value in the option 'dist_max' or using the method 'Marjoram'
```

```
$param
```

	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]
[1,]	500	3.725401	-1.398655	1	32.63431	1.532516
[2,]	500	3.616865	-1.200780	1	37.00006	1.674298
[3,]	500	3.439220	-1.374099	1	34.04659	1.720590
[4,]	500	3.361337	-1.284180	1	41.55171	1.529872
[5,]	500	3.395591	-1.255146	1	39.43898	1.600509
[6,]	500	3.476921	-1.288046	1	42.45327	1.808463
[7,]	500	3.430004	-1.348515	1	37.43220	1.928059
[8,]	500	3.385487	-1.153007	1	34.38703	1.608810
[9,]	500	3.258634	-1.358866	1	37.42438	1.863183
[10,]	500	3.164898	-1.424551	1	31.66528	1.946491

```
$stats
```

	[,1]	[,2]	[,3]	[,4]
--	------	------	------	------

```

[1,] 85 3.554782 40.8448 13653.736
[2,] 63 2.761956 39.7292 5888.898
[3,] 74 3.221927 39.7614 8434.617
[4,] 57 2.723763 42.6748 4244.917
[5,] 63 2.504115 42.2178 8055.350
[6,] 75 3.163202 42.7166 1761.603
[7,] 71 2.974815 40.9086 8220.845
[8,] 69 2.841525 41.6928 11367.964
[9,] 61 2.727176 40.1180 4244.406
[10,] 56 2.835480 40.4390 18980.184

$dist
[1] 1.583664 1.766922 1.644011 2.215305 1.906055 2.308992 1.740131 1.676932
[9] 1.909249 1.390919

$stats_normalization
[1] 100.0 2.5 20.0 30000.0

$epsilon
[1] 2.308992

$nsim
[1] 97

$n_between_sampling
[1] 10

$comptime
[1] 45.62404

```

To perform the algorithm of Marjoram et al. (2003) in which some of the arguments (*dist_max*, *tab_normalization* and *proposal_range*) are automatically determined by the algorithm via an initial calibration step, one needs to specify three arguments: the number *n_calibration* of simulations to perform at the calibration step, the tolerance quantile *tolerance_quantile* to be used for the determination of *dist_max* and the scale factor *proposal_phi* to determine the proposal range. These modifications are drawn from the algorithm of Wegmann et al. (2009a), without relying on PLS regressions. The arguments are set by default to: *n_calibration* = 10000, *tolerance_quantile* = 0.01 and *proposal_phi* = 1. This way of automatic determination of *dist_max*, *tab_normalization* and *proposal_range* is strongly recommended, compared to the crude automatic determination proposed in the method `Marjoram_original`.

```

> n=10

[1] 10

> n_calib=10

[1] 10

> tol_quant=0.2

[1] 0.2

> ABC_Marjoram<-ABC_mcmc(method="Marjoram", model=trait_model, prior=trait_prior,
+ summary_stat_target=sum_stat_obs,
+ n_rec=n, n_calibration=n_calib, tolerance_quantile=tol_quant, use_seed=TRUE)

```

```

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,] 500 3.236588 -1.3984407 1 27.587305 1.08751020
[2,] 500 3.581428 -0.9471813 1 9.984351 -0.63038668
[3,] 500 3.234032 -1.3069568 1 -1.100524 2.16078033
[4,] 500 4.244468 -1.5985606 1 13.985520 0.78682200
[5,] 500 3.740534 -1.0839609 1 49.848824 -0.03760232
[6,] 500 3.503735 -1.1983830 1 21.850244 -0.46041871
[7,] 500 3.137453 -2.2785450 1 47.893638 -0.43196206
[8,] 500 3.599074 -1.9342149 1 47.309606 -0.05696784
[9,] 500 3.318658 -1.4874354 1 42.152863 -0.07884076
[10,] 500 4.316306 -1.0598879 1 28.373248 -0.47972863

$stats
      [,1]      [,2]      [,3]      [,4]
[1,] 58 2.600997 35.0662 15734.0536
[2,] 66 2.133554 24.8220 30831.6727
[3,] 51 1.792764 10.0322 18508.9836
[4,] 135 4.094092 38.7432 11297.6223
[5,] 77 2.451662 47.8240 300.4336
[6,] 67 2.452059 30.4556 18961.8538
[7,] 58 2.845382 41.3748 194.4288
[8,] 79 2.650205 47.8170 259.8608
[9,] 50 1.981867 45.7338 4195.2826
[10,] 127 3.471187 38.0588 14194.1186

$dist
[1] 6.471552 0.601363 4.295332 11.319542 24.129426 3.631979 21.651112
[8] 24.155999 19.628079 8.388484

$stats_normalization
[1] 60.698618 1.548662 10.315558 7265.542910

$epsilon
[1] 24.156

$nsim
[1] 101

$n_between_sampling
[1] 10

$comptime
[1] 43.88886

```

To perform the algorithm of Wegmann et al. (2009a), one needs to specify four arguments: the number *n_calibration* of simulations to perform at the calibration step, the tolerance quantile *tolerance_quantile* to be used for the determination of *dist_max*, the scale factor *proposal_phi* to determine the proposal range and the number of components *numcomp* to be used in PLS regressions. The arguments are set by default to: *n_calibration* = 10000, *tolerance_quantile* = 0.01, *proposal_phi* = 1 and *numcomp* = 0, this last default value encodes a choice of a number of PLS components equal to the number of summary statistics.

```
> n=10
```

```

[1] 10

> n_calib=10

[1] 10

> tol_quant=0.2

[1] 0.2

> ABC_Wegmann<-ABC_mcmc(method="Wegmann", model=trait_model, prior=trait_prior,
+ summary_stat_target=sum_stat_obs,
+ n_rec=n, n_calibration=n_calib, tolerance_quantile=tol_quant, use_seed=TRUE)

$param
      [,1]      [,2]      [,3] [,4]      [,5]      [,6]
[1,]  500 3.472287 -0.9249617    1 119.4650 0.1504535
[2,]  500 3.225357 -1.2290577    1 104.7825 0.3767619
[3,]  500 3.654669 -0.3012384    1 113.8024 1.1273310
[4,]  500 3.726975 -0.1764318    1 118.3870 0.7161496
[5,]  500 3.792559  0.8662225    1 109.2399 0.8766596
[6,]  500 3.829126  1.3106326    1 114.2106 0.8471476
[7,]  500 3.810313  0.1748089    1 119.5734 0.6147718
[8,]  500 3.382098  0.1061467    1 109.8721 0.4342198
[9,]  500 3.382098  0.1061467    1 109.8721 0.4342198
[10,] 500 3.382098  0.1061467    1 109.8721 0.4342198

$stats
      [,1]      [,2]      [,3]      [,4]
[1,]   83 3.902425 42.0858 3603.730
[2,]   70 3.720881 45.0448 7056.116
[3,]   97 4.054921 42.6674 4112.603
[4,]  102 3.990791 42.8244 10805.578
[5,]  106 4.073814 40.9974  9108.218
[6,]  114 4.195243 49.1978  4199.586
[7,]   97 4.023423 38.0376 10399.624
[8,]   74 3.694438 42.1428  9158.058
[9,]   74 3.694438 42.1428  9158.058
[10,]  74 3.694438 42.1428  9158.058

$dist
[1] 866.2773 799.8833 856.0596 691.1279 735.9161 865.8625 691.3905 740.8224
[9] 740.8224 740.8224

$epsilon
[1] 866.2773

$nsim
[1] 101

$n_between_sampling
[1] 10

$min_stats
[1]      52.000000      2.297069      36.578000 -26575.107109

```

```

$max_stats
[1] 150.000000 4.522319 74.859000 5060.985634

$lambda
[1] -0.6060606 3.0303030 -0.6060606 6.6666667

$geometric_mean
[1] 1.376013 1.511098 1.397579 1.716615

$boxcox_mean
[1] 0.4672127 0.4622606 0.5027221 0.3805324

$boxcox_sd
[1] 0.2925295 0.3402409 0.2852662 0.2139507

$pls_transform
      [,1]      [,2]      [,3]      [,4]
[1,] 0.62857959 0.6217694 -0.34461550 0.3987376
[2,] -0.28117944 -0.2686314 -0.68795127 0.6421848
[3,] 0.65297982 -0.8558269 -0.06038473 -0.3267034
[4,] 0.09074882 -0.2327311 -0.70152282 -0.6674329

$n_component
[1] 4

$comptime
[1] 72.70997

```

5.5 Using multiple cores

The functions of the package **EasyABC** can launch the simulations on multiple cores of a computer: users only have to indicate the number of cores they wish to use in the argument **n_cluster** of the functions. The compatibility constraints of the simulation code are slightly different when using multiple cores: please refer to section 3.3 for more information.

6 Troubleshooting and development

Please send comments, suggestions and bug reports to nicolas.dumoulin@irstea.fr or franck.jabot@irstea.fr. Any new development of more efficient ABC schemes that could be included in the package is particularly welcome.

7 Programming Acknowledgements

The **EasyABC** package makes use of a number of R tools, among which:

- the R package **lhs** (Carnell 2012) for latin hypercube sampling.
- the R package **MASS** (Venables and Ripley 2002) for boxcox transformation.
- the R package **mnormt** (Genz and Azzalini 2012) for multivariate normal generation.
- the R package **pls** (Mevik and Wehrens 2011) for partial least square regression.
- the R script for the Wegmann et al. (2009a)’s algorithm drawn from the **ABCtoolbox** documentation (Wegmann et al. 2009b).

8 References

Beaumont, M. A., Cornuet, J., Marin, J., and Robert, C. P. (2009) Adaptive approximate Bayesian computation. *Biometrika*, **96**, 983–990.

Carnell, R. (2012) lhs: Latin Hypercube Samples. R package version 0.10. <http://CRAN.R-project.org/package=lhs>

Csilléry, K., François, O., and Blum, M.G.B. (2012) abc: an r package for approximate bayesian computation (abc). *Methods in Ecology and Evolution*, **3**, 475–479.

Del Moral, P., Doucet, A., and Jasra, A. (2012) An adaptive sequential Monte Carlo method for approximate Bayesian computation. *Statistics and Computing*, **22**, 1009–1020.

Drovandi, C. C. and Pettitt, A. N. (2011) Estimation of parameters for macroparasite population evolution using approximate Bayesian computation. *Biometrics*, **67**, 225–233.

Genz, A., and Azzalini, A. (2012) mnormt: The multivariate normal and t distributions. R package version 1.4-5. <http://CRAN.R-project.org/package=mnormt>

Jabot, F. (2010) A stochastic dispersal-limited trait-based model of community dynamics. *Journal of Theoretical Biology*, **262**, 650–661.

Lenormand, M., Jabot, F., Deffuant G. (2012) Adaptive approximate Bayesian computation for complex models. <http://arxiv.org/pdf/1111.1308.pdf>

Marjoram, P., Molitor, J., Plagnol, V. and Tavaré, S. (2003) Markov chain Monte Carlo without likelihoods. *PNAS*, **100**, 15324–15328.

Mevik, B.-H., and Wehrens, R. (2011) pls: Partial Least Squares and Principal Component regression. R package version 2.3-0. <http://CRAN.R-project.org/package=pls>

Pritchard, J.K., and M.T. Seielstad and A. Perez-Lezaun and M.W. Feldman (1999) Population growth of human Y chromosomes: a study of Y chromosome microsatellites. *Molecular Biology and Evolution*, **16**, 1791–1798.

Sisson, S.A., Fan, Y., and Tanaka, M.M. (2007) Sequential Monte Carlo without likelihoods. *PNAS*, **104**, 1760–1765.

Venables, W.N., and Ripley, B.D. (2002) Modern Applied Statistics with S. Fourth Edition. Springer, New York.

Wegmann, D., Leuenberger, C. and Excoffier, L. (2009a) Efficient approximate Bayesian computation coupled with Markov chain Monte Carlo without likelihood. *Genetics*, **182**, 1207–1218.

Wegmann, D., Leuenberger, C. and Excoffier, L. (2009b) Using ABCtoolbox. http://cmpg.unibe.ch/software/abctoolbox/ABCtoolbox_manual.pdf