

Symbols defined by unicode-math

Will Robertson

Modified (df) to show Erewhon Math symbols

This document uses the file `unicode-math-table.tex` to print every symbol defined by the `unicode-math` package. Use this document to find the command name or the Unicode glyph slot for a symbol that you wish to use. The following fonts are shown: (with approximate symbol counts)¹

M **Latin Modern Math** (1602)

S **STIX Two Math** (2447)

E **Erewhon Math** (1685)

P **TeX Gyre Pagella Math** (1655)

D **DejaVu Math TeX Gyre** (1657)

L **Libertinus Math** (1660)

G **Garamond Math** (1647)

Symbols defined in Plain \TeX are indicated with ^(p) after their macro name. \LaTeX follows Plain \TeX , but defines a handful more, indicated with ^(l). Symbols defined in `amssymb` are indicated with ^(a).

Note that this list of fonts is not intended to be exhaustive but I am happy to add new fonts by request if they are distributed in \TeX Live.²

Contents

1	Opening symbols, <code>\mathopen</code>	3
2	Closing symbols, <code>\mathclose</code>	4
3	Fence symbols, <code>\mathfence</code>	5
4	Punctuation symbols, <code>\mathpunct</code>	5
5	'Over' symbols, <code>\mathover</code>	6
6	'Under' symbols, <code>\mathunder</code>	6
7	Accents, <code>\mathaccent</code>	6
8	Accents wide, <code>\mathaccentwide</code>	7
9	Bottom accents, <code>\mathbotaccent</code>	7
10	Bottom accents wide, <code>\mathbotaccentwide</code>	8

¹Be aware that 48 lowercase latin letters are missing in *Script* and *BoldScript* shapes for both Latin Modern Math and Erewhon Math, compared to the other four fonts.

²Only a single \TeX Gyre Math font is shown here by design as they all largely have the same symbol coverage.

11	Big operators, <code>\mathop</code>	8
12	Binary relations, <code>\mathbin</code>	11
13	Ordinary symbols, <code>\mathord</code>	17
14	Relation symbols, <code>\mathrel</code>	32
15	Alphabetical symbols, <code>\mathalpha</code>	52
15.1	Normal weight	52
15.1.1	Upright Greek, uppercase	52
15.1.2	Upright Greek, lowercase	53
15.1.3	Italic, Latin, uppercase	54
15.1.4	Italic, Latin, lowercase	55
15.1.5	Italic Greek, uppercase	56
15.1.6	Italic Greek, lowercase	57
15.1.7	Script, Latin, uppercase	58
15.1.8	Script, Latin, lowercase	59
15.1.9	Fraktur, Latin, uppercase	59
15.1.10	Fraktur, Latin, lowercase	60
15.1.11	Blackboard, Latin, uppercase	61
15.1.12	Blackboard, Latin, lowercase	62
15.1.13	Sans serif, Latin, uppercase	63
15.1.14	Sans serif, Latin, lowercase	64
15.1.15	Italic sans serif, Latin, uppercase	65
15.1.16	Italic sans serif, Latin, lowercase	66
15.1.17	Typewriter, Latin, uppercase	67
15.1.18	Typewriter, Latin, lowercase	69
15.2	Bold	70
15.2.1	Bold, Latin, uppercase	70
15.2.2	Bold, Latin, lowercase	71
15.2.3	Bold Greek, uppercase	72
15.2.4	Bold Greek, lowercase	72
15.2.5	Bold italic, Latin, uppercase	74
15.2.6	Bold italic, Latin, lowercase	75
15.2.7	Bold italic Greek, uppercase	76
15.2.8	Bold italic Greek, lowercase	77
15.2.9	Bold script, Latin, uppercase	78
15.2.10	Bold script, Latin, lowercase	79
15.2.11	Bold fraktur, Latin, uppercase	80
15.2.12	Bold fraktur, Latin, lowercase	82
15.2.13	Bold sans serif, Latin, uppercase	83
15.2.14	Bold sans serif, Latin, lowercase	84
15.2.15	Bold italic sans serif, Latin, uppercase	85
15.2.16	Bold italic sans serif, Latin, lowercase	86
15.2.17	Bold sans serif Greek, uppercase	87
15.2.18	Bold sans serif Greek, lowercase	88
15.2.19	Bold italic sans serif Greek, uppercase	90
15.2.20	Bold italic sans serif Greek, lowercase	91
15.3	Miscellaneous	92

1 Opening symbols, `\mathopen`

USV	M	S	E	P	D	L	G	Macro	Description
U+00028	(((((((<code>\lparen</code>	left parenthesis
U+0005B	[[[[[[[<code>\lbrack</code>	left square bracket
U+0007B	{	{	{	{	{	{	{	<code>\lbrace^(p)</code>	left curly bracket
U+0221A	√	√	√	√	√	√	√	<code>\sqrt^(p)</code>	radical
U+0221B	∛	∛				∛		<code>\cuberoot</code>	cube root
U+0221C	∜	∜				∜		<code>\fourthroot</code>	fourth root
U+02308	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\lceil^(p)</code>	left ceiling
U+0230A	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\lfloor^(p)</code>	left floor
U+0231C	⌜	⌜	⌜	⌜	⌜	⌜	⌜	<code>\ulcorner</code>	upper left corner
U+0231E	⏟	⏟	⏟	⏟	⏟	⏟	⏟	<code>\llcorner</code>	lower left corner
U+023B0	⌿	⌿				⌿		<code>\lmoustache^(p)</code>	upper left or lower right curly bracket section
U+02772	⌘							<code>\lbrbrak</code>	light left tortoise shell bracket ornament
U+027C5	⌚							<code>\lbag</code>	left s-shaped bag delimiter
U+027CC	⌝							<code>\longdivision</code>	long division
U+027E6	⌞	⌞	⌞	⌞	⌞	⌞	⌞	<code>\lBrack</code>	mathematical left white square bracket
U+027E8	⌟	⌟	⌟	⌟	⌟	⌟	⌟	<code>\langle^(p)</code>	mathematical left angle bracket
U+027EA	⌠	⌠	⌠	⌠	⌠	⌠	⌠	<code>\lAngle</code>	mathematical left double angle bracket
U+027EC	⌡					⌡		<code>\Lbrbrak</code>	mathematical left white tortoise shell bracket
U+027EE	⌢	⌢	⌢	⌢	⌢	⌢	⌢	<code>\lgroup^(p)</code>	mathematical left flattened parenthesis
U+02983	⌣							<code>\lBrace</code>	left white curly bracket
U+02985	⌤							<code>\lParen</code>	left white parenthesis
U+02987	⌥					⌥		<code>\llparenthesis</code>	z notation left image bracket
U+02989	⌦							<code>\llangle</code>	z notation left binding bracket
U+0298B	⌧							<code>\lbrackubar</code>	left square bracket with underbar
U+0298D	⌨							<code>\lbrackultick</code>	left square bracket with tick in top corner
U+0298F	〈							<code>\lbracklltick</code>	left square bracket with tick in bottom corner
U+02991	〉							<code>\langedot</code>	left angle bracket with dot
U+02993	⌫							<code>\lparenless</code>	left arc less-than bracket

USV	M	S	E	P	D	L	G	Macro	Description
U+02995		⌞						<code>\Lparengtr</code>	double left arc greater-than bracket
U+02997		⌜						<code>\lblkbrbrak</code>	left black tortoise shell bracket
U+029D8		⌚						<code>\lvzigzag</code>	left wiggly fence
U+029DA		⌚⌚						<code>\Lvzigzag</code>	left double wiggly fence
U+029FC		⌵					⌵	<code>\lcurvyangle</code>	left pointing curved angle bracket

2 Closing symbols, `\mathclose`

USV	M	S	E	P	D	L	G	Macro	Description
U+00021	!	!	!	!	!	!	!	<code>\mathexclam</code>	exclamation mark
U+00029)))))))	<code>\rparen</code>	right parenthesis
U+0005D]]]]]]]	<code>\rbrack</code>	right square bracket
U+0007D	}	}	}	}	}	}	}	<code>\rbrace^(p)</code>	right curly bracket
U+02309	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\rceil^(p)</code>	right ceiling
U+0230B	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rfloor^(p)</code>	right floor
U+0231D	⌵	⌵	⌵	⌵	⌵	⌵	⌵	<code>\urcorner</code>	upper right corner
U+0231F	⌴	⌴	⌴	⌴	⌴	⌴	⌴	<code>\lrcorner</code>	lower right corner
U+023B1		⌵	⌴				⌵	<code>\rmoustache^(p)</code>	upper right or lower left curly bracket section
U+02773)						<code>\rbrbrak</code>	light right tortoise shell bracket ornament
U+027C6		⌋						<code>\rbag</code>	right s-shaped bag delimiter
U+027E7	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\rBrack</code>	mathematical right white square bracket
U+027E9	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\rangle^(p)</code>	mathematical right angle bracket
U+027EB	⌋⌋	⌋⌋	⌋⌋	⌋⌋	⌋⌋	⌋⌋	⌋⌋	<code>\rAngle</code>	mathematical right double angle bracket
U+027ED		⌋					⌋	<code>\Rbrbrak</code>	mathematical right white tortoise shell bracket
U+027EF)))))))	<code>\rgroup^(p)</code>	mathematical right flattened parenthesis
U+02984		⌋						<code>\rBrace</code>	right white curly bracket
U+02986)						<code>\rParen</code>	right white parenthesis
U+02988		⌋					⌋	<code>\rrparenthesis</code>	z notation right image bracket
U+0298A		⌋						<code>\rrangle</code>	z notation right binding bracket

USV	M	S	E	P	D	L	G	Macro	Description
U+0298C]						<code>\rbrackubar</code>	right square bracket with underbar
U+0298E]						<code>\rbracklrtick</code>	right square bracket with tick in bottom corner
U+02990]						<code>\rbrackurtick</code>	right square bracket with tick in top corner
U+02992		⟩						<code>\rangledot</code>	right angle bracket with dot
U+02994		⤵						<code>\rparengtr</code>	right arc greater-than bracket
U+02996		⤵						<code>\Rparenless</code>	double right arc less-than bracket
U+02998)						<code>\rblkbrrak</code>	right black tortoise shell bracket
U+029D9		⋈						<code>\rvzigzag</code>	right wiggly fence
U+029DB		⋈						<code>\Rvzigzag</code>	right double wiggly fence
U+029FD		⟩					⟩	<code>\rcurvyangle</code>	right pointing curved angle bracket

3 Fence symbols, `\mathfence`

USV	M	S	E	P	D	L	G	Macro	Description
U+0007C								<code>\vert^(p)</code>	vertical bar
U+02016								<code>\Vert^(p)</code>	double vertical bar
U+02980								<code>\Vvert</code>	triple vertical bar delimiter

4 Punctuation symbols, `\mathpunct`

USV	M	S	E	P	D	L	G	Macro	Description
U+0002C	,	,	,	,	,	,	,	<code>\mathcomma</code>	comma
U+0003A	:	:	:	:	:	:	:	<code>\mathcolon</code>	colon
U+0003B	;	;	;	;	;	;	;	<code>\mathsemicolon</code>	semicolon p:

5 ‘Over’ symbols, `\mathover`

USV	M	S	E	P	D	L	G	Macro	Description
U+023B4	$\overline{x+y}$	<code>\overbracket</code>	top square bracket						
U+023DC	$\overparen{x+y}$	<code>\overparen</code>	top parenthesis (mathematical use)						
U+023DE	$\overbrace{x+y}$	<code>\overbrace^(p)</code>	top curly bracket (mathematical use)						

6 ‘Under’ symbols, `\mathunder`

USV	M	S	E	P	D	L	G	Macro	Description
U+023B5	$\underline{x+y}$	<code>\underbracket</code>	bottom square bracket						
U+023DD	$\underparen{x+y}$	<code>\underparen</code>	bottom parenthesis (mathematical use)						
U+023DF	$\underbrace{x+y}$	<code>\underbrace^(p)</code>	bottom curly bracket (mathematical use)						

7 Accents, `\mathaccent`

Note that accents will only be properly placed if used with an OpenType font with the necessary information.

USV	M	S	E	P	D	L	G	Macro	Description
U+00300	\grave{x}	<code>\grave^(p)</code>	grave accent						
U+00301	\acute{x}	<code>\acute^(p)</code>	acute accent						
U+00302	\hat{x}	<code>\hat^(p)</code>	circumflex accent						
U+00303	\tilde{x}	<code>\tilde^(p)</code>	tilde						
U+00304	\bar{x}	<code>\bar^(p)</code>	macron						
U+00305	\overbar{x}	<code>\overbar</code>	overbar embellishment						
U+00306	\breve{x}	<code>\breve^(p)</code>	breve						
U+00307	\dot{x}	<code>\dot^(p)</code>	dot above						
U+00308	\ddot{x}	<code>\ddot^(p)</code>	dieresis						
U+00309	\mathring{x}	<code>\mathring</code>	combining hook above						
U+0030A	\ring{x}	<code>\ocirc</code>	ring						
U+0030C	\check{x}	<code>\check^(p)</code>	caron						
U+00310	\candra				\candra			<code>\candra</code>	candrabindu (non-spacing)

USV	M	S	E	P	D	L	G	Macro	Description
U+00312		˘					˘	<code>\oturnedcomma</code>	combining turned comma above
U+00315		˘					˘	<code>\ocommatopright</code>	combining comma above right
U+0031A		˘					˘	<code>\droang</code>	left angle above (non-spacing)
U+020D0	˘	˘	˘	˘	˘	˘	˘	<code>\leftharpoonaccent</code>	combining left harpoon above
U+020D1	˘	˘	˘	˘	˘	˘	˘	<code>\rightharpoonaccent</code>	combining right harpoon above
U+020D2	˘	˘	˘	˘	˘		˘	<code>\vertoverlay</code>	combining long vertical line overlay
U+020D7	˘	˘	˘	˘	˘	˘	˘	<code>\vec^(p)</code>	combining right arrow above
U+020DB	˘	˘	˘	˘	˘	˘	˘	<code>\ddddot</code>	combining three dots above
U+020DC	˘	˘	˘	˘	˘	˘	˘	<code>\ddddot</code>	combining four dots above
U+020E7		˘						<code>\annuity</code>	combining annuity symbol
U+020E9	˘	˘	˘	˘	˘		˘	<code>\widebridgeabove</code>	combining wide bridge above
U+020F0	˘	˘	˘	˘	˘		˘	<code>\asteraccent</code>	combining asterisk above

8 Accents wide, `\mathaccentwide`

USV	M	S	E	P	D	L	G	Macro	Description
U+00302	ˆ $x+y$	<code>\widehat^(p)</code>	circumflex accent						
U+00303	˜ $x+y$	<code>\widetilde^(p)</code>	tilde						
U+00305	ˉ $x+y$	<code>\wideoverbar</code>	stretchy overbar embellishment						
U+00306	˘ $x+y$	<code>\widebreve</code>	stretchy breve						
U+0030C	˘ $x+y$	<code>\widecheck</code>	stretchy caron						
U+020D0	˘ $x+y$	<code>\overleftharpoon</code>	combining left harpoon above						
U+020D1	˘ $x+y$	<code>\overrightharpoon</code>	combining right harpoon above						
U+020D6	˘ $x+y$	<code>\overleftarrow^(p)</code>	combining left arrow above						
U+020D7	˘ $x+y$	<code>\overrightarrow^(p)</code>	combining left arrow above						
U+020E1	˘ $x+y$	<code>\overleftrightharpoon</code>	combining left right arrow above						

9 Bottom accents, `\mathbotaccent`

USV	M	S	E	P	D	L	G	Macro	Description	
U+020E8	$\underline{\underline{x}}$	$\underline{\underline{y}}$	$\underline{\underline{x+y}}$	$\underline{\underline{x}}$	$\underline{\underline{y}}$	$\underline{\underline{x+y}}$	$\underline{\underline{x}}$	$\underline{\underline{y}}$	<code>\threeunderdot</code>	combining triple underdot

10 Bottom accents wide, `\mathbotaccentwide`

USV	M	S	E	P	D	L	G	Macro	Description
U+00330	$\widetilde{x+y}$	<code>\wideutilde</code>	under tilde accent (multiple characters and non-spacing)						
U+00332	$\mathbf{\bar{x+y}}$	<code>\mathunderbar</code>	combining low line						
U+0034D	$\mathbf{\overleftrightarrow{x+y}}$	<code>\underleftrightharpoonarrow</code>	underleftrightharpoon accent						
U+020EC	$\mathbf{\overrightarrow{x+y}}$	<code>\underrightharpoondown</code>	combining rightwards harpoon with barb downwards						
U+020ED	$\mathbf{\overleftarrow{x+y}}$	<code>\underleftharpoondown</code>	combining leftwards harpoon with barb downwards						
U+020EE	$\mathbf{\overleftarrow{x+y}}$	<code>\underleftarrow</code>	combining left arrow below						
U+020EF	$\mathbf{\overrightarrow{x+y}}$	<code>\underrightarrow</code>	combining right arrow below						

11 Big operators, `\mathop`

Of the operators shown below, a subset need to be flagged by unicode-math for `\nolimits` adjustments. The limits behaviour as specified by unicode-math are shown with grey subscripts and superscripts.

USV	M	S	E	P	D	L	G	Macro	Description
U+02140	$\overset{1}{\underset{0}{\Sigma}}$	<code>\Bbbsum</code>	double-struck n-ary summation						
U+0220F	$\overset{1}{\underset{0}{\prod}}$	<code>\prod^(p)</code>	product operator						
U+02210	$\overset{1}{\underset{0}{\coprod}}$	<code>\coprod^(p)</code>	coproduct operator						
U+02211	$\overset{1}{\underset{0}{\sum}}$	<code>\sum^(p)</code>	summation operator						
U+0222B	$\overset{1}{\underset{0}{\int}}$	<code>\int^(p)</code>	integral operator						
U+0222C	$\overset{1}{\underset{0}{\iint}}$	<code>\iint</code>	double integral operator						
U+0222D	$\overset{1}{\underset{0}{\iiint}}$	<code>\iiint</code>	triple integral operator						
U+0222E	$\overset{1}{\underset{0}{\oint}}$	<code>\oint^(p)</code>	contour integral operator						
U+0222F	$\overset{1}{\underset{0}{\oiint}}$	<code>\oiint</code>	double contour integral operator						

USV	M	S	E	P	D	L	G	Macro	Description
U+02230								<code>\oiint</code>	triple contour integral operator
U+02231								<code>\intclockwise</code>	clockwise integral
U+02232								<code>\varointclockwise</code>	contour integral, clockwise
U+02233								<code>\ointclockwise</code>	contour integral, anticlockwise
U+022C0								<code>\bigwedge^(p)</code>	logical and operator
U+022C1								<code>\bigvee^(p)</code>	logical or operator
U+022C2								<code>\bigcap^(p)</code>	intersection operator
U+022C3								<code>\bigcup^(p)</code>	union operator
U+027D5								<code>\leftouterjoin</code>	left outer join
U+027D6								<code>\rightouterjoin</code>	right outer join
U+027D7								<code>\fullouterjoin</code>	full outer join
U+027D8								<code>\bigbot</code>	large up tack
U+027D9								<code>\bigtop</code>	large down tack
U+029F8								<code>\xsol</code>	big solidus
U+029F9								<code>\xbsol</code>	big reverse solidus
U+02A00								<code>\bigodot^(p)</code>	n-ary circled dot operator
U+02A01								<code>\bigoplus^(p)</code>	n-ary circled plus operator
U+02A02								<code>\bigotimes^(p)</code>	n-ary circled times operator
U+02A03								<code>\bigcupdot</code>	n-ary union operator with dot
U+02A04								<code>\bigcupplus^(p)</code>	n-ary union operator with plus
U+02A05								<code>\bigsqcap</code>	n-ary square intersection operator
U+02A06								<code>\bigsqcup^(p)</code>	n-ary square union operator
U+02A07								<code>\conjquant</code>	two logical and operator

USV	M	S	E	P	D	L	G	Macro	Description
U+02A08		\bigvee_0^1						<code>\disjquant</code>	two logical or operator
U+02A09	\bigotimes_0^1	\bigtimes_0^1	\bigotimes_0^1	\bigtimes_0^1	\bigtimes_0^1		\bigtimes_0^1	<code>\bigtimes</code>	n-ary times operator
U+02A0A		\bigoplus_0^1						<code>\modtwosum</code>	modulo two sum
U+02A0B		\int_0^1						<code>\sumint</code>	summation with integral
U+02A0C	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	\iiint_0^1	<code>\iiiint</code>	quadruple integral operator
U+02A0D		\int_0^1	\int_0^1					<code>\intbar</code>	finite part integral
U+02A0E		\int_0^1						<code>\intBar</code>	integral with double stroke
U+02A0F		\int_0^1						<code>\fint</code>	integral average with slash
U+02A10		\oint_0^1						<code>\cirfnint</code>	circulation function
U+02A11	\int_0^1	\int_0^1	\int_0^1	\int_0^1	\int_0^1		\int_0^1	<code>\awint</code>	anticlockwise integration
U+02A12		\int_0^1						<code>\rppoint</code>	line integration with rectangular path around pole
U+02A13		\int_0^1						<code>\scpoint</code>	line integration with semicircular path around pole
U+02A14		\int_0^1						<code>\npoint</code>	line integration not including the pole
U+02A15		\oint_0^1						<code>\pointint</code>	integral around a point operator
U+02A16		\int_0^1						<code>\sqint</code>	quaternion integral operator
U+02A17		\int_0^1						<code>\intlarhk</code>	integral with leftwards arrow with hook
U+02A18		\int_0^1						<code>\intx</code>	integral with times sign
U+02A19		\int_0^1						<code>\intcap</code>	integral with intersection
U+02A1A		\int_0^1						<code>\intcup</code>	integral with union
U+02A1B		\int_0^1						<code>\upint</code>	integral with overbar
U+02A1C		\int_0^1						<code>\lowint</code>	integral with underbar
U+02A1D		\int_0^1	\int_0^1					<code>\Join</code>	join

USV	M	S	E	P	D	L	G	Macro	Description
U+02A1E								<code>\bigtriangleleft</code>	large left triangle operator
U+02A1F								<code>\zcmp</code>	z notation schema composition
U+02A20								<code>\zpipe</code>	z notation schema piping
U+02A21								<code>\zproject</code>	z notation schema projection
U+02AFC								<code>\biginterleave</code>	large triple vertical bar operator
U+02AFF								<code>\bigtalloblong</code>	n-ary white vertical bar
U+1EEFO								<code>\arabicmaj</code>	arabic mathematical operator meem with hah with tatweel
U+1EEF1								<code>\arabichad</code>	arabic mathematical operator hah with dal

12 Binary relations, `\mathbin`

USV	M	S	E	P	D	L	G	Macro	Description
U+0002B								<code>\mathplus</code>	plus sign b:
U+000B1								<code>\pm^(p)</code>	plus-or-minus sign
U+000B7								<code>\cdot^(p)</code>	/centerdot b: middle dot
U+000D7								<code>\times^(p)</code>	multiply sign
U+000F7								<code>\div^(p)</code>	divide sign
U+02020								<code>\dagger^(p)</code>	dagger relation
U+02021								<code>\ddagger^(p)</code>	double dagger relation
U+02022								<code>\smbkcircle</code>	/bullet b: round bullet, filled
U+02040								<code>\tieconcat</code>	character tie, z notation sequence concatenation
U+02044								<code>\fracslash</code>	fraction slash
U+0214B								<code>\upand</code>	turned ampersand
U+02212								<code>\minus</code>	minus sign
U+02213								<code>\mp^(p)</code>	minus-or-plus sign
U+02214								<code>\dotplus^(a)</code>	plus sign, dot above
U+02215								<code>\divslash</code>	division slash
U+02216								<code>\setminus^(p)</code>	set minus (cf. reverse solidus)
U+02217								<code>\ast^(p)</code>	centered asterisk

USV	M	S	E	P	D	L	G	Macro	Description
U+02218	◦	◦	◦	◦	◦	◦	◦	<code>\vysmwhtcircle</code>	composite function (small circle)
U+02219	•	•	•	•	•	•	•	<code>\vysmblkcircle</code>	bullet operator
U+02227	∧	∧	∧	∧	∧	∧	∧	<code>\wedge^(p)</code>	/wedge /land b: logical and
U+02228	∨	∨	∨	∨	∨	∨	∨	<code>\vee^(p)</code>	/vee /lor b: logical or
U+02229	∩	∩	∩	∩	∩	∩	∩	<code>\cap^(p)</code>	intersection
U+0222A	∪	∪	∪	∪	∪	∪	∪	<code>\cup^(p)</code>	union or logical sum
U+02238	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\dotminus</code>	minus sign, dot above
U+0223E	≈	≈	≈	≈	≈	≈	≈	<code>\invlazys</code>	most positive [inverted lazy s]
U+02240	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\wr^(p)</code>	wreath product
U+0228C	⊍	⊍	⊍	⊍	⊍	⊍	⊍	<code>\cupleftarrow</code>	multiset
U+0228D	⊍	⊍	⊍	⊍	⊍	⊍	⊍	<code>\cupdot</code>	union, with dot
U+0228E	⊍	⊍	⊍	⊍	⊍	⊍	⊍	<code>\uplus^(p)</code>	plus sign in union
U+02293	⊓	⊓	⊓	⊓	⊓	⊓	⊓	<code>\sqcap^(p)</code>	square intersection
U+02294	⊔	⊔	⊔	⊔	⊔	⊔	⊔	<code>\sqcup^(p)</code>	square union
U+02295	⊕	⊕	⊕	⊕	⊕	⊕	⊕	<code>\oplus^(p)</code>	plus sign in circle
U+02296	⊖	⊖	⊖	⊖	⊖	⊖	⊖	<code>\ominus^(p)</code>	minus sign in circle
U+02297	⊗	⊗	⊗	⊗	⊗	⊗	⊗	<code>\otimes^(p)</code>	multiply sign in circle
U+02298	⊘	⊘	⊘	⊘	⊘	⊘	⊘	<code>\oslash^(p)</code>	solidus in circle
U+02299	⊙	⊙	⊙	⊙	⊙	⊙	⊙	<code>\odot^(p)</code>	middle dot in circle
U+0229A	⊚	⊚	⊚	⊚	⊚	⊚	⊚	<code>\circledcirc^(a)</code>	small circle in circle
U+0229B	⊛	⊛	⊛	⊛	⊛	⊛	⊛	<code>\circledast^(a)</code>	asterisk in circle
U+0229C	⊜	⊜	⊜	⊜	⊜	⊜	⊜	<code>\circledequal</code>	equal in circle
U+0229D	⊝	⊝	⊝	⊝	⊝	⊝	⊝	<code>\circleddash^(a)</code>	hyphen in circle
U+0229E	⊞	⊞	⊞	⊞	⊞	⊞	⊞	<code>\boxplus^(a)</code>	plus sign in box
U+0229F	⊟	⊟	⊟	⊟	⊟	⊟	⊟	<code>\boxminus^(a)</code>	minus sign in box
U+022A0	⊠	⊠	⊠	⊠	⊠	⊠	⊠	<code>\boxtimes^(a)</code>	multiply sign in box
U+022A1	⊡	⊡	⊡	⊡	⊡	⊡	⊡	<code>\boxdot^(a)</code>	/dotsquare /boxdot b: small dot in box
U+022BA	⌈	⌈	⌈	⌈	⌈	⌈	⌈	<code>\intercal^(a)</code>	intercal
U+022BB	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\veebar^(a)</code>	logical or, bar below (large vee); exclusive disjunction
U+022BC	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\barwedge^(a)</code>	bar, wedge (large wedge)
U+022BD	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\barvee</code>	bar, vee (large vee)
U+022C4	◇	◇	◇	◇	◇	◇	◇	<code>\smwhtdiamond</code>	white diamond
U+022C5	⋯	⋯	⋯	⋯	⋯	⋯	⋯	<code>\cdot^(p)</code>	small middle dot

USV	M	S	E	P	D	L	G	Macro	Description
U+022C6	★	★	★	★	★	★	★	<code>\star^(p)</code>	small star, filled, low
U+022C7	✖	✖	✖	✖	✖		✖	<code>\divideontimes^(a)</code>	division on times
U+022C9	⌞	⌞	⌞	⌞	⌞		⌞	<code>\ltimes^(a)</code>	times sign, left closed
U+022CA	⌠	⌠	⌠	⌠	⌠		⌠	<code>\rtimes^(a)</code>	times sign, right closed
U+022CB	⌵	⌵	⌵	⌵	⌵		⌵	<code>\leftthreetimes^(a)</code>	left semidirect product
U+022CC	⌶	⌶	⌶	⌶	⌶		⌶	<code>\rightthreetimes^(a)</code>	right semidirect product
U+022CE	↻	↻	↻	↻	↻	↻	↻	<code>\curlyvee^(a)</code>	curly logical or
U+022CF	↷	↷	↷	↷	↷	↷	↷	<code>\curlywedge^(a)</code>	curly logical and
U+022D2	⋈	⋈	⋈	⋈	⋈		⋈	<code>\Cap^(a)</code>	<code>/cap</code> <code>/doublecap</code> b: double intersection
U+022D3	⋃	⋃	⋃	⋃	⋃		⋃	<code>\Cup^(a)</code>	<code>/cup</code> <code>/doublecup</code> b: double union
U+02305	⌞	⌞	⌞	⌞	⌞			<code>\varbarwedge</code>	<code>/barwedge</code> b: logical and, bar above [projective (bar over small wedge)]
U+02306	⌞	⌞	⌞	⌞	⌞			<code>\vardoublebarwedge</code>	<code>/doublebarwedge</code> b: logical and, double bar above [perspective (double bar over small wedge)]
U+0233D		⊖						<code>\obar</code>	circle with vertical bar
U+025B3	△	△	△	△	△	△	△	<code>\bigtriangleup^(p)</code>	big up triangle, open
U+025B7	▷	▷	▷	▷	▷	▷	▷	<code>\triangleright^(p)</code>	(large) right triangle, open; z notation range restriction
U+025C1	◁	◁	◁	◁	◁	◁	◁	<code>\triangleleft^(p)</code>	(large) left triangle, open; z notation domain restriction
U+025CB	○	○	○	○	●	○	○	<code>\mdlgwhtcircle</code>	medium large circle
U+025EB		⏏						<code>\boxbar</code>	vertical bar in box
U+027C7		∨						<code>\veedot</code>	or with dot inside
U+027D1		∧						<code>\wedgedot</code>	and with dot
U+027E0	◊	◊	◊	◊	◊			<code>\lozengeminus</code>	lozenge divided by horizontal rule
U+027E1	◊	◊	◊	◊	◊			<code>\concavediamond</code>	white concave-sided diamond
U+027E2	◊	◊	◊	◊	◊			<code>\concavediamondtickleft</code>	white concave-sided diamond with leftwards tick
U+027E3	◊	◊	◊	◊	◊			<code>\concavediamondtickright</code>	white concave-sided diamond with rightwards tick
U+027E4		◻						<code>\whitesquaretickleft</code>	white square with leftwards tick
U+027E5		◻						<code>\whitesquaretickright</code>	white square with rightwards tick
U+029B5		⊖						<code>\circlehbar</code>	circle with horizontal bar
U+029B6		⊕						<code>\circledvert</code>	circled vertical bar
U+029B7		⊕						<code>\circledparallel</code>	circled parallel

USV	M	S	E	P	D	L	G	Macro	Description
U+029B8		⊖						<code>\obslash</code>	circled reverse solidus
U+029B9		⊥					⊥	<code>\operp</code>	circled perpendicular
U+029C0		⊗						<code>\olessthan</code>	circled less-than
U+029C1		⊗						<code>\ogreaterthan</code>	circled greater-than
U+029C4		⊠						<code>\boxdiag</code>	squared rising diagonal slash
U+029C5		⊡						<code>\boxslash</code>	squared falling diagonal slash
U+029C6		⊛						<code>\boxast</code>	squared asterisk
U+029C7		⊜						<code>\boxcircle</code>	squared small circle
U+029C8		⊝						<code>\boxbox</code>	squared square
U+029CD		△						<code>\triangleserifs</code>	triangle with serifs at bottom
U+029D6		⌚						<code>\hourglass</code>	white hourglass
U+029D7		⌚						<code>\blackhourglass</code>	black hourglass
U+029E2		⌛						<code>\shuffle</code>	shuffle product
U+029EB		◆	◆					<code>\mdlgblklozenge</code>	black lozenge
U+029F5		↖	↖				↖ ↗	<code>\reversesolidus</code>	reverse solidus
U+029F6		↗					↗	<code>\dsol</code>	solidus with overbar
U+029F7		↘					↘	<code>\rsolbar</code>	reverse solidus with horizontal stroke
U+029FA		≡						<code>\doubleplus</code>	double plus
U+029FB		≡						<code>\tripleplus</code>	triple plus
U+029FE		⊕						<code>\tplus</code>	tiny
U+029FF		⊖						<code>\tminus</code>	miny
U+02A22		⊕						<code>\ringplus</code>	plus sign with small circle above
U+02A23		⊕						<code>\plushat</code>	plus sign with circumflex accent above
U+02A24		⊕						<code>\simplus</code>	plus sign with tilde above
U+02A25		⊕						<code>\plusdot</code>	plus sign with dot below
U+02A26		⊕						<code>\plussim</code>	plus sign with tilde below
U+02A27		⊕						<code>\plussubtwo</code>	plus sign with subscript two
U+02A28		⊕						<code>\plustrif</code>	plus sign with black triangle
U+02A29		⊖						<code>\commaminus</code>	minus sign with comma above
U+02A2A		⊖						<code>\minusdot</code>	minus sign with dot below
U+02A2B		⊖						<code>\minusfdots</code>	minus sign with falling dots
U+02A2C		⊖						<code>\minusrdots</code>	minus sign with rising dots
U+02A2D		⊕						<code>\opluslhrim</code>	plus sign in left half circle

USV	M	S	E	P	D	L	G	Macro	Description
U+02A2E		⊕						<code>\oplusrhrim</code>	plus sign in right half circle
U+02A2F	×	×	×	×	×		×	<code>\vectimes</code>	vector or cross product
U+02A30		⊙						<code>\dottimes</code>	multiplication sign with dot above
U+02A31		⊗						<code>\timesbar</code>	multiplication sign with underbar
U+02A32		⊠						<code>\btimes</code>	semidirect product with bottom closed
U+02A33		⊛						<code>\smashtimes</code>	smash product
U+02A34		⊞						<code>\otimeslhrim</code>	multiplication sign in left half circle
U+02A35		⊟						<code>\otimesrhrim</code>	multiplication sign in right half circle
U+02A36		⊠					⊠	<code>\otimeshat</code>	circled multiplication sign with circumflex accent
U+02A37		⊞						<code>\Otimes</code>	multiplication sign in double circle
U+02A38		⊕						<code>\odiv</code>	circled division sign
U+02A39		⊕						<code>\triangleplus</code>	plus sign in triangle
U+02A3A		⊖						<code>\triangleminus</code>	minus sign in triangle
U+02A3B		⊗						<code>\triangletimes</code>	multiplication sign in triangle
U+02A3C		⊣						<code>\intprod</code>	interior product
U+02A3D		⊣						<code>\intprodr</code>	righthand interior product
U+02A3E		⋈					⋈	<code>\fcmp</code>	z notation relational composition
U+02A3F	⋈	⋈	⋈	⋈	⋈	⋈	⋈	<code>\amalg^(P)</code>	amalgamation or coproduct
U+02A40		⋈						<code>\capdot</code>	intersection with dot
U+02A41		⋈						<code>\uminus</code>	union with minus sign
U+02A42		⋈						<code>\barcup</code>	union with overbar
U+02A43		⋈						<code>\barcap</code>	intersection with overbar
U+02A44		⋈						<code>\capwedge</code>	intersection with logical and
U+02A45		⋈						<code>\cupvee</code>	union with logical or
U+02A46		⋈						<code>\cupovercap</code>	union above intersection
U+02A47		⋈						<code>\capovercup</code>	intersection above union
U+02A48		⋈						<code>\cupbarcap</code>	union above bar above intersection
U+02A49		⋈						<code>\capbarcup</code>	intersection above bar above union
U+02A4A		⋈						<code>\twocups</code>	union beside and joined with union

USV	M	S	E	P	D	L	G	Macro	Description
U+02A4B								<code>\twocaps</code>	intersection beside and joined with intersection
U+02A4C								<code>\closedvarcup</code>	closed union with serifs
U+02A4D								<code>\closedvarcap</code>	closed intersection with serifs
U+02A4E								<code>\Sqcap</code>	double square intersection
U+02A4F								<code>\Sqcup</code>	double square union
U+02A50								<code>\closedvarcupsmashprod</code>	closed union with serifs and smash product
U+02A51								<code>\wedgeodot</code>	logical and with dot above
U+02A52								<code>\veeodot</code>	logical or with dot above
U+02A53								<code>\Wedge</code>	double logical and
U+02A54								<code>\Vee</code>	double logical or
U+02A55								<code>\wedgeonwedge</code>	two intersecting logical and
U+02A56								<code>\veeonvee</code>	two intersecting logical or
U+02A57								<code>\bigslantedvee</code>	sloping large or
U+02A58								<code>\bigslantedwedge</code>	sloping large and
U+02A5A								<code>\wedgemidvert</code>	logical and with middle stem
U+02A5B								<code>\veemidvert</code>	logical or with middle stem
U+02A5C								<code>\midbarwedge</code>	logical and with horizontal dash
U+02A5D								<code>\midbarvee</code>	logical or with horizontal dash
U+02A5E								<code>\doublebarwedge</code> ^(a)	logical and with double overbar
U+02A5F								<code>\wedgebar</code>	logical and with underbar
U+02A60								<code>\wedgedoublebar</code>	logical and with double underbar
U+02A61								<code>\varveebar</code>	small vee with underbar
U+02A62								<code>\doublebarvee</code>	logical or with double overbar
U+02A63								<code>\veedoublebar</code>	logical or with double underbar
U+02A64								<code>\dsub</code>	z notation domain antirestriction
U+02A65								<code>\rsub</code>	z notation range antirestriction
U+02A71								<code>\eqqplus</code>	equals sign above plus sign
U+02A72								<code>\pluseqq</code>	plus sign above equals sign
U+02AF4								<code>\interleave</code>	triple vertical bar binary relation
U+02AF5								<code>\nhVvert</code>	triple vertical bar with horizontal stroke
U+02AF6								<code>\threedotcolon</code>	triple colon operator
U+02AFB								<code>\trslash</code>	triple solidus binary relation

USV	M	S	E	P	D	L	G	Macro	Description
U+02AFD		//						\sslash	double solidus operator
U+02AFE		∟						\talloblong	white vertical bar

13 Ordinary symbols, \mathord

USV	M	S	E	P	D	L	G	Macro	Description
U+00023	#	#	#	#	#	#	#	\mathoctothorpe	number sign
U+00024	\$	\$	\$	\$	\$	\$	\$	\mathdollar	dollar sign
U+00025	%	%	%	%	%	%	%	\mathpercent	percent sign
U+00026	&	&	&	&	&	&	&	\mathampersand	ampersand
U+0002E	\mathperiod	full stop, period
U+0002F	/	/	/	/	/	/	/	\mathslash	solidus
U+0003F	?	?	?	?	?	?	?	\mathquestion	question mark
U+00040	@	@	@	@	@	@	@	\mathatsign	commercial at
U+0005C	\	\	\	\	\	\	\	\backslash ^(p)	reverse solidus
U+000A3	£	£	£	£	£	£	£	\mathsterling	pound sign
U+000A5	¥	¥	¥	¥	¥	¥	¥	\mathyen	yen sign
U+000A7	§	§	§	§	§	§	§	\mathsection	section symbol
U+000AC	¬	¬	¬	¬	¬	¬	¬	\neg ^(p)	/neg /Inot not sign
U+000B6	¶	¶	¶	¶	¶	¶	¶	\mathparagraph	paragraph symbol
U+001B5		Z	Z				Z	\Zbar	impedance (latin capital letter z with stroke)
U+003F6		ϵ	ϵ				ϵ	\upbackepsilon	greek reversed lunate epsilon symbol
U+02015	—	—	—	—	—	—	—	\horizbar	horizontal bar
U+02017	=	=	=	=	=	=	=	\twolowline	double low line (spacing)
U+02025		\enleadertwodots	double baseline dot (en leader)
U+02026	\unicodeellipsis	ellipsis (horizontal)
U+02032	′	′	′	′	′	′	′	\prime ^(p)	prime or minute, not superscripted
U+02033	″	″	″	″	″	″	″	\dprime	double prime or second, not superscripted
U+02034	‴	‴	‴	‴	‴	‴	‴	\trprime	triple prime (not superscripted)
U+02035	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	\backprime ^(a)	reverse prime, not superscripted
U+02036	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	\backdprime	double reverse prime, not superscripted

USV	M	S	E	P	D	L	G	Macro	Description
U+02037	'''	'''	'''	'''	'''	'''	'''	<code>\backtrprime</code>	triple reverse prime, not superscripted
U+02038		^						<code>\caretinsert</code>	caret (insertion mark)
U+0203C		!!				!!		<code>\Exclam</code>	double exclamation mark
U+02043		-						<code>\hyphenbullet</code>	rectangle, filled (hyphen bullet)
U+02047		??				??		<code>\Question</code>	double question mark
U+02057	''''	''''	''''	''''	''''	''''	''''	<code>\qprime</code>	quadruple prime, not superscripted
U+020AC	€	€	€	€	€	€	€	<code>\euro</code>	euro sign
U+020DD	○	○	○	○	○		○	<code>\enclosecircle</code>	combining enclosing circle
U+020DE	□	□	□	□	□		□	<code>\enclosesquare</code>	combining enclosing square
U+020DF	◇	◇	◇	◇	◇		◇	<code>\enclosediamond</code>	combining enclosing diamond
U+020E4	△	△	△	△	△		△	<code>\enclosetriangle</code>	combining enclosing upward pointing triangle
U+02107	ε	ε	ε	ε	ε		ε	<code>\Eulerconst</code>	euler constant
U+0210E	ℏ	ℏ	ℏ	ℏ	ℏ	ℏ	ℏ	<code>\Planckconst</code>	planck constant
U+02127	℧	℧	℧	℧	℧	℧	℧	<code>\mho</code>	conductance
U+02132		ƒ	ƒ					<code>\Finv^(a)</code>	turned capital f
U+0213C	⍷	⍷	⍷	⍷	⍷		⍷	<code>\Bbbpi</code>	double-struck small pi
U+02141		Ɔ	Ɔ					<code>\Game^(a)</code>	turned sans-serif capital g
U+02142		⌐						<code>\sansLturned</code>	turned sans-serif capital l
U+02143		⌑						<code>\sansLmirrored</code>	reversed sans-serif capital l
U+02144		⌒						<code>\Yup</code>	turned sans-serif capital y
U+02145	𝔻	𝔻	𝔻	𝔻	𝔻		𝔻	<code>\mitBbbD</code>	double-struck italic capital d
U+02146	𝔡	𝔡	𝔡	𝔡	𝔡		𝔡	<code>\mitBbbd</code>	double-struck italic small d
U+02147	𝔢	𝔢	𝔢	𝔢	𝔢		𝔢	<code>\mitBbbe</code>	double-struck italic small e
U+02148	𝔦	𝔦	𝔦	𝔦	𝔦		𝔦	<code>\mitBbbi</code>	double-struck italic small i
U+02149	𝔧	𝔧	𝔧	𝔧	𝔧		𝔧	<code>\mitBbbj</code>	double-struck italic small j
U+0214A		ℙ						<code>\PropertyLine</code>	property line
U+021A8		↕				↕	↕	<code>\updownarrowbar</code>	up down arrow with base (perpendicular)
U+021B4	↘	↘	↘	↘	↘	↘	↘	<code>\linefeed</code>	rightwards arrow with corner downwards
U+021B5	↙	↙	↙	↙	↙	↙	↙	<code>\carriagereturn</code>	downwards arrow with corner leftward = carriage return
U+021B8		↖				↖	↖	<code>\barovernorthwestarrow</code>	north west arrow to long bar
U+021B9		↔				↔	↔	<code>\barleftarrowrightarrowbar</code>	leftwards arrow to bar over rightwards arrow to bar

USV	M	S	E	P	D	L	G	Macro	Description
U+021BA								<code>\acwopencirclearrow</code>	anticlockwise open circle arrow
U+021BB								<code>\cwopencirclearrow</code>	clockwise open circle arrow
U+021DE								<code>\nHuparrow</code>	upwards arrow with double stroke
U+021DF								<code>\nHdownarrow</code>	downwards arrow with double stroke
U+021E0								<code>\leftdasharrow</code>	leftwards dashed arrow
U+021E1								<code>\updasharrow</code>	upwards dashed arrow
U+021E2								<code>\rightdasharrow</code>	rightwards dashed arrow
U+021E3								<code>\downdasharrow</code>	downwards dashed arrow
U+021E6								<code>\leftwhitearrow</code>	leftwards white arrow
U+021E7								<code>\upwhitearrow</code>	upwards white arrow
U+021E8								<code>\rightwhitearrow</code>	rightwards white arrow
U+021E9								<code>\downwhitearrow</code>	downwards white arrow
U+021EA								<code>\whitearrowupfrombar</code>	upwards white arrow from bar
U+02200								<code>\forall</code> ^(p)	for all
U+02201								<code>\complement</code> ^(a)	complement sign
U+02203								<code>\exists</code> ^(p)	at least one exists
U+02204								<code>\nexists</code> ^(a)	negated exists
U+02205								<code>\varnothing</code> ^(a)	circle, slash
U+02206								<code>\Delta</code>	laplacian (delta; nabla^2)
U+0220E								<code>\QED</code>	end of proof
U+0221A								<code>\surd</code> ^(p)	radical
U+0221E								<code>\infty</code> ^(p)	infinity
U+0221F								<code>\rightangle</code>	right (90 degree) angle
U+02220								<code>\angle</code> ^(p)	angle
U+02221								<code>\measuredangle</code> ^(a)	angle-measured
U+02222								<code>\sphericalangle</code> ^(a)	angle-spherical
U+02234								<code>\therefore</code> ^(a)	therefore
U+02235								<code>\because</code> ^(a)	because
U+0223F								<code>\sinewave</code>	sine wave
U+022A4								<code>\top</code> ^(p)	top
U+022A5								<code>\bot</code> ^(p)	bottom
U+022B9								<code>\hermitmatrix</code>	hermitian conjugate matrix
U+022BE								<code>\measuredrightangle</code>	right angle-measured [with arc]
U+022BF								<code>\varltriangleright</code>	right triangle

USV	M	S	E	P	D	L	G	Macro	Description
U+022EF	⋯	⋯	⋯	⋯	⋯	⋯	⋯	\unicodecdots	three dots, centered
U+02300	∅	∅	∅	∅	∅	∅	∅	\diameter	diameter sign
U+02302		🏠					🏠	\house	house
U+02310	↯	↯	↯	↯	↯	↯	↯	\invnot	reverse not
U+02311		◻						\sqlozenge	square lozenge
U+02312		⤿						\proflines	profile of a line
U+02313		⤿						\profsurf	profile of a surface
U+02317		⊞						\viewdata	viewdata square
U+02319	↯	↯	↯	↯	↯		↯	\turnednot	turned not sign
U+02320	∫	∫	∫	∫	∫	∫	∫	\inttop	top half integral
U+02321	∫	∫	∫	∫	∫	∫	∫	\intbottom	bottom half integral
U+0232C		⬡						\varhexagonlrbonds	six carbon ring, corner down, double bonds lower right etc
U+02332		▶						\conictaper	conical taper
U+02336		⤵						\topbot	top and bottom
U+02340		⚡						\APLnotbackslash	apl functional symbol backslash bar
U+02353		⤴						\APLboxupcaret	boxed up caret
U+02370		⤴						\APLboxquestion	boxed question mark
U+0237C		⤴						\rangledownzigzagarrow	right angle with downwards zigzag arrow
U+02394		⬡						\hexagon	horizontal benzene ring [hexagon flat open]
U+0239B	(((((((\lparenuend	left parenthesis upper hook
U+0239C								\lparenextender	left parenthesis extension
U+0239D)))))))	\lparenlend	left parenthesis lower hook
U+0239E)))))))	\rparenuend	right parenthesis upper hook
U+0239F								\rparenextender	right parenthesis extension
U+023A0)))))))	\rparenlend	right parenthesis lower hook
U+023A1	[[[[[[[\lbrackuend	left square bracket upper corner

USV	M	S	E	P	D	L	G	Macro	Description
U+023A2								<code>\lbracketextender</code>	left square bracket extension
U+023A3	L	L	L	L	L	L	L	<code>\lbracklend</code>	left square bracket lower corner
U+023A4]]]]]]]	<code>\rbracketuend</code>	right square bracket upper corner
U+023A5								<code>\rbracketextender</code>	right square bracket extension
U+023A6	J	J	J	J	J	J	J	<code>\rbracklend</code>	right square bracket lower corner
U+023A7	{	{	{	{	{	{	{	<code>\lbraceuend</code>	left curly bracket upper hook
U+023A8	}	}	}	}	}	}	}	<code>\lbracemid</code>	left curly bracket middle piece
U+023A9	}	}	}	}	}	}	}	<code>\lbracelend</code>	left curly bracket lower hook
U+023AA								<code>\vbraceextender</code>	curly bracket extension
U+023AB	}	}	}	}	}	}	}	<code>\rbraceuend</code>	right curly bracket upper hook
U+023AC	}	}	}	}	}	}	}	<code>\rbracemid</code>	right curly bracket middle piece
U+023AD	}	}	}	}	}	}	}	<code>\rbracelend</code>	right curly bracket lower hook
U+023AE								<code>\intextender</code>	integral extension
U+023AF	-	-	-	-	-	-	-	<code>\harrowextender</code>	horizontal line extension (used to extend arrows)
U+023B2	∑	∑	∑	∑	∑	∑	∑	<code>\sumtop</code>	summation top
U+023B3	∑	∑	∑	∑	∑	∑	∑	<code>\sumbottom</code>	summation bottom
U+023B6	⌋	⌋	⌋	⌋	⌋	⌋	⌋	<code>\bbrktbrk</code>	bottom square bracket over top square bracket
U+023B7	√	√	√	√	√	√	√	<code>\sqrtbottom</code>	radical symbol bottom
U+023B8								<code>\l vboxline</code>	left vertical box line
U+023B9								<code>\r vboxline</code>	right vertical box line
U+023CE	↵	↵	↵	↵	↵	↵	↵	<code>\varcarriagereturn</code>	return symbol
U+023E0	⌞	⌞	⌞	⌞	⌞	⌞	⌞	<code>\obrbrak</code>	top tortoise shell bracket (mathematical use)

USV	M	S	E	P	D	L	G	Macro	Description
U+023E1								<code>\ubrbrak</code>	bottom tortoise shell bracket (mathematical use)
U+023E2								<code>\trapezium</code>	white trapezium
U+023E3								<code>\benzenr</code>	benzene ring with circle
U+023E4								<code>\strns</code>	straightness
U+023E5								<code>\fltns</code>	flatness
U+023E6								<code>\accurent</code>	ac current
U+023E7								<code>\elinters</code>	electrical intersection
U+02422								<code>\blanksymbol</code>	blank symbol
U+02423								<code>\mathvisiblespace</code>	open box
U+02506								<code>\bdtriplevdash</code>	doubly broken vert
U+02580								<code>\blockuphalf</code>	upper half block
U+02584								<code>\blocklowhalf</code>	lower half block
U+02588								<code>\blockfull</code>	full block
U+0258c								<code>\blocklefthalf</code>	left half block
U+02590								<code>\blockrighthalf</code>	right half block
U+02591								<code>\blockqtrshaded</code>	25% shaded block
U+02592								<code>\blockhalfshaded</code>	50% shaded block
U+02593								<code>\blockthreeqtrshaded</code>	75% shaded block
U+025A0								<code>\mdlgblksquare</code>	square, filled
U+025A1								<code>\mdlgwhtsquare</code>	square, open
U+025A2								<code>\squoval</code>	white square with rounded corners
U+025A3								<code>\blackinwhitesquare</code>	white square containing black small square
U+025A4								<code>\squarehfill</code>	square, horizontal rule filled
U+025A5								<code>\squarevfill</code>	square, vertical rule filled
U+025A6								<code>\squarehvfill</code>	square with orthogonal crosshatch fill
U+025A7								<code>\squarenwsefill</code>	square, nw-to-se rule filled
U+025A8								<code>\squareneswfill</code>	square, ne-to-sw rule filled
U+025A9								<code>\squarecrossfill</code>	square with diagonal crosshatch fill
U+025AA								<code>\smlblksquare</code>	/blacksquare - sq bullet, filled
U+025AB								<code>\smwhtsquare</code>	white small square
U+025AC								<code>\hrectangleblack</code>	black rectangle
U+025AD								<code>\hrectangle</code>	horizontal rectangle, open

USV	M	S	E	P	D	L	G	Macro	Description
U+025AE								<code>\vrectangleblack</code>	black vertical rectangle
U+025AF								<code>\vrectangle</code>	rectangle, white (vertical)
U+025B0								<code>\parallelogramblack</code>	black parallelogram
U+025B1								<code>\parallelogram</code>	parallelogram, open
U+025B2								<code>\bigblacktriangleup</code>	black up-pointing triangle
U+025B4								<code>\blacktriangle^(a)</code>	up triangle, filled
U+025B6								<code>\blacktriangleright^(a)</code>	(large) right triangle, filled
U+025B8								<code>\smallblacktriangleright</code>	right triangle, filled
U+025B9								<code>\smalltriangleright</code>	right triangle, open
U+025BA								<code>\blackpointerright</code>	black right-pointing pointer
U+025BB								<code>\whitepointerright</code>	white right-pointing pointer
U+025BC								<code>\bigblacktriangledown</code>	big down triangle, filled
U+025BD								<code>\bigtriangledown^(p)</code>	big down triangle, open
U+025BE								<code>\blacktriangledown^(a)</code>	down triangle, filled
U+025BF								<code>\triangledown^(a)</code>	down triangle, open
U+025C0								<code>\blacktriangleleft^(a)</code>	(large) left triangle, filled
U+025C2								<code>\smallblacktriangleleft</code>	left triangle, filled
U+025C3								<code>\smalltriangleleft</code>	left triangle, open
U+025C4								<code>\blackpointerleft</code>	black left-pointing pointer
U+025C5								<code>\whitepointerleft</code>	white left-pointing pointer
U+025C6								<code>\mdlgblkdiamond</code>	black diamond
U+025C7								<code>\mdlgwhtdiamond</code>	white diamond; diamond, open
U+025C8								<code>\blackinwhitediamond</code>	white diamond containing black small diamond
U+025C9								<code>\fisheye</code>	fish-eye
U+025CA								<code>\mdlgwhtlozenge</code>	lozenge or total mark
U+025CC								<code>\dottedcircle</code>	dotted circle
U+025CD								<code>\circlevertfill</code>	circle with vertical fill
U+025CE								<code>\bullseye</code>	bullseye
U+025CF								<code>\mdlgblkcircle</code>	circle, filled
U+025D0								<code>\circlelefthalfblack</code>	circle, filled left half [harvey ball]
U+025D1								<code>\cirlerrighthalfblack</code>	circle, filled right half
U+025D2								<code>\circlebottomhalfblack</code>	circle, filled bottom half
U+025D3								<code>\circletophalfblack</code>	circle, filled top half

USV	M	S	E	P	D	L	G	Macro	Description
U+025D4								<code>\circleurquadblack</code>	circle with upper right quadrant black
U+025D5								<code>\blackcircleulquadwhite</code>	circle with all but upper left quadrant black
U+025D6								<code>\blacklefthalfcircle</code>	left half black circle
U+025D7								<code>\blackrighthalfcircle</code>	right half black circle
U+025D8								<code>\inversebullet</code>	inverse bullet
U+025D9								<code>\inversewhitecircle</code>	inverse white circle
U+025DA								<code>\invwhiteupperhalfcircle</code>	upper half inverse white circle
U+025DB								<code>\invwhitelowerhalfcircle</code>	lower half inverse white circle
U+025DC								<code>\ularc</code>	upper left quadrant circular arc
U+025DD								<code>\urarc</code>	upper right quadrant circular arc
U+025DE								<code>\lrarc</code>	lower right quadrant circular arc
U+025DF								<code>\llarc</code>	lower left quadrant circular arc
U+025E0								<code>\topsemicircle</code>	upper half circle
U+025E1								<code>\botsemicircle</code>	lower half circle
U+025E2								<code>\lrblacktriangle</code>	lower right triangle, filled
U+025E3								<code>\llblacktriangle</code>	lower left triangle, filled
U+025E4								<code>\ulblacktriangle</code>	upper left triangle, filled
U+025E5								<code>\urblacktriangle</code>	upper right triangle, filled
U+025E6								<code>\smwhtcircle</code>	white bullet
U+025E7								<code>\squareleftblack</code>	square, filled left half
U+025E8								<code>\squarerightblack</code>	square, filled right half
U+025E9								<code>\squareulblack</code>	square, filled top left corner
U+025EA								<code>\squarelrblack</code>	square, filled bottom right corner
U+025EC								<code>\trianglecdot</code>	triangle with centered dot
U+025ED								<code>\triangleleftblack</code>	up-pointing triangle with left half black
U+025EE								<code>\trianglerightblack</code>	up-pointing triangle with right half black
U+025EF								<code>\lgwhtcircle</code>	large circle
U+025F0								<code>\squareulquad</code>	white square with upper left quadrant
U+025F1								<code>\squarellquad</code>	white square with lower left quadrant
U+025F2								<code>\squarelrquad</code>	white square with lower right quadrant

USV	M	S	E	P	D	L	G	Macro	Description
U+025F3								<code>\squareurquad</code>	white square with upper right quadrant
U+025F4								<code>\circleulquad</code>	white circle with upper left quadrant
U+025F5								<code>\circlellquad</code>	white circle with lower left quadrant
U+025F6								<code>\circlelquad</code>	white circle with lower right quadrant
U+025F7								<code>\circleurquad</code>	white circle with upper right quadrant
U+025F8								<code>\ultriangle</code>	upper left triangle
U+025F9								<code>\urtriangle</code>	upper right triangle
U+025FA								<code>\lltriangle</code>	lower left triangle
U+025FB								<code>\mdwht-square</code>	white medium square
U+025FC								<code>\mdblk-square</code>	black medium square
U+025FD								<code>\mdsmwht-square</code>	white medium small square
U+025FE								<code>\mdsmbk-square</code>	black medium small square
U+025FF								<code>\lrtriangle</code>	lower right triangle
U+02605								<code>\bigstar^(a)</code>	star, filled
U+02606								<code>\bigwhitestar</code>	star, open
U+02609								<code>\astrosun</code>	sun
U+02621								<code>\danger</code>	dangerous bend (caution sign)
U+0263B								<code>\blacksmiley</code>	black smiling face
U+0263C								<code>\sun</code>	white sun with rays
U+0263D								<code>\rightmoon</code>	first quarter moon
U+0263E								<code>\leftmoon</code>	last quarter moon
U+02640								<code>\female</code>	venus, female
U+02642								<code>\male</code>	mars, male
U+02660								<code>\spadesuit^(p)</code>	spades suit symbol
U+02661								<code>\heartsuit^(p)</code>	heart suit symbol
U+02662								<code>\diamondsuit^(p)</code>	diamond suit symbol
U+02663								<code>\clubsuit^(p)</code>	club suit symbol
U+02664								<code>\varspadesuit</code>	spade, white (card suit)
U+02665								<code>\varheartsuit</code>	filled heart (card suit)
U+02666								<code>\vardiamondsuit</code>	filled diamond (card suit)
U+02667								<code>\varclubsuit</code>	club, white (card suit)
U+02669								<code>\quarternote</code>	music note (sung text sign)

USV	M	S	E	P	D	L	G	Macro	Description
U+0266A								<code>\eighthnote</code>	eighth note
U+0266B								<code>\twonotes</code>	beamed eighth notes
U+0266D								<code>\flat^(p)</code>	musical flat
U+0266E								<code>\natural^(p)</code>	music natural
U+0266F								<code>\sharp^(p)</code>	musical sharp
U+0267E								<code>\acidfree</code>	permanent paper sign
U+02680								<code>\dicei</code>	die face-1
U+02681								<code>\diceii</code>	die face-2
U+02682								<code>\diceiii</code>	die face-3
U+02683								<code>\diceiv</code>	die face-4
U+02684								<code>\dicev</code>	die face-5
U+02685								<code>\dicevi</code>	die face-6
U+02686								<code>\circledrightdot</code>	white circle with dot right
U+02687								<code>\circledtwodots</code>	white circle with two dots
U+02688								<code>\blackcircledrightdot</code>	black circle with white dot right
U+02689								<code>\blackcircledtwodots</code>	black circle with two white dots
U+026A5								<code>\Hermaphrodite</code>	male and female sign
U+026AA								<code>\mdwhtcircle</code>	medium white circle
U+026AB								<code>\mdblkcircle</code>	medium black circle
U+026AC								<code>\mdsmwhtcircle</code>	medium small white circle
U+026B2								<code>\neuter</code>	neuter
U+02713								<code>\checkmark</code>	tick, check mark
U+02720								<code>\maltese</code>	maltese cross
U+0272A								<code>\circledstar</code>	circled white star
U+02736								<code>\varstar</code>	six pointed black star
U+0273D								<code>\dingasterisk</code>	heavy teardrop-spoked asterisk
U+0279B								<code>\draftingarrow</code>	right arrow with bold head (drafting)
U+027C0								<code>\threedangle</code>	three dimensional angle
U+027C1								<code>\whiteinwhitetriangle</code>	white triangle containing small white triangle
U+027C3								<code>\subsetcirc</code>	open subset
U+027C4								<code>\supsetcirc</code>	open superset
U+027CB								<code>\diagup^(a)</code>	mathematical rising diagonal
U+027CD								<code>\diagdown^(a)</code>	mathematical falling diagonal

USV	M	S	E	P	D	L	G	Macro	Description
U+027D0								<code>\diamondcdot</code>	white diamond with centred dot
U+0292B								<code>\rdiagovfdiag</code>	rising diagonal crossing falling diagonal
U+0292C								<code>\fdiagovrdiag</code>	falling diagonal crossing rising diagonal
U+0292D								<code>\seovnearrow</code>	south east arrow crossing north east arrow
U+0292E								<code>\neovsearrow</code>	north east arrow crossing south east arrow
U+0292F								<code>\fdiagovnearrow</code>	falling diagonal crossing north east arrow
U+02930								<code>\rdiagovsearrow</code>	rising diagonal crossing south east arrow
U+02931								<code>\neovnwarrow</code>	north east arrow crossing north west arrow
U+02932								<code>\nwovnearrow</code>	north west arrow crossing north east arrow
U+02934								<code>\uprightcurvearrow</code>	arrow pointing rightwards then curving upwards
U+02935								<code>\downrightcurvedarrow</code>	arrow pointing rightwards then curving downwards
U+02981								<code>\mdsmbkcircle</code>	z notation spot
U+02999								<code>\fourvdots</code>	dotted fence
U+0299A								<code>\vzigzag</code>	vertical zigzag line
U+0299B								<code>\measuredangleleft</code>	measured angle opening left
U+0299C								<code>\rightanglesqr</code>	right angle variant with square
U+0299D								<code>\rightanglemdot</code>	measured right angle with dot
U+0299E								<code>\angles</code>	angle with s inside
U+0299F								<code>\angdnr</code>	acute angle
U+029A0								<code>\gtlpar</code>	spherical angle opening left
U+029A1								<code>\sphericalangleup</code>	spherical angle opening up
U+029A2								<code>\turnangle</code>	turned angle
U+029A3								<code>\revangle</code>	reversed angle
U+029A4								<code>\angleubar</code>	angle with underbar
U+029A5								<code>\revangleubar</code>	reversed angle with underbar
U+029A6								<code>\wideangledown</code>	oblique angle opening up
U+029A7								<code>\wideangleup</code>	oblique angle opening down
U+029A8								<code>\measanglerutone</code>	measured angle with open arm ending in arrow pointing up and right

USV	M	S	E	P	D	L	G	Macro	Description
U+029A9								<code>\measanglelutonw</code>	measured angle with open arm ending in arrow pointing up and left
U+029AA								<code>\measanglerdtose</code>	measured angle with open arm ending in arrow pointing down and right
U+029AB								<code>\measangleldtosw</code>	measured angle with open arm ending in arrow pointing down and left
U+029AC								<code>\measangleurtone</code>	measured angle with open arm ending in arrow pointing right and up
U+029AD								<code>\measangleultonw</code>	measured angle with open arm ending in arrow pointing left and up
U+029AE								<code>\measangledrtose</code>	measured angle with open arm ending in arrow pointing right and down
U+029AF								<code>\measangledltosw</code>	measured angle with open arm ending in arrow pointing left and down
U+029B0								<code>\reemptyset</code>	reversed empty set
U+029B1								<code>\emptysetbar</code>	empty set with overbar
U+029B2								<code>\emptysettocirc</code>	empty set with small circle above
U+029B3								<code>\emptysettoarr</code>	empty set with right arrow above
U+029B4								<code>\emptysettoarrl</code>	empty set with left arrow above
U+029BA								<code>\obot</code>	circle divided by horizontal bar and top half divided by vertical bar
U+029BB								<code>\olcross</code>	circle with superimposed x
U+029BC								<code>\odotslashdot</code>	circled anticlockwise-rotated division sign
U+029BD								<code>\uparrowwocircle</code>	up arrow through circle
U+029BE								<code>\circledwhitebullet</code>	circled white bullet
U+029BF								<code>\circledbullet</code>	circled bullet
U+029C2								<code>\circscir</code>	circle with small circle to the right
U+029C3								<code>\cirE</code>	circle with two horizontal strokes to the right
U+029C9								<code>\boxonbox</code>	two joined squares
U+029CA								<code>\triangleodot</code>	triangle with dot above
U+029CB								<code>\triangleubar</code>	triangle with underbar
U+029CC								<code>\triangles</code>	s in triangle
U+029DC								<code>\iifin</code>	incomplete infinity

USV	M	S	E	P	D	L	G	Macro	Description
U+029DD								<code>\tieinfty</code>	tie over infinity
U+029DE								<code>\nvinfty</code>	infinity negated with vertical bar
U+029E0								<code>\laplac</code>	square with contoured outline
U+029E7								<code>\thermod</code>	thermodynamic
U+029E8								<code>\downtriangleleftblack</code>	down-pointing triangle with left half black
U+029E9								<code>\downtrianglerightblack</code>	down-pointing triangle with right half black
U+029EA								<code>\blackdiamonddownarrow</code>	black diamond with down arrow
U+029EC								<code>\circledownarrow</code>	white circle with down arrow
U+029ED								<code>\blackcircledownarrow</code>	black circle with down arrow
U+029EE								<code>\errbarsquare</code>	error-barred white square
U+029EF								<code>\errbarblacksquare</code>	error-barred black square
U+029F0								<code>\errbardiamond</code>	error-barred white diamond
U+029F1								<code>\errbarblackdiamond</code>	error-barred black diamond
U+029F2								<code>\errbarcircle</code>	error-barred white circle
U+029F3								<code>\errbarblackcircle</code>	error-barred black circle
U+02AE1								<code>\perps</code>	perpendicular with s
U+02AF1								<code>\topcir</code>	down tack with circle below
U+02B12								<code>\squaretopblack</code>	square with top half black
U+02B13								<code>\squarebotblack</code>	square with bottom half black
U+02B14								<code>\squareurblack</code>	square with upper right diagonal half black
U+02B15								<code>\squarellblack</code>	square with lower left diagonal half black
U+02B16								<code>\diamondleftblack</code>	diamond with left half black
U+02B17								<code>\diamondrightblack</code>	diamond with right half black
U+02B18								<code>\diamondtopblack</code>	diamond with top half black
U+02B19								<code>\diamondbotblack</code>	diamond with bottom half black
U+02B1A								<code>\dottedsquare</code>	dotted square
U+02B1B								<code>\lgblksquare</code>	black large square
U+02B1C								<code>\lgwhtsquare</code>	white large square
U+02B1D								<code>\vysmblksquare</code>	black very small square
U+02B1E								<code>\vysmwhtsquare</code>	white very small square
U+02B1F								<code>\pentagonblack</code>	black pentagon
U+02B20								<code>\pentagon</code>	white pentagon

USV	M	S	E	P	D	L	G	Macro	Description
U+02B21								<code>\varhexagon</code>	white hexagon
U+02B22								<code>\varhexagonblack</code>	black hexagon
U+02B23								<code>\hexagonblack</code>	horizontal black hexagon
U+02B24								<code>\lgblkcircle</code>	black large circle
U+02B25								<code>\mdblkdiamond</code>	black medium diamond
U+02B26								<code>\mdwhtdiamond</code>	white medium diamond
U+02B27								<code>\mdblklozenge</code>	black medium lozenge
U+02B28								<code>\mdwhtlozenge</code>	white medium lozenge
U+02B29								<code>\smbldiamond</code>	black small diamond
U+02B2A								<code>\smbklozenge</code>	black small lozenge
U+02B2B								<code>\smwhtlozenge</code>	white small lozenge
U+02B2C								<code>\blkhorzoval</code>	black horizontal ellipse
U+02B2D								<code>\whthorzoval</code>	white horizontal ellipse
U+02B2E								<code>\blkvertoval</code>	black vertical ellipse
U+02B2F								<code>\whtvertoval</code>	white vertical ellipse
U+02B50								<code>\medwhitestar</code>	white medium star
U+02B51								<code>\medblackstar</code>	black medium star
U+02B52								<code>\smwhitestar</code>	white small star
U+02B53								<code>\rightpentagonblack</code>	black right-pointing pentagon
U+02B54								<code>\rightpentagon</code>	white right-pointing pentagon
U+03012								<code>\postalmark</code>	postal mark
U+03030								<code>\hzizzag</code>	zigzag
U+1D7CE	0	0	0	0	0	0	0	<code>\mbfzero</code>	mathematical bold digit 0
U+1D7CF	1	1	1	1	1	1	1	<code>\mbfone</code>	mathematical bold digit 1
U+1D7D0	2	2	2	2	2	2	2	<code>\mbftwo</code>	mathematical bold digit 2
U+1D7D1	3	3	3	3	3	3	3	<code>\mbfthree</code>	mathematical bold digit 3
U+1D7D2	4	4	4	4	4	4	4	<code>\mbffour</code>	mathematical bold digit 4
U+1D7D3	5	5	5	5	5	5	5	<code>\mbffive</code>	mathematical bold digit 5
U+1D7D4	6	6	6	6	6	6	6	<code>\mbfsix</code>	mathematical bold digit 6
U+1D7D5	7	7	7	7	7	7	7	<code>\mbfseven</code>	mathematical bold digit 7
U+1D7D6	8	8	8	8	8	8	8	<code>\mbfeight</code>	mathematical bold digit 8
U+1D7D7	9	9	9	9	9	9	9	<code>\mbfnine</code>	mathematical bold digit 9
U+1D7D8	0	0	0	0	0	0	0	<code>\Bbbzero</code>	mathematical double-struck digit 0
U+1D7D9	1	1	1	1	1	1	1	<code>\Bbbone</code>	mathematical double-struck digit 1

USV	M	S	E	P	D	L	G	Macro	Description
U+1D7DA	2	2	2	2	2	2	2	\Bbbtwo	mathematical double-struck digit 2
U+1D7DB	3	3	3	3	3	3	3	\Bbbthree	mathematical double-struck digit 3
U+1D7DC	4	4	4	4	4	4	4	\Bbbfour	mathematical double-struck digit 4
U+1D7DD	5	5	5	5	5	5	5	\Bbbfive	mathematical double-struck digit 5
U+1D7DE	6	6	6	6	6	6	6	\Bbbsix	mathematical double-struck digit 6
U+1D7DF	7	7	7	7	7	7	7	\Bbbseven	mathematical double-struck digit 7
U+1D7E0	8	8	8	8	8	8	8	\Bbbeight	mathematical double-struck digit 8
U+1D7E1	9	9	9	9	9	9	9	\Bbbnine	mathematical double-struck digit 9
U+1D7E2	0	0	0	0	0	0	0	\msanszero	mathematical sans-serif digit 0
U+1D7E3	1	1	1	1	1	1	1	\msansone	mathematical sans-serif digit 1
U+1D7E4	2	2	2	2	2	2	2	\msanstwo	mathematical sans-serif digit 2
U+1D7E5	3	3	3	3	3	3	3	\msansthree	mathematical sans-serif digit 3
U+1D7E6	4	4	4	4	4	4	4	\msansfour	mathematical sans-serif digit 4
U+1D7E7	5	5	5	5	5	5	5	\msansfive	mathematical sans-serif digit 5
U+1D7E8	6	6	6	6	6	6	6	\msanssix	mathematical sans-serif digit 6
U+1D7E9	7	7	7	7	7	7	7	\msansseven	mathematical sans-serif digit 7
U+1D7EA	8	8	8	8	8	8	8	\msanseight	mathematical sans-serif digit 8
U+1D7EB	9	9	9	9	9	9	9	\msansnine	mathematical sans-serif digit 9
U+1D7EC	0	0	0	0	0	0	0	\mbfsanszero	mathematical sans-serif bold digit 0
U+1D7ED	1	1	1	1	1	1	1	\mbfsansone	mathematical sans-serif bold digit 1
U+1D7EE	2	2	2	2	2	2	2	\mbfsanstwo	mathematical sans-serif bold digit 2
U+1D7EF	3	3	3	3	3	3	3	\mbfsansthree	mathematical sans-serif bold digit 3
U+1D7F0	4	4	4	4	4	4	4	\mbfsansfour	mathematical sans-serif bold digit 4
U+1D7F1	5	5	5	5	5	5	5	\mbfsansfive	mathematical sans-serif bold digit 5
U+1D7F2	6	6	6	6	6	6	6	\mbfsanssix	mathematical sans-serif bold digit 6
U+1D7F3	7	7	7	7	7	7	7	\mbfsansseven	mathematical sans-serif bold digit 7
U+1D7F4	8	8	8	8	8	8	8	\mbfsanseight	mathematical sans-serif bold digit 8
U+1D7F5	9	9	9	9	9	9	9	\mbfsansnine	mathematical sans-serif bold digit 9

USV	M	S	E	P	D	L	G	Macro	Description
U+1D7F6	0	0	0	0	0	0	0	<code>\mttzero</code>	mathematical monospace digit 0
U+1D7F7	1	1	1	1	1	1	1	<code>\mttone</code>	mathematical monospace digit 1
U+1D7F8	2	2	2	2	2	2	2	<code>\mttwo</code>	mathematical monospace digit 2
U+1D7F9	3	3	3	3	3	3	3	<code>\mtthree</code>	mathematical monospace digit 3
U+1D7FA	4	4	4	4	4	4	4	<code>\mtfour</code>	mathematical monospace digit 4
U+1D7FB	5	5	5	5	5	5	5	<code>\mtfive</code>	mathematical monospace digit 5
U+1D7FC	6	6	6	6	6	6	6	<code>\mtsix</code>	mathematical monospace digit 6
U+1D7FD	7	7	7	7	7	7	7	<code>\mtseven</code>	mathematical monospace digit 7
U+1D7FE	8	8	8	8	8	8	8	<code>\mtteight</code>	mathematical monospace digit 8
U+1D7FF	9	9	9	9	9	9	9	<code>\mttnine</code>	mathematical monospace digit 9

14 Relation symbols, `\mathrel`

USV	M	S	E	P	D	L	G	Macro	Description
U+0003C	<	<	<	<	<	<	<	<code>\less</code>	less-than sign r:
U+0003D	=	=	=	=	=	=	=	<code>\equal</code>	equals sign r:
U+0003E	>	>	>	>	>	>	>	<code>\greater</code>	greater-than sign r:
U+02050		⊂						<code>\closure</code>	close up
U+02190	←	←	←	←	←	←	←	<code>\leftarrow^(p)</code>	<code>/leftarrow</code> /gets a: leftward arrow
U+02191	↑	↑	↑	↑	↑	↑	↑	<code>\uparrow^(p)</code>	upward arrow
U+02192	→	→	→	→	→	→	→	<code>\rightarrow^(p)</code>	<code>/rightarrow</code> /to a: rightward arrow
U+02193	↓	↓	↓	↓	↓	↓	↓	<code>\downarrow^(p)</code>	downward arrow
U+02194	↔	↔	↔	↔	↔	↔	↔	<code>\leftrightarrow^(p)</code>	left and right arrow
U+02195	↕	↕	↕	↕	↕	↕	↕	<code>\updownarrow^(p)</code>	up and down arrow
U+02196	↖	↖	↖	↖	↖	↖	↖	<code>\nwarrow^(p)</code>	nw pointing arrow
U+02197	↗	↗	↗	↗	↗	↗	↗	<code>\nearrow^(p)</code>	ne pointing arrow
U+02198	↘	↘	↘	↘	↘	↘	↘	<code>\searrow^(p)</code>	se pointing arrow
U+02199	↙	↙	↙	↙	↙	↙	↙	<code>\swarrow^(p)</code>	sw pointing arrow
U+0219A	↔	↔	↔	↔	↔	↔	↔	<code>\nleftarrow^(a)</code>	not left arrow

USV	M	S	E	P	D	L	G	Macro	Description
U+0219B								<code>\nrightarrow^(a)</code>	not right arrow
U+0219C								<code>\leftwvearrow</code>	left arrow-wavy
U+0219D								<code>\rightwvearrow</code>	right arrow-wavy
U+0219E								<code>\twoheadleftarrow^(a)</code>	left two-headed arrow
U+0219F								<code>\twoheaduparrow</code>	up two-headed arrow
U+021A0								<code>\twoheadrightarrow^(a)</code>	right two-headed arrow
U+021A1								<code>\twoheaddownarrow</code>	down two-headed arrow
U+021A2								<code>\leftarrowtail^(a)</code>	left arrow-tailed
U+021A3								<code>\rightarrowtail^(a)</code>	right arrow-tailed
U+021A4								<code>\mapsfrom</code>	maps to, leftward
U+021A5								<code>\mapsup</code>	maps to, upward
U+021A6								<code>\mapsto^(p)</code>	maps to, rightward
U+021A7								<code>\mapsdown</code>	maps to, downward
U+021A9								<code>\hookleftarrow^(p)</code>	left arrow-hooked
U+021AA								<code>\hookrightarrow^(p)</code>	right arrow-hooked
U+021AB								<code>\looparrowleft^(a)</code>	left arrow-looped
U+021AC								<code>\looparrowright^(a)</code>	right arrow-looped
U+021AD								<code>\leftrightsquigarrow^(a)</code>	left and right arr-wavy
U+021AE								<code>\nleftrightarrow^(a)</code>	not left and right arrow
U+021AF								<code>\downzigzagarrow</code>	downwards zigzag arrow
U+021B0								<code>\Lsh^(a)</code>	/lsh a:
U+021B1								<code>\Rsh^(a)</code>	/rsh a:
U+021B2								<code>\Ldsh</code>	left down angled arrow
U+021B3								<code>\Rdsh</code>	right down angled arrow
U+021B6								<code>\curvearrowleft^(a)</code>	left curved arrow
U+021B7								<code>\curvearrowright^(a)</code>	right curved arrow
U+021BC								<code>\leftharpoonup^(p)</code>	left harpoon-up
U+021BD								<code>\leftharpoondown^(p)</code>	left harpoon-down
U+021BE								<code>\upharpoonright^(a)</code>	/upharpoonright /restriction a: up harpoon-right
U+021BF								<code>\upharpoonleft^(a)</code>	up harpoon-left
U+021C0								<code>\rightharpoonup^(p)</code>	right harpoon-up
U+021C1								<code>\rightharpoondown^(p)</code>	right harpoon-down
U+021C2								<code>\downharpoonright^(a)</code>	down harpoon-right
U+021C3								<code>\downharpoonleft^(a)</code>	down harpoon-left

USV	M	S	E	P	D	L	G	Macro	Description
U+021C4								<code>\rightleftarrows^(a)</code>	right arrow over left arrow
U+021C5								<code>\updownarrows</code>	up arrow, down arrow
U+021C6								<code>\leftrightharpoons^(a)</code>	left arrow over right arrow
U+021C7								<code>\leftleftarrows^(a)</code>	two left arrows
U+021C8								<code>\upuparrows^(a)</code>	two up arrows
U+021C9								<code>\rightrightarrows^(a)</code>	two right arrows
U+021CA								<code>\downdownarrows^(a)</code>	two down arrows
U+021CB								<code>\leftrightharpoons^(a)</code>	left harpoon over right
U+021CC								<code>\rightleftharpoons^(l)</code>	right harpoon over left
U+021CD								<code>\nLeftarrow^(a)</code>	not implied by
U+021CE								<code>\nLeftrightarrow^(a)</code>	not left and right double arrows
U+021CF								<code>\nRightarrow^(a)</code>	not implies
U+021D0								<code>\Leftarrow^(p)</code>	is implied by
U+021D1								<code>\Uparrow^(p)</code>	up double arrow
U+021D2								<code>\Rightarrow^(p)</code>	implies
U+021D3								<code>\Downarrow^(p)</code>	down double arrow
U+021D4								<code>\Leftrightarrow^(p)</code>	left and right double arrow
U+021D5								<code>\Updownarrow^(p)</code>	up and down double arrow
U+021D6								<code>\Nwarrow</code>	nw pointing double arrow
U+021D7								<code>\Nearrow</code>	ne pointing double arrow
U+021D8								<code>\Searrow</code>	se pointing double arrow
U+021D9								<code>\Swarrow</code>	sw pointing double arrow
U+021DA								<code>\Lleftarrow^(a)</code>	left triple arrow
U+021DB								<code>\Rrightarrow^(a)</code>	right triple arrow
U+021DC								<code>\leftsquigarrow</code>	leftwards squiggle arrow
U+021DD								<code>\rightsquigarrow^(a)</code>	rightwards squiggle arrow
U+021E4								<code>\barleftarrow</code>	leftwards arrow to bar
U+021E5								<code>\rightrightarrowbar</code>	rightwards arrow to bar
U+021F4								<code>\circlearrowright</code>	right arrow with small circle
U+021F5								<code>\downuparrows</code>	downwards arrow leftwards of upwards arrow
U+021F6								<code>\rightthreearrows</code>	three rightwards arrows
U+021F7								<code>\nleftarrow</code>	leftwards arrow with vertical stroke
U+021F8								<code>\nrightarrow</code>	rightwards arrow with vertical stroke

USV	M	S	E	P	D	L	G	Macro	Description
U+021F9		↔				↔	↔	<code>\nlefttrightarrow</code>	left right arrow with vertical stroke
U+021FA		⇐				⇐	⇐	<code>\nVleftarrow</code>	leftwards arrow with double vertical stroke
U+021FB		⇒				⇒	⇒	<code>\nVrightarrow</code>	rightwards arrow with double vertical stroke
U+021FC		↔				↔	↔	<code>\nVlefttrightarrow</code>	left right arrow with double vertical stroke
U+021FD		←				←	←	<code>\leftarrowtriangle</code>	leftwards open-headed arrow
U+021FE		→				→	→	<code>\rightarrowtriangle</code>	rightwards open-headed arrow
U+021FF		↔				↔	↔	<code>\leftrightarrowtriangle</code>	left right open-headed arrow
U+02208	∈	∈	∈	∈	∈	∈	∈	<code>\in^(p)</code>	set membership, variant
U+02209	∉	∉	∉	∉	∉	∉	∉	<code>\notin^(l)</code>	negated set membership
U+0220A	∈	∈	∈	∈	∈	∈	∈	<code>\smallin</code>	set membership (small set membership)
U+0220B	⊃	⊃	⊃	⊃	⊃	⊃	⊃	<code>\ni^(p)</code>	contains, variant
U+0220C	⊄	⊄	⊄	⊄	⊄	⊄	⊄	<code>\nni</code>	negated contains, variant
U+0220D	⊃	⊃	⊃	⊃	⊃	⊃	⊃	<code>\smallni</code>	<code>/ni</code> /owns r: contains (small contains as member)
U+0221D	∝	∝	∝	∝	∝	∝	∝	<code>\propto^(p)</code>	is proportional to
U+02223								<code>\mid^(p)</code>	<code>/mid</code> r:
U+02224	†	†	†	†	†	†	†	<code>\nmid^(a)</code>	negated mid
U+02225	∥	∥	∥	∥	∥	∥	∥	<code>\parallel^(p)</code>	parallel
U+02226	∦	∦	∦	∦	∦	∦	∦	<code>\nparallel^(a)</code>	not parallel
U+02236	:	:	:	:	:	:	:	<code>\mathratio</code>	ratio
U+02237	::	::	::	::	::	::	::	<code>\Colon</code>	two colons
U+02239	∴	∴	∴	∴	∴	∴	∴	<code>\dashcolon</code>	excess (∴)
U+0223A	∵	∵	∵	∵	∵	∵	∵	<code>\dotsminusdots</code>	minus with four dots, geometric properties
U+0223B	≈	≈	≈	≈	≈	≈	≈	<code>\kernelcontraction</code>	homothetic
U+0223C	≈	≈	≈	≈	≈	≈	≈	<code>\sim^(p)</code>	similar
U+0223D	≈	≈	≈	≈	≈	≈	≈	<code>\backsim^(a)</code>	reverse similar
U+02241	≈	≈	≈	≈	≈	≈	≈	<code>\nsim^(a)</code>	not similar
U+02242	≈	≈	≈	≈	≈	≈	≈	<code>\eqsim^(a)</code>	equals, similar
U+02243	≈	≈	≈	≈	≈	≈	≈	<code>\simeq^(p)</code>	similar, equals
U+02244	≈	≈	≈	≈	≈	≈	≈	<code>\nsime</code>	not similar, equals
U+02243	≈	≈	≈	≈	≈	≈	≈	<code>\sime</code>	similar, equals (alias)
U+02244	≈	≈	≈	≈	≈	≈	≈	<code>\nsimeq</code>	not similar, equals (alias)

USV	M	S	E	P	D	L	G	Macro	Description
U+02245								<code>\cong^(l)</code>	congruent with
U+02246								<code>\simneq</code>	similar, not equals [vert only for 9573 entity]
U+02247								<code>\ncong^(a)</code>	not congruent with
U+02248								<code>\approx^(p)</code>	approximate
U+02249								<code>\napprox</code>	not approximate
U+0224A								<code>\approxeq^(a)</code>	approximate, equals
U+0224B								<code>\approxident</code>	approximately identical to
U+0224C								<code>\backcong</code>	all equal to
U+0224D								<code>\asymp^(p)</code>	asymptotically equal to
U+0224E								<code>\Bumpeq^(a)</code>	bumpy equals
U+0224F								<code>\bumpeq^(a)</code>	bumpy equals, equals
U+02250								<code>\doteq^(l)</code>	equals, single dot above
U+02251								<code>\Doteq^(a)</code>	/doteqdot /doteqr: equals, even dots
U+02252								<code>\fallingdotseq^(a)</code>	equals, falling dots
U+02253								<code>\risingdotseq^(a)</code>	equals, rising dots
U+02254								<code>\coloneq</code>	colon, equals
U+02255								<code>\eqcolon</code>	equals, colon
U+02256								<code>\eqcirc^(a)</code>	circle on equals sign
U+02257								<code>\circeq^(a)</code>	circle, equals
U+02258								<code>\arceq</code>	arc, equals; corresponds to
U+02259								<code>\wedgeq</code>	corresponds to (wedge, equals)
U+0225A								<code>\veeeq</code>	logical or, equals
U+0225B								<code>\stareq</code>	star equals
U+0225C								<code>\triangleq^(a)</code>	triangle, equals
U+0225D								<code>\eqdef</code>	equals by definition
U+0225E								<code>\measeq</code>	measured by (m over equals)
U+0225F								<code>\questeq</code>	equal with questionmark
U+02260								<code>\ne^(p)</code>	/ne /neq r: not equal
U+02261								<code>\equiv^(p)</code>	identical with
U+02262								<code>\nequiv</code>	not identical with
U+02263								<code>\Equiv</code>	strict equivalence (4 lines)
U+02264								<code>\leq^(p)</code>	/leq /le r: less-than-or-equal
U+02265								<code>\geq^(p)</code>	/geq /ge r: greater-than-or-equal

USV	M	S	E	P	D	L	G	Macro	Description
U+02266	\leq	<code>\leqq^(a)</code>	less, double equals						
U+02267	\geq	<code>\geqq^(a)</code>	greater, double equals						
U+02268	\lessdot	<code>\lneqq^(a)</code>	less, not double equals						
U+02269	\gtrdot	<code>\gneqq^(a)</code>	greater, not double equals						
U+0226A	\ll	<code>\ll^(p)</code>	much less than, type 2						
U+0226B	\gg	<code>\gg^(p)</code>	much greater than, type 2						
U+0226C	\between	<code>\between^(a)</code>	between						
U+0226D	\asymp	<code>\asymp</code>	not asymptotically equal to						
U+0226E	\nless	<code>\nless^(a)</code>	not less-than						
U+0226F	\ngtr	<code>\ngtr^(a)</code>	not greater-than						
U+02270	\nleq	<code>\nleq^(a)</code>	not less-than-or-equal						
U+02271	\ngeq	<code>\ngeq^(a)</code>	not greater-than-or-equal						
U+02272	\lesssim	<code>\lesssim^(a)</code>	less, similar						
U+02273	\gtrsim	<code>\gtrsim^(a)</code>	greater, similar						
U+02274	\nlesssim	<code>\nlesssim</code>	not less, similar						
U+02275	\ngtrsim	<code>\ngtrsim</code>	not greater, similar						
U+02276	\lessgtr	<code>\lessgtr^(a)</code>	less, greater						
U+02277	\gtrless	<code>\gtrless^(a)</code>	greater, less						
U+02278	\nlessgtr	<code>\nlessgtr</code>	not less, greater						
U+02279	\ngtrless	<code>\ngtrless</code>	not greater, less						
U+0227A	\prec	<code>\prec^(p)</code>	precedes						
U+0227B	\succ	<code>\succ^(p)</code>	succeeds						
U+0227C	\preccurlyeq	<code>\preccurlyeq^(a)</code>	precedes, curly equals						
U+0227D	\succcurlyeq	<code>\succcurlyeq^(a)</code>	succeeds, curly equals						
U+0227E	\precsim	<code>\precsim^(a)</code>	precedes, similar						
U+0227F	\succsim	<code>\succsim^(a)</code>	succeeds, similar						
U+02280	\nprec	<code>\nprec^(a)</code>	not precedes						
U+02281	\nsucc	<code>\nsucc^(a)</code>	not succeeds						
U+02282	\subset	<code>\subset^(p)</code>	subset or is implied by						
U+02283	\supset	<code>\supset^(p)</code>	superset or implies						
U+02284	$\not\subset$	<code>\nsubset</code>	not subset, variant [slash negation]						
U+02285	$\not\supset$	<code>\nsupset</code>	not superset, variant [slash negation]						
U+02286	\subseteq	<code>\subseteq^(p)</code>	subset, equals						
U+02287	\supseteq	<code>\supseteq^(p)</code>	superset, equals						

USV	M	S	E	P	D	L	G	Macro	Description
U+02288								<code>\nsubseteq^(a)</code>	not subset, equals
U+02289								<code>\nsupseteq^(a)</code>	not superset, equals
U+0228A								<code>\subsetneq^(a)</code>	subset, not equals
U+0228B								<code>\supsetneq^(a)</code>	superset, not equals
U+0228F								<code>\sqsubset</code>	square subset
U+02290								<code>\sqsupset</code>	square superset
U+02291								<code>\sqsubseteq^(p)</code>	square subset, equals
U+02292								<code>\sqsupseteq^(p)</code>	square superset, equals
U+022A2								<code>\vdash^(p)</code>	vertical, dash
U+022A3								<code>\dashv^(p)</code>	dash, vertical
U+022A6								<code>\assert</code>	assertion (vertical, short dash)
U+022A7								<code>\models^(p)</code>	models (vertical, short double dash)
U+022A8								<code>\vDash^(a)</code>	vertical, double dash
U+022A9								<code>\Vdash^(a)</code>	double vertical, dash
U+022AA								<code>\Vvdash^(a)</code>	triple vertical, dash
U+022AB								<code>\VDash</code>	double vert, double dash
U+022AC								<code>\nvDash^(a)</code>	not vertical, dash
U+022AD								<code>\nvDash^(a)</code>	not vertical, double dash
U+022AE								<code>\nVdash^(a)</code>	not double vertical, dash
U+022AF								<code>\nVDash^(a)</code>	not double vert, double dash
U+022B0								<code>\prurel</code>	element precedes under relation
U+022B1								<code>\scurrel</code>	succeeds under relation
U+022B2								<code>\vartriangleleft^(a)</code>	left triangle, open, variant
U+022B3								<code>\vartriangleright^(a)</code>	right triangle, open, variant
U+022B4								<code>\trianglelefteq^(a)</code>	left triangle, equals
U+022B5								<code>\trianglerighteq^(a)</code>	right triangle, equals
U+022B6								<code>\origof</code>	original of
U+022B7								<code>\imageof</code>	image of
U+022B8								<code>\multimap^(a)</code>	/multimap a:
U+022C8								<code>\bowtie^(p)</code>	bowtie
U+022CD								<code>\backsimeq^(a)</code>	reverse similar, equals
U+022D0								<code>\Subset^(a)</code>	double subset
U+022D1								<code>\Supset^(a)</code>	double superset
U+022D4								<code>\pitchfork^(a)</code>	pitchfork

USV	M	S	E	P	D	L	G	Macro	Description
U+022D5	≠	≠	≠	≠	≠		≠	<code>\equalparallel</code>	parallel, equal; equal or parallel
U+022D6	≠	≠	≠	≠	≠	≠	≠	<code>\lessdot^(a)</code>	less than, with dot
U+022D7	≠	≠	≠	≠	≠	≠	≠	<code>\gtrdot^(a)</code>	greater than, with dot
U+022D8	≠	≠	≠	≠	≠	≠	≠	<code>\lll^(a)</code>	/ll /lll /llless r: triple less-than
U+022D9	≠	≠	≠	≠	≠	≠	≠	<code>\ggg^(a)</code>	/ggg /gg /gggtr r: triple greater-than
U+022DA	≠	≠	≠	≠	≠	≠	≠	<code>\lesseqgtr^(a)</code>	less, equals, greater
U+022DB	≠	≠	≠	≠	≠	≠	≠	<code>\gtreqless^(a)</code>	greater, equals, less
U+022DC	≠	≠	≠	≠	≠	≠	≠	<code>\eqless</code>	equal-or-less
U+022DD	≠	≠	≠	≠	≠	≠	≠	<code>\eqgtr</code>	equal-or-greater
U+022DE	≠	≠	≠	≠	≠	≠	≠	<code>\curlyeqprec^(a)</code>	curly equals, precedes
U+022DF	≠	≠	≠	≠	≠	≠	≠	<code>\curlyeqsucc^(a)</code>	curly equals, succeeds
U+022E0	≠	≠	≠	≠	≠	≠	≠	<code>\nprec curlyeq</code>	not precedes, curly equals
U+022E1	≠	≠	≠	≠	≠	≠	≠	<code>\succ curlyeq</code>	not succeeds, curly equals
U+022E2	≠	≠	≠	≠	≠	≠	≠	<code>\nsqsubseteq</code>	not, square subset, equals
U+022E3	≠	≠	≠	≠	≠	≠	≠	<code>\nsqsupseteq</code>	not, square superset, equals
U+022E4	≠	≠	≠	≠	≠	≠	≠	<code>\sqsubseteq neq</code>	square subset, not equals
U+022E5	≠	≠	≠	≠	≠	≠	≠	<code>\sqsupset neq</code>	square superset, not equals
U+022E6	≠	≠	≠	≠	≠	≠	≠	<code>\lnsim^(a)</code>	less, not similar
U+022E7	≠	≠	≠	≠	≠	≠	≠	<code>\gnsim^(a)</code>	greater, not similar
U+022E8	≠	≠	≠	≠	≠	≠	≠	<code>\prec sim^(a)</code>	precedes, not similar
U+022E9	≠	≠	≠	≠	≠	≠	≠	<code>\succ sim^(a)</code>	succeeds, not similar
U+022EA	≠	≠	≠	≠	≠	≠	≠	<code>\nvartriangleleft</code>	not left triangle
U+022EB	≠	≠	≠	≠	≠	≠	≠	<code>\nvartriangleright</code>	not right triangle
U+022EC	≠	≠	≠	≠	≠	≠	≠	<code>\ntrianglelefteq^(a)</code>	not left triangle, equals
U+022ED	≠	≠	≠	≠	≠	≠	≠	<code>\ntrianglerighteq^(a)</code>	not right triangle, equals
U+022EE	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\vdots^(p)</code>	vertical ellipsis
U+022F0	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\adots</code>	three dots, ascending
U+022F1	⋮	⋮	⋮	⋮	⋮	⋮	⋮	<code>\ddots^(p)</code>	three dots, descending
U+022F2		⊖						<code>\disin</code>	element of with long horizontal stroke
U+022F3		⊖						<code>\varisins</code>	element of with vertical bar at end of horizontal stroke
U+022F4		⊖						<code>\isins</code>	small element of with vertical bar at end of horizontal stroke
U+022F5		⊖						<code>\isindot</code>	element of with dot above
U+022F6		⊖						<code>\varisinobar</code>	element of with overbar

USV	M	S	E	P	D	L	G	Macro	Description
U+022F7		̅						\isinobar	small element of with overbar
U+022F8		̅						\isinvb	element of with underbar
U+022F9		€						\isinE	element of with two horizontal strokes
U+022FA		⇒						\nisd	contains with long horizontal stroke
U+022FB		⇒						\varnis	contains with vertical bar at end of horizontal stroke
U+022FC		⇒						\nis	small contains with vertical bar at end of horizontal stroke
U+022FD		⇒						\varniobar	contains with overbar
U+022FE		⇒						\niobar	small contains with overbar
U+022FF		E						\bagmember	z notation bag membership
U+02322	⤵	⤶	⤷	⤸	⤹	⤺	⤻	\frown ^(p)	down curve
U+02323	⤴	⤵	⤶	⤷	⤸	⤹	⤺	\smile ^(p)	up curve
U+0233F		/						\APLnotslash	solidus, bar through (apl functional symbol slash bar)
U+025B5		△	△					\vartriangle ^(a)	/triangle - up triangle, open
U+027C2	⊥	⊥	⊥	⊥	⊥	⊥	⊥	\perp ^(p)	perpendicular
U+027C8		⊂						\bsolhsb	reverse solidus preceding subset
U+027C9		⊃						\suphsol	superset preceding solidus
U+027D2		⤴						\upin	element of opening upwards
U+027D3		⤵						\pullback	lower right corner with dot
U+027D4		⤶						\pushout	upper left corner with dot
U+027DA	⌘	⌘	⌘	⌘	⌘		⌘	\DashVDash	left and right double turnstile
U+027DB	⌘	⌘	⌘	⌘	⌘		⌘	\dashVdash	left and right tack
U+027DC	⌘	⌘	⌘	⌘	⌘		⌘	\multimapinv	left multimap
U+027DD	⌘	⌘	⌘	⌘	⌘		⌘	\vlongdash	long left tack
U+027DE	⌘	⌘	⌘	⌘	⌘		⌘	\longdashv	long right tack
U+027DF		⌘						\cirbot	up tack with circle above
U+027F0		↕						\Uparrow	upwards quadruple arrow
U+027F1		↕						\Downarrow	downwards quadruple arrow
U+027F2		↻				↻	↻	\acwgapcirclearrow	anticlockwise gapped circle arrow
U+027F3		↻				↻	↻	\cwgapcirclearrow	clockwise gapped circle arrow
U+027F4	⊕	⊕	⊕	⊕	⊕			\rightarrowonoplus	right arrow with circled plus
U+027F5	←	←	←	←	←	←	←	\longleftarrow ^(p)	long leftwards arrow
U+027F6	→	→	→	→	→	→	→	\longrightarrow ^(p)	long rightwards arrow

USV	M	S	E	P	D	L	G	Macro	Description
U+027F7								<code>\longlefttrightarrow^(p)</code>	long left right arrow
U+027F8								<code>\Longleftarrow^(p)</code>	long leftwards double arrow
U+027F9								<code>\Longrightarrow^(p)</code>	long rightwards double arrow
U+027FA								<code>\Longlefttrightarrow^(p)</code>	long left right double arrow
U+027FB								<code>\longmapsfrom</code>	long leftwards arrow from bar
U+027FC								<code>\longmapsto^(p)</code>	long rightwards arrow from bar
U+027FD								<code>\Longmapsfrom</code>	long leftwards double arrow from bar
U+027FE								<code>\Longmapsto</code>	long rightwards double arrow from bar
U+027FF								<code>\longrightsquigarrow</code>	long rightwards squiggle arrow
U+02900								<code>\nvtwoheadrightarrow</code>	rightwards two-headed arrow with vertical stroke
U+02901								<code>\nVtwoheadrightarrow</code>	rightwards two-headed arrow with double vertical stroke
U+02902								<code>\nvLeftarrow</code>	leftwards double arrow with vertical stroke
U+02903								<code>\nvRrightarrow</code>	rightwards double arrow with vertical stroke
U+02904								<code>\nvLefttrightarrow</code>	left right double arrow with vertical stroke
U+02905								<code>\twoheadmapsto</code>	rightwards two-headed arrow from bar
U+02906								<code>\Mapsfrom</code>	leftwards double arrow from bar
U+02907								<code>\Mapsto</code>	rightwards double arrow from bar
U+02908								<code>\downarrowbarred</code>	downwards arrow with horizontal stroke
U+02909								<code>\uparrowbarred</code>	upwards arrow with horizontal stroke
U+0290A								<code>\Uparrow</code>	upwards triple arrow
U+0290B								<code>\Ddownarrow</code>	downwards triple arrow
U+0290C								<code>\leftbkarrow</code>	leftwards double dash arrow
U+0290D								<code>\rightbkarrow</code>	rightwards double dash arrow
U+0290E								<code>\leftdbkarrow</code>	leftwards triple dash arrow
U+0290F								<code>\dbkarrow</code>	rightwards triple dash arrow
U+02910								<code>\drbkarrow</code>	rightwards two-headed triple dash arrow
U+02911								<code>\rightdotarrow</code>	rightwards arrow with dotted stem
U+02912								<code>\baruparrow</code>	upwards arrow to bar
U+02913								<code>\downarrowbar</code>	downwards arrow to bar

usv	M	S	E	P	D	L	G	Macro	Description
U+02914		↗						<code>\nvrightharrowtail</code>	rightwards arrow with tail with vertical stroke
U+02915		↘						<code>\nVrightharrowtail</code>	rightwards arrow with tail with double vertical stroke
U+02916		↔						<code>\twoheadrightarrowtail</code>	rightwards two-headed arrow with tail
U+02917		↔						<code>\nvtwoheadrightarrowtail</code>	rightwards two-headed arrow with tail with vertical stroke
U+02918		↔						<code>\nVtwoheadrightarrowtail</code>	rightwards two-headed arrow with tail with double vertical stroke
U+02919		↖						<code>\lefttail</code>	leftwards arrow-tail
U+0291A		↗						<code>\righttail</code>	rightwards arrow-tail
U+0291B		↖						<code>\leftdbltail</code>	leftwards double arrow-tail
U+0291C		↗						<code>\rightdbltail</code>	rightwards double arrow-tail
U+0291D		↖						<code>\diamondleftarrow</code>	leftwards arrow to black diamond
U+0291E		↗						<code>\rightarrowdiamond</code>	rightwards arrow to black diamond
U+0291F		↖						<code>\diamondleftarrowbar</code>	leftwards arrow from bar to black diamond
U+02920		↗						<code>\barrightrightarrowdiamond</code>	rightwards arrow from bar to black diamond
U+02921		↖						<code>\nwsearrow</code>	north west and south east arrow
U+02922		↗						<code>\neswarrow</code>	north east and south west arrow
U+02923		↖						<code>\hknwarrow</code>	north west arrow with hook
U+02924		↗						<code>\hknearrow</code>	north east arrow with hook
U+02925		↖						<code>\hksearrow</code>	south east arrow with hook
U+02926		↗						<code>\hkswarrow</code>	south west arrow with hook
U+02927		↖						<code>\tona</code>	north west arrow and north east arrow
U+02928		↗						<code>\toea</code>	north east arrow and south east arrow
U+02929		↖						<code>\tosa</code>	south east arrow and south west arrow
U+0292A		↖						<code>\towa</code>	south west arrow and north west arrow
U+02933		↗	↗					<code>\rightcurvedarrow</code>	wave arrow pointing directly right
U+02936		↘	↘					<code>\leftdowncurvedarrow</code>	arrow pointing downwards then curving leftwards
U+02937		↘	↘					<code>\rightdowncurvedarrow</code>	arrow pointing downwards then curving rightwards
U+02938		↻						<code>\cwrightarcarrow</code>	right-side arc clockwise arrow
U+02939		↺						<code>\acwleftarcarrow</code>	left-side arc anticlockwise arrow

usv	M	S	E	P	D	L	G	Macro	Description
U+0293A								<code>\acwoverarcarrow</code>	top arc anticlockwise arrow
U+0293B								<code>\acwunderarcarrow</code>	bottom arc anticlockwise arrow
U+0293C								<code>\curvearrowrightminus</code>	top arc clockwise arrow with minus
U+0293D								<code>\curvearrowleftplus</code>	top arc anticlockwise arrow with plus
U+0293E								<code>\cundercurvearrow</code>	lower right semicircular clockwise arrow
U+0293F								<code>\ccundercurvearrow</code>	lower left semicircular anticlockwise arrow
U+02940								<code>\acwcirclearrow</code>	anticlockwise closed circle arrow
U+02941								<code>\cwcirclearrow</code>	clockwise closed circle arrow
U+02942								<code>\rightarrowshortleftarrow</code>	rightwards arrow above short leftwards arrow
U+02943								<code>\leftarrowshortrightarrow</code>	leftwards arrow above short rightwards arrow
U+02944								<code>\shortrightarrowleftarrow</code>	short rightwards arrow above leftwards arrow
U+02945								<code>\rightarrowplus</code>	rightwards arrow with plus below
U+02946								<code>\leftarrowplus</code>	leftwards arrow with plus below
U+02947								<code>\rightarrowx</code>	rightwards arrow through x
U+02948								<code>\leftrightarrowcircle</code>	left right arrow through small circle
U+02949								<code>\twoheaduparrowcircle</code>	upwards two-headed arrow from small circle
U+0294A								<code>\leftrightharpoonupdown</code>	left barb up right barb down harpoon
U+0294B								<code>\leftrightharpoondownup</code>	left barb down right barb up harpoon
U+0294C								<code>\updownharpoonrightleft</code>	up barb right down barb left harpoon
U+0294D								<code>\updownharpoonleftright</code>	up barb left down barb right harpoon
U+0294E								<code>\leftrightharpoonupup</code>	left barb up right barb up harpoon
U+0294F								<code>\updownharpoonrightright</code>	up barb right down barb right harpoon
U+02950								<code>\leftrightharpoondowndown</code>	left barb down right barb down harpoon
U+02951								<code>\updownharpoonleftleft</code>	up barb left down barb left harpoon
U+02952								<code>\barleftarrowup</code>	leftwards harpoon with barb up to bar

usv	M	S	E	P	D	L	G	Macro	Description
U+02953		→						<code>\rightharpoonupbar</code>	rightwards harpoon with barb up to bar
U+02954		↑						<code>\barupharpoonright</code>	upwards harpoon with barb right to bar
U+02955		↓						<code>\downharpoonrightbar</code>	downwards harpoon with barb right to bar
U+02956		←						<code>\barleftharpoondown</code>	leftwards harpoon with barb down to bar
U+02957		→						<code>\rightharpoondownbar</code>	rightwards harpoon with barb down to bar
U+02958		↑						<code>\barupharpoonleft</code>	upwards harpoon with barb left to bar
U+02959		↓						<code>\downharpoonleftbar</code>	downwards harpoon with barb left to bar
U+0295A		←						<code>\leftharpoonupbar</code>	leftwards harpoon with barb up from bar
U+0295B		→						<code>\bar\rightharpoonup</code>	rightwards harpoon with barb up from bar
U+0295C		↓						<code>\upharpoonrightbar</code>	upwards harpoon with barb right from bar
U+0295D		↑						<code>\bardownharpoonright</code>	downwards harpoon with barb right from bar
U+0295E		←						<code>\leftharpoondownbar</code>	leftwards harpoon with barb down from bar
U+0295F		→						<code>\bar\rightharpoondown</code>	rightwards harpoon with barb down from bar
U+02960		↑						<code>\upharpoonleftbar</code>	upwards harpoon with barb left from bar
U+02961		↓						<code>\bardownharpoonleft</code>	downwards harpoon with barb left from bar
U+02962		⇐						<code>\leftharpoonsupdown</code>	leftwards harpoon with barb up above leftwards harpoon with barb down
U+02963		⇑						<code>\upharpoonsleftright</code>	upwards harpoon with barb left beside upwards harpoon with barb right
U+02964		⇒						<code>\rightharpoonsupdown</code>	rightwards harpoon with barb up above rightwards harpoon with barb down
U+02965		⇓						<code>\downharpoonsleftright</code>	downwards harpoon with barb left beside downwards harpoon with barb right
U+02966		⇐						<code>\leftrightharpoonsup</code>	leftwards harpoon with barb up above rightwards harpoon with barb up
U+02967		⇓						<code>\leftrightharpoonsdown</code>	leftwards harpoon with barb down above rightwards harpoon with barb down
U+02968		⇒						<code>\rightleftharpoonsup</code>	rightwards harpoon with barb up above leftwards harpoon with barb up

usv	M	S	E	P	D	L	G	Macro	Description
U+02969								<code>\rightleftharpoonsdown</code>	rightwards harpoon with barb down above leftwards harpoon with barb down
U+0296A								<code>\leftharpoonupdash</code>	leftwards harpoon with barb up above long dash
U+0296B								<code>\dashleftharpoondown</code>	leftwards harpoon with barb down below long dash
U+0296C								<code>\rightharpoonupdash</code>	rightwards harpoon with barb up above long dash
U+0296D								<code>\dashrightharpoondown</code>	rightwards harpoon with barb down below long dash
U+0296E								<code>\updownharpoonsleftright</code>	upwards harpoon with barb left beside downwards harpoon with barb right
U+0296F								<code>\downupharpoonsleftright</code>	downwards harpoon with barb left beside upwards harpoon with barb right
U+02970								<code>\rightimply</code>	right double arrow with rounded head
U+02971								<code>\equalrightarrow</code>	equals sign above rightwards arrow
U+02972								<code>\similarrightarrow</code>	tilde operator above rightwards arrow
U+02973								<code>\leftarrowsimilar</code>	leftwards arrow above tilde operator
U+02974								<code>\rightarrowsimilar</code>	rightwards arrow above tilde operator
U+02975								<code>\rightarrowapprox</code>	rightwards arrow above almost equal to
U+02976								<code>\ltlarr</code>	less-than above leftwards arrow
U+02977								<code>\leftarrowless</code>	leftwards arrow through less-than
U+02978								<code>\gtrarr</code>	greater-than above rightwards arrow
U+02979								<code>\subrarr</code>	subset above rightwards arrow
U+0297A								<code>\leftarrowsubset</code>	leftwards arrow through subset
U+0297B								<code>\suplarr</code>	superset above leftwards arrow
U+0297C								<code>\leftfishtail</code>	left fish tail
U+0297D								<code>\rightfishtail</code>	right fish tail
U+0297E								<code>\upfishtail</code>	up fish tail
U+0297F								<code>\downfishtail</code>	down fish tail
U+02982								<code>\typecolon</code>	z notation type colon
U+029CE								<code>\rtriltri</code>	right triangle above left triangle
U+029CF								<code>\ltrivb</code>	left triangle beside vertical bar
U+029D0								<code>\vbrtri</code>	vertical bar beside right triangle

USV	M	S	E	P	D	L	G	Macro	Description
U+029D1		⌘						<code>\lfbowtie</code>	left black bowtie
U+029D2		⌘						<code>\rfbowtie</code>	right black bowtie
U+029D3		⌘						<code>\fbowtie</code>	black bowtie
U+029D4		⌘						<code>\lftimes</code>	left black times
U+029D5		⌘						<code>\rftimes</code>	right black times
U+029DF		⌘						<code>\dualmap</code>	double-ended multimap
U+029E1		⌘						<code>\lrtriangleeq</code>	increases as
U+029E3		⌘						<code>\eparsl</code>	equals sign and slanted parallel
U+029E4		⌘						<code>\smeparsl</code>	equals sign and slanted parallel with tilde above
U+029E5		⌘						<code>\eqvparsl</code>	identical to and slanted parallel
U+029E6		⌘						<code>\gleichstark</code>	gleich stark
U+029F4		⌘						<code>\ruledelayed</code>	rule-delayed
U+02A59		⌘						<code>\veeonwedge</code>	logical or overlapping logical and
U+02A66		⌘						<code>\eqdot</code>	equals sign with dot below
U+02A67		⌘						<code>\dotequiv</code>	identical with dot above
U+02A68		⌘						<code>\equivVert</code>	triple horizontal bar with double vertical stroke
U+02A69		⌘						<code>\equivVvert</code>	triple horizontal bar with triple vertical stroke
U+02A6A		⌘					⌘	<code>\dotsim</code>	tilde operator with dot above
U+02A6B		⌘					⌘	<code>\simrdots</code>	tilde operator with rising dots
U+02A6C		⌘					⌘	<code>\simminusim</code>	similar minus similar
U+02A6D		⌘					⌘	<code>\congdot</code>	congruent with dot above
U+02A6E		⌘						<code>\asteq</code>	equals with asterisk
U+02A6F		⌘						<code>\hatapprox</code>	almost equal to with circumflex accent
U+02A70		⌘					⌘	<code>\approxqq</code>	approximately equal or equal to
U+02A73		⌘					⌘	<code>\eqqsim</code>	equals sign above tilde operator
U+02A74		⌘					⌘	<code>\Coloneq</code>	double colon equal
U+02A75		⌘					⌘	<code>\eqeq</code>	two consecutive equals signs
U+02A76		⌘					⌘	<code>\eqeqeq</code>	three consecutive equals signs
U+02A77		⌘						<code>\ddotseq</code>	equals sign with two dots above and two dots below
U+02A78		⌘						<code>\equivDD</code>	equivalent with four dots above
U+02A79		⌘					⌘	<code>\lrcir</code>	less-than with circle inside
U+02A7A		⌘					⌘	<code>\gtrcir</code>	greater-than with circle inside

USV	M	S	E	P	D	L	G	Macro	Description
U+02A7B								<code>\ltquest</code>	less-than with question mark above
U+02A7C								<code>\gtquest</code>	greater-than with question mark above
U+02A7D								<code>\leqslant^(a)</code>	less-than or slanted equal to
U+02A7E								<code>\geqslant^(a)</code>	greater-than or slanted equal to
U+02A7F								<code>\lesdot</code>	less-than or slanted equal to with dot inside
U+02A80								<code>\gesdot</code>	greater-than or slanted equal to with dot inside
U+02A81								<code>\lesdoto</code>	less-than or slanted equal to with dot above
U+02A82								<code>\gesdoto</code>	greater-than or slanted equal to with dot above
U+02A83								<code>\lesdotor</code>	less-than or slanted equal to with dot above right
U+02A84								<code>\gesdoto1</code>	greater-than or slanted equal to with dot above left
U+02A85								<code>\lessapprox^(a)</code>	less-than or approximate
U+02A86								<code>\gtrapprox^(a)</code>	greater-than or approximate
U+02A87								<code>\lneq^(a)</code>	less-than and single-line not equal to
U+02A88								<code>\gneq^(a)</code>	greater-than and single-line not equal to
U+02A89								<code>\lnapprox^(a)</code>	less-than and not approximate
U+02A8A								<code>\gnapprox^(a)</code>	greater-than and not approximate
U+02A8B								<code>\lesseqgtr^(a)</code>	less-than above double-line equal above greater-than
U+02A8C								<code>\gtreqless^(a)</code>	greater-than above double-line equal above less-than
U+02A8D								<code>\lsime</code>	less-than above similar or equal
U+02A8E								<code>\gsime</code>	greater-than above similar or equal
U+02A8F								<code>\lsimg</code>	less-than above similar above greater-than
U+02A90								<code>\gsiml</code>	greater-than above similar above less-than
U+02A91								<code>\lgE</code>	less-than above greater-than above double-line equal
U+02A92								<code>\glE</code>	greater-than above less-than above double-line equal
U+02A93								<code>\lesges</code>	less-than above slanted equal above greater-than above slanted equal

USV	M	S	E	P	D	L	G	Macro	Description
U+02A94								<code>\gesles</code>	greater-than above slanted equal above less-than above slanted equal
U+02A95								<code>\eqslantless^(a)</code>	slanted equal to or less-than
U+02A96								<code>\eqslantgtr^(a)</code>	slanted equal to or greater-than
U+02A97								<code>\elsdot</code>	slanted equal to or less-than with dot inside
U+02A98								<code>\egsdot</code>	slanted equal to or greater-than with dot inside
U+02A99								<code>\eqqless</code>	double-line equal to or less-than
U+02A9A								<code>\eqqgtr</code>	double-line equal to or greater-than
U+02A9B								<code>\eqqslantless</code>	double-line slanted equal to or less-than
U+02A9C								<code>\eqqslantgtr</code>	double-line slanted equal to or greater-than
U+02A9D								<code>\simless</code>	similar or less-than
U+02A9E								<code>\singtr</code>	similar or greater-than
U+02A9F								<code>\simLE</code>	similar above less-than above equals sign
U+02AA0								<code>\simGE</code>	similar above greater-than above equals sign
U+02AA1								<code>\Lt</code>	double nested less-than
U+02AA2								<code>\Gt</code>	double nested greater-than
U+02AA3								<code>\partialmeetcontraction</code>	double less-than with underbar
U+02AA4								<code>\glj</code>	greater-than overlapping less-than
U+02AA5								<code>\gla</code>	greater-than beside less-than
U+02AA6								<code>\ltcc</code>	less-than closed by curve
U+02AA7								<code>\gtcc</code>	greater-than closed by curve
U+02AA8								<code>\lescc</code>	less-than closed by curve above slanted equal
U+02AA9								<code>\gescc</code>	greater-than closed by curve above slanted equal
U+02AAA								<code>\smt</code>	smaller than
U+02AAB								<code>\lat</code>	larger than
U+02AAC								<code>\smtE</code>	smaller than or equal to
U+02AAD								<code>\late</code>	larger than or equal to
U+02AAE								<code>\bumpeq</code>	equals sign with bumpy above
U+02AAF								<code>\preceq^(p)</code>	precedes above single-line equals sign

USV	M	S	E	P	D	L	G	Macro	Description
U+02AB0	𐌶	𐌷	𐌸	𐌹	𐌺	𐌻	𐌼	<code>\succeq^(p)</code>	succeeds above single-line equals sign
U+02AB1		𐌶̇	𐌸̇			𐌶̇	𐌸̇	<code>\precneq</code>	precedes above single-line not equal to
U+02AB2		𐌷̇	𐌸̇			𐌷̇	𐌸̇	<code>\succneq</code>	succeeds above single-line not equal to
U+02AB3		𐌷̈	𐌸̈			𐌷̈	𐌸̈	<code>\preceqq</code>	precedes above equals sign
U+02AB4		𐌷̉	𐌸̉			𐌷̉	𐌸̉	<code>\succeqq</code>	succeeds above equals sign
U+02AB5		𐌶̇̈	𐌸̇̈			𐌶̇̈	𐌸̇̈	<code>\precneqq^(a)</code>	precedes above not equal to
U+02AB6		𐌷̇̈	𐌸̇̈			𐌷̇̈	𐌸̇̈	<code>\succneqq^(a)</code>	succeeds above not equal to
U+02AB7		𐌷̇̈̇	𐌸̇̈̇				𐌷̇̈̇	<code>\precapprox^(a)</code>	precedes above almost equal to
U+02AB8		𐌷̇̈̇̇	𐌸̇̈̇̇				𐌷̇̈̇̇	<code>\succapprox^(a)</code>	succeeds above almost equal to
U+02AB9		𐌷̇̈̇̇̇	𐌸̇̈̇̇̇				𐌷̇̈̇̇̇	<code>\precnapprox^(a)</code>	precedes above not almost equal to
U+02ABA		𐌷̇̈̇̇̇̇	𐌸̇̈̇̇̇̇				𐌷̇̈̇̇̇̇	<code>\succnapprox^(a)</code>	succeeds above not almost equal to
U+02ABB		𐌶̈					𐌶̈	<code>\Prec</code>	double precedes
U+02ABC		𐌷̈					𐌷̈	<code>\Succ</code>	double succeeds
U+02ABD		⊂̇					⊂̇	<code>\subsetdot</code>	subset with dot
U+02ABE		⊃̇					⊃̇	<code>\supsetdot</code>	superset with dot
U+02ABF		⊂+						<code>\subsetplus</code>	subset with plus sign below
U+02AC0		⊃+						<code>\supsetplus</code>	superset with plus sign below
U+02AC1		⊂×						<code>\submult</code>	subset with multiplication sign below
U+02AC2		⊃×						<code>\supmult</code>	superset with multiplication sign below
U+02AC3		⊂̇̇						<code>\subedot</code>	subset of or equal to with dot above
U+02AC4		⊃̇̇						<code>\supedot</code>	superset of or equal to with dot above
U+02AC5		⊂̈	⊃̈				⊂̈	<code>\subseteqq^(a)</code>	subset of above equals sign
U+02AC6		⊃̈	⊂̈				⊃̈	<code>\supseteqq^(a)</code>	superset of above equals sign
U+02AC7		⊂̃					⊂̃	<code>\subsetim</code>	subset of above tilde operator
U+02AC8		⊃̃					⊃̃	<code>\supsim</code>	superset of above tilde operator
U+02AC9		⊂̃̇					⊂̃̇	<code>\subsetapprox</code>	subset of above almost equal to
U+02ACA		⊃̃̇					⊃̃̇	<code>\supsetapprox</code>	superset of above almost equal to
U+02ACB		⊂̃̈	⊃̃̈				⊂̃̈	<code>\subsetneqq^(a)</code>	subset of above not equal to
U+02ACC		⊃̃̈	⊂̃̈				⊃̃̈	<code>\supsetneqq^(a)</code>	superset of above not equal to
U+02ACD		⌈						<code>\lsqhook</code>	square left open box operator

USV	M	S	E	P	D	L	G	Macro	Description
U+02ACE		☐						<code>\rsqhook</code>	square right open box operator
U+02ACF		⊂						<code>\csub</code>	closed subset
U+02AD0		⊃						<code>\csup</code>	closed superset
U+02AD1		⊆						<code>\csube</code>	closed subset or equal to
U+02AD2		⊇						<code>\csupe</code>	closed superset or equal to
U+02AD3		⊈						<code>\subsup</code>	subset above superset
U+02AD4		⊉						<code>\supsub</code>	superset above subset
U+02AD5		⊊						<code>\subsub</code>	subset above subset
U+02AD6		⊋						<code>\supsup</code>	superset above superset
U+02AD7		⊌						<code>\suphsub</code>	superset beside subset
U+02AD8		⊍						<code>\supdsub</code>	superset beside and joined by dash with subset
U+02AD9		⊎						<code>\forkv</code>	element of opening downwards
U+02ADA		⊏						<code>\topfork</code>	pitchfork with tee top
U+02ADB		⊐						<code>\mlcp</code>	transversal intersection
U+02ADC		⊑						<code>\forks</code>	forking
U+02ADD		⊒						<code>\forksnot</code>	nonforking
U+02ADE		⊓						<code>\shortlefttack</code>	short left tack
U+02ADF		⊔						<code>\shortdowntack</code>	short down tack
U+02AE0		⊕						<code>\shortuptack</code>	short up tack
U+02AE2		⊖						<code>\vDdash</code>	vertical bar triple right turnstile
U+02AE3		⊗						<code>\dashV</code>	double vertical bar left turnstile
U+02AE4		⊘						<code>\Dashv</code>	vertical bar double left turnstile
U+02AE5		⊙						<code>\DashV</code>	double vertical bar double left turnstile
U+02AE6		⊚						<code>\varVdash</code>	long dash from left member of double vertical
U+02AE7		⊛						<code>\Barv</code>	short down tack with overbar
U+02AE8		⊜						<code>\vBar</code>	short up tack with underbar
U+02AE9		⊝						<code>\vBarv</code>	short up tack above short down tack
U+02AEA		⊞						<code>\barV</code>	double down tack
U+02AEB		⊟						<code>\Vbar</code>	double up tack
U+02AEC		⊠						<code>\Not</code>	double stroke not sign
U+02AED		⊡						<code>\bNot</code>	reversed double stroke not sign
U+02AEE		⊢						<code>\revnmid</code>	does not divide with reversed negation slash

USV	M	S	E	P	D	L	G	Macro	Description
U+02AEF		⋈						<code>\circamid</code>	vertical line with circle above
U+02AF0		⋇						<code>\midcir</code>	vertical line with circle below
U+02AF2		∥						<code>\nhpar</code>	parallel with horizontal stroke
U+02AF3		∦						<code>\parsim</code>	parallel with tilde operator
U+02AF7		≪						<code>\lllnest</code>	stacked very much less-than
U+02AF8		≫						<code>\gggnest</code>	stacked very much greater-than
U+02AF9		≲	≳					<code>\leqqslant</code>	double-line slanted less-than or equal to
U+02AFA		≳	≲					<code>\geqqslant</code>	double-line slanted greater-than or equal to
U+02B30		↶					↶	<code>\circleonleftarrow</code>	left arrow with small circle
U+02B31	↶↶↶	↶↶↶	↶↶↶	↶↶↶	↶↶↶	↶↶↶	↶↶↶	<code>\leftthreearrows</code>	three leftwards arrows
U+02B32		↶⊕						<code>\leftarrowonoplus</code>	left arrow with circled plus
U+02B33	↶	↶	↶	↶	↶	↶	↶	<code>\longleftsquigarrow</code>	long leftwards squiggle arrow
U+02B34		↶↶						<code>\nvtwoheadleftarrow</code>	leftwards two-headed arrow with vertical stroke
U+02B35		↶↶						<code>\nVtwoheadleftarrow</code>	leftwards two-headed arrow with double vertical stroke
U+02B36		↶↶						<code>\twoheadmapsfrom</code>	leftwards two-headed arrow from bar
U+02B37		↶↶↶						<code>\twoheadleftdbkarrow</code>	leftwards two-headed triple-dash arrow
U+02B38		↶						<code>\leftdotarrow</code>	leftwards arrow with dotted stem
U+02B39		↶						<code>\nvleftarrowtail</code>	leftwards arrow with tail with vertical stroke
U+02B3A		↶						<code>\nVleftarrowtail</code>	leftwards arrow with tail with double vertical stroke
U+02B3B		↶						<code>\twoheadleftarrowtail</code>	leftwards two-headed arrow with tail
U+02B3C		↶						<code>\nvtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with vertical stroke
U+02B3D		↶						<code>\nVtwoheadleftarrowtail</code>	leftwards two-headed arrow with tail with double vertical stroke
U+02B3E		↶						<code>\leftarrowx</code>	leftwards arrow through x
U+02B3F		↶	↶					<code>\leftcurvedarrow</code>	wave arrow pointing directly left
U+02B40		↶						<code>\equalleftarrow</code>	equals sign above leftwards arrow
U+02B41		↶						<code>\bsimilarleftarrow</code>	reverse tilde operator above leftwards arrow
U+02B42		↶						<code>\leftarrowbackapprox</code>	leftwards arrow above reverse almost equal to
U+02B43		↶						<code>\rightarrowgtr</code>	rightwards arrow through greater-than

usv	M	S	E	P	D	L	G	Macro	Description
U+02B44		⇒						<code>\rightarrowsupset</code>	rightwards arrow through subset
U+02B45		⇐					⇐	<code>\Lleftarrow</code>	leftwards quadruple arrow
U+02B46		⇒					⇒	<code>\Rrightarrow</code>	rightwards quadruple arrow
U+02B47		↠						<code>\bsimilarrightarrow</code>	reverse tilde operator above rightwards arrow
U+02B48		⇚						<code>\rightarrowbackapprox</code>	rightwards arrow above reverse almost equal to
U+02B49		⇛						<code>\similarleftarrow</code>	tilde operator above leftwards arrow
U+02B4A		⇚						<code>\leftarrowapprox</code>	leftwards arrow above almost equal to
U+02B4B		↠						<code>\leftarrowbsimilar</code>	leftwards arrow above reverse tilde operator
U+02B4C		⇛						<code>\rightarrowbsimilar</code>	rightwards arrow above reverse tilde operator

15 Alphabetical symbols, `\mathalpha`

15.1 Normal weight

15.1.1 Upright Greek, uppercase

usv	M	S	E	P	D	L	G	Macro	Description
U+00391	Α	Α	Α	Α	Α	Α	Α	<code>\mupAlpha</code>	capital alpha, greek
U+00392	Β	Β	Β	Β	Β	Β	Β	<code>\mupBeta</code>	capital beta, greek
U+00393	Γ	Γ	Γ	Γ	Γ	Γ	Γ	<code>\mupGamma</code>	capital gamma, greek
U+00394	Δ	Δ	Δ	Δ	Δ	Δ	Δ	<code>\mupDelta</code>	capital delta, greek
U+00395	Ε	Ε	Ε	Ε	Ε	Ε	Ε	<code>\mupEpsilon</code>	capital epsilon, greek
U+00396	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	<code>\mupZeta</code>	capital zeta, greek
U+00397	Η	Η	Η	Η	Η	Η	Η	<code>\mupEta</code>	capital eta, greek
U+00398	Θ	Θ	Θ	Θ	Θ	Θ	Θ	<code>\mupTheta</code>	capital theta, greek
U+00399	Ι	Ι	Ι	Ι	Ι	Ι	Ι	<code>\mupIota</code>	capital iota, greek
U+0039A	Κ	Κ	Κ	Κ	Κ	Κ	Κ	<code>\mupKappa</code>	capital kappa, greek
U+0039B	Λ	Λ	Λ	Λ	Λ	Λ	Λ	<code>\mupLambda</code>	capital lambda, greek
U+0039C	Μ	Μ	Μ	Μ	Μ	Μ	Μ	<code>\mupMu</code>	capital mu, greek
U+0039D	Ν	Ν	Ν	Ν	Ν	Ν	Ν	<code>\mupNu</code>	capital nu, greek
U+0039E	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	<code>\mupXi</code>	capital xi, greek
U+0039F	Ο	Ο	Ο	Ο	Ο	Ο	Ο	<code>\mupOmicron</code>	capital omicron, greek

USV	M	S	E	P	D	L	G	Macro	Description
U+003A0	Π	Π	Π	Π	Π	Π	Π	\mupPi	capital pi, greek
U+003A1	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	\mupRho	capital rho, greek
U+003A3	Σ	Σ	Σ	Σ	Σ	Σ	Σ	\mupSigma	capital sigma, greek
U+003A4	Τ	Τ	Τ	Τ	Τ	Τ	Τ	\mupTau	capital tau, greek
U+003A5	Υ	Υ	Υ	Υ	Υ	Υ	Υ	\mupUpsilon	capital upsilon, greek
U+003A6	Φ	Φ	Φ	Φ	Φ	Φ	Φ	\mupPhi	capital phi, greek
U+003A7	Χ	Χ	Χ	Χ	Χ	Χ	Χ	\mupChi	capital chi, greek
U+003A8	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	\mupPsi	capital psi, greek
U+003A9	Ω	Ω	Ω	Ω	Ω	Ω	Ω	\mupOmega	capital omega, greek

15.1.2 Upright Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+003B1	α	α	α	α	α	α	α	\mupalpha	small alpha, greek
U+003B2	β	β	β	β	β	β	β	\mupbeta	small beta, greek
U+003B3	γ	γ	γ	γ	γ	γ	γ	\mupgamma	small gamma, greek
U+003B4	δ	δ	δ	δ	δ	δ	δ	\mupdelta	small delta, greek
U+003B5	ε	ε	ε	ε	ε	ε	ε	\mupvarepsilon	rounded small varepsilon, greek
U+003B6	ζ	ζ	ζ	ζ	ζ	ζ	ζ	\mupzeta	small zeta, greek
U+003B7	η	η	η	η	η	η	η	\mupeta	small eta, greek
U+003B8	θ	θ	θ	θ	θ	θ	θ	\muptheta	straight theta, small theta, greek
U+003B9	ι	ι	ι	ι	ι	ι	ι	\mupiota	small iota, greek
U+003BA	κ	κ	κ	κ	κ	κ	κ	\mupkappa	small kappa, greek
U+003BB	λ	λ	λ	λ	λ	λ	λ	\muplambda	small lambda, greek
U+003BC	μ	μ	μ	μ	μ	μ	μ	\mupmu	small mu, greek
U+003BD	ν	ν	ν	ν	ν	ν	ν	\mupnu	small nu, greek
U+003BE	ξ	ξ	ξ	ξ	ξ	ξ	ξ	\mupxi	small xi, greek
U+003BF	ο	ο	ο	ο	ο	ο	ο	\mupomicron	small omicron, greek
U+003C0	π	π	π	π	π	π	π	\muppi	small pi, greek
U+003C1	ρ	ρ	ρ	ρ	ρ	ρ	ρ	\muprho	small rho, greek
U+003C2	ς	ς	ς	ς	ς	ς	ς	\mupvarsigma	terminal sigma, greek
U+003C3	σ	σ	σ	σ	σ	σ	σ	\mupsigma	small sigma, greek
U+003C4	τ	τ	τ	τ	τ	τ	τ	\muptau	small tau, greek

USV	M	S	E	P	D	L	G	Macro	Description
U+003C5	υ	ϐ	ϑ	ϒ	ϓ	ϔ	ϕ	<code>\mupupsilon</code>	small upsilon, greek
U+003C6	ϕ	ϗ	Ϙ	ϙ	Ϛ	ϛ	Ϝ	<code>\mupvarphi</code>	curly or open small phi, greek
U+003C7	χ	ϝ	Ϟ	ϟ	Ϡ	ϡ	Ϣ	<code>\mupchi</code>	small chi, greek
U+003C8	ψ	ϣ	Ϥ	ϥ	Ϧ	ϧ	Ϩ	<code>\muppsi</code>	small psi, greek
U+003C9	ω	ϩ	Ϫ	ϫ	Ϭ	ϭ	Ϯ	<code>\mupomega</code>	small omega, greek
U+003D1	Ϡ	ϡ	Ϣ	ϣ	Ϥ	ϥ	Ϧ	<code>\mupvarthetaeta</code>	/varthetaeta - curly or open theta
U+003D5	ϕ	ϗ	Ϙ	ϙ	Ϛ	ϛ	Ϝ	<code>\mupphi</code>	/straightphi - small phi, greek
U+003D6	ϖ	ϗ	Ϙ	ϙ	Ϛ	ϛ	Ϝ	<code>\mupvarpi</code>	rounded small pi (pomega), greek
U+003DC		Ϛ					Ϛ	<code>\upDigamma</code>	capital digamma
U+003DD		ϛ	Ϝ				ϛ	<code>\updigamma</code>	old greek small letter digamma
U+003F0	ϛ	Ϝ	ϝ	Ϟ	ϟ	Ϡ	ϡ	<code>\mupvarkappa</code>	rounded small kappa, greek
U+003F1	ϣ	Ϥ	ϥ	Ϧ	ϧ	Ϩ	ϩ	<code>\mupvarrho</code>	rounded small rho, greek
U+003F4	Θ	Ϡ	ϡ	Ϣ	ϣ	Ϥ	ϥ	<code>\mupvarTheta</code>	greek capital theta symbol
U+003F5	ϵ	϶	Ϸ	ϸ	Ϲ	Ϻ	ϻ	<code>\mupepsilon</code>	greek lunate varepsilon symbol

15.1.3 Italic, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D434	<i>A</i>	<code>\mitA</code>	mathematical italic capital a						
U+1D435	<i>B</i>	<code>\mitB</code>	mathematical italic capital b						
U+1D436	<i>C</i>	<code>\mitC</code>	mathematical italic capital c						
U+1D437	<i>D</i>	<code>\mitD</code>	mathematical italic capital d						
U+1D438	<i>E</i>	<code>\mitE</code>	mathematical italic capital e						
U+1D439	<i>F</i>	<code>\mitF</code>	mathematical italic capital f						
U+1D43A	<i>G</i>	<code>\mitG</code>	mathematical italic capital g						
U+1D43B	<i>H</i>	<code>\mitH</code>	mathematical italic capital h						
U+1D43C	<i>I</i>	<code>\mitI</code>	mathematical italic capital i						
U+1D43D	<i>J</i>	<code>\mitJ</code>	mathematical italic capital j						
U+1D43E	<i>K</i>	<code>\mitK</code>	mathematical italic capital k						
U+1D43F	<i>L</i>	<code>\mitL</code>	mathematical italic capital l						
U+1D440	<i>M</i>	<code>\mitM</code>	mathematical italic capital m						
U+1D441	<i>N</i>	<code>\mitN</code>	mathematical italic capital n						
U+1D442	<i>O</i>	<code>\mitO</code>	mathematical italic capital o						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D443	<i>P</i>	<code>\mitP</code>	mathematical italic capital p						
U+1D444	<i>Q</i>	<code>\mitQ</code>	mathematical italic capital q						
U+1D445	<i>R</i>	<code>\mitR</code>	mathematical italic capital r						
U+1D446	<i>S</i>	<code>\mitS</code>	mathematical italic capital s						
U+1D447	<i>T</i>	<code>\mitT</code>	mathematical italic capital t						
U+1D448	<i>U</i>	<code>\mitU</code>	mathematical italic capital u						
U+1D449	<i>V</i>	<code>\mitV</code>	mathematical italic capital v						
U+1D44A	<i>W</i>	<code>\mitW</code>	mathematical italic capital w						
U+1D44B	<i>X</i>	<code>\mitX</code>	mathematical italic capital x						
U+1D44C	<i>Y</i>	<code>\mitY</code>	mathematical italic capital y						
U+1D44D	<i>Z</i>	<code>\mitZ</code>	mathematical italic capital z						

15.1.4 Italic, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D44E	<i>a</i>	<code>\mita</code>	mathematical italic small a						
U+1D44F	<i>b</i>	<code>\mitb</code>	mathematical italic small b						
U+1D450	<i>c</i>	<code>\mitc</code>	mathematical italic small c						
U+1D451	<i>d</i>	<code>\mitd</code>	mathematical italic small d						
U+1D452	<i>e</i>	<code>\mite</code>	mathematical italic small e						
U+1D453	<i>f</i>	<code>\mitf</code>	mathematical italic small f						
U+1D454	<i>g</i>	<code>\mitg</code>	mathematical italic small g						
U+1D456	<i>i</i>	<code>\miti</code>	mathematical italic small i						
U+1D457	<i>j</i>	<code>\mitj</code>	mathematical italic small j						
U+1D458	<i>k</i>	<code>\mitk</code>	mathematical italic small k						
U+1D459	<i>l</i>	<code>\mitl</code>	mathematical italic small l						
U+1D45A	<i>m</i>	<code>\mitm</code>	mathematical italic small m						
U+1D45B	<i>n</i>	<code>\mitn</code>	mathematical italic small n						
U+1D45C	<i>o</i>	<code>\mito</code>	mathematical italic small o						
U+1D45D	<i>p</i>	<code>\mitp</code>	mathematical italic small p						
U+1D45E	<i>q</i>	<code>\mitq</code>	mathematical italic small q						
U+1D45F	<i>r</i>	<code>\mitr</code>	mathematical italic small r						
U+1D460	<i>s</i>	<code>\mits</code>	mathematical italic small s						
U+1D461	<i>t</i>	<code>\mitt</code>	mathematical italic small t						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D462	<i>u</i>	<code>\mitu</code>	mathematical italic small u						
U+1D463	<i>v</i>	<code>\mitv</code>	mathematical italic small v						
U+1D464	<i>w</i>	<code>\mitw</code>	mathematical italic small w						
U+1D465	<i>x</i>	<code>\mitx</code>	mathematical italic small x						
U+1D466	<i>y</i>	<code>\mity</code>	mathematical italic small y						
U+1D467	<i>z</i>	<code>\mitz</code>	mathematical italic small z						

15.1.5 Italic Greek, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6E2	<i>Α</i>	<code>\mitAlpha</code>	mathematical italic capital alpha						
U+1D6E3	<i>Β</i>	<code>\mitBeta</code>	mathematical italic capital beta						
U+1D6E4	<i>Γ</i>	<code>\mitGamma</code>	mathematical italic capital gamma						
U+1D6E5	<i>Δ</i>	<code>\mitDelta</code>	mathematical italic capital delta						
U+1D6E6	<i>Ε</i>	<code>\mitEpsilon</code>	mathematical italic capital epsilon						
U+1D6E7	<i>Ζ</i>	<code>\mitZeta</code>	mathematical italic capital zeta						
U+1D6E8	<i>Η</i>	<code>\mitEta</code>	mathematical italic capital eta						
U+1D6E9	<i>Θ</i>	<code>\mitTheta</code>	mathematical italic capital theta						
U+1D6EA	<i>Ι</i>	<code>\mitIota</code>	mathematical italic capital iota						
U+1D6EB	<i>Κ</i>	<code>\mitKappa</code>	mathematical italic capital kappa						
U+1D6EC	<i>Λ</i>	<code>\mitLambda</code>	mathematical italic capital lambda						
U+1D6ED	<i>Μ</i>	<code>\mitMu</code>	mathematical italic capital mu						
U+1D6EE	<i>Ν</i>	<code>\mitNu</code>	mathematical italic capital nu						
U+1D6EF	<i>Ξ</i>	<code>\mitXi</code>	mathematical italic capital xi						
U+1D6F0	<i>Ο</i>	<code>\mitOmicron</code>	mathematical italic capital omicron						
U+1D6F1	<i>Π</i>	<code>\mitPi</code>	mathematical italic capital pi						
U+1D6F2	<i>Ρ</i>	<code>\mitRho</code>	mathematical italic capital rho						
U+1D6F3	<i>ϑ</i>	<code>\mitvarTheta</code>	mathematical italic capital theta symbol						
U+1D6F4	<i>Σ</i>	<code>\mitSigma</code>	mathematical italic capital sigma						
U+1D6F5	<i>Τ</i>	<code>\mitTau</code>	mathematical italic capital tau						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6F6	Υ	<code>\mitUpsilon</code>	mathematical italic capital upsilon						
U+1D6F7	Φ	<code>\mitPhi</code>	mathematical italic capital phi						
U+1D6F8	\Chi	<code>\mitChi</code>	mathematical italic capital chi						
U+1D6F9	Ψ	<code>\mitPsi</code>	mathematical italic capital psi						
U+1D6FA	Ω	<code>\mitOmega</code>	mathematical italic capital omega						

15.1.6 Italic Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6FC	α	<code>\mitalpha</code>	mathematical italic small alpha						
U+1D6FD	β	<code>\mitbeta</code>	mathematical italic small beta						
U+1D6FE	γ	<code>\mitgamma</code>	mathematical italic small gamma						
U+1D6FF	δ	<code>\mitdelta</code>	mathematical italic small delta						
U+1D700	ϵ	<code>\mitvarepsilon</code>	mathematical italic small varepsilon						
U+1D701	ζ	<code>\mitzeta</code>	mathematical italic small zeta						
U+1D702	η	<code>\miteta</code>	mathematical italic small eta						
U+1D703	θ	<code>\mittheta</code>	mathematical italic small theta						
U+1D704	ι	<code>\mitiota</code>	mathematical italic small iota						
U+1D705	κ	<code>\mitkappa</code>	mathematical italic small kappa						
U+1D706	λ	<code>\mitlambda</code>	mathematical italic small lambda						
U+1D707	μ	<code>\mitmu</code>	mathematical italic small mu						
U+1D708	ν	<code>\mitnu</code>	mathematical italic small nu						
U+1D709	ξ	<code>\mitxi</code>	mathematical italic small xi						
U+1D70A	\omicron	<code>\mitomicron</code>	mathematical italic small omicron						
U+1D70B	π	<code>\mitpi</code>	mathematical italic small pi						
U+1D70C	ρ	<code>\mitrho</code>	mathematical italic small rho						
U+1D70D	ς	<code>\mitvarsigma</code>	mathematical italic small final sigma						
U+1D70E	σ	<code>\mitsigma</code>	mathematical italic small sigma						
U+1D70F	τ	<code>\mittau</code>	mathematical italic small tau						
U+1D710	υ	<code>\mitupsilon</code>	mathematical italic small upsilon						
U+1D711	φ	<code>\mitvarphi</code>	mathematical italic small phi						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D712	χ	<code>\mitchi</code>	mathematical italic small chi						
U+1D713	ψ	<code>\mitpsi</code>	mathematical italic small psi						
U+1D714	ω	<code>\mitomega</code>	mathematical italic small omega						
U+1D715	∂	<code>\mitpartial</code>	mathematical italic partial differential						
U+1D716	ϵ	<code>\mitepsilon</code>	mathematical italic varepsilon symbol						
U+1D717	ϑ	<code>\mitvartheta</code>	mathematical italic theta symbol						
U+1D718	κ	<code>\mitvarkappa</code>	mathematical italic kappa symbol						
U+1D719	ϕ	<code>\mitphi</code>	mathematical italic phi symbol						
U+1D71A	ρ	<code>\mitvarrho</code>	mathematical italic rho symbol						
U+1D71B	ϖ	<code>\mitvarpi</code>	mathematical italic pi symbol						

15.1.7 Script, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D49C	\mathcal{A}	<code>\mscrA</code>	mathematical script capital a						
U+1D49E	\mathcal{C}	<code>\mscrC</code>	mathematical script capital c						
U+1D49F	\mathcal{D}	<code>\mscrD</code>	mathematical script capital d						
U+1D4A2	\mathcal{G}	<code>\mscrG</code>	mathematical script capital g						
U+1D4A5	\mathcal{J}	<code>\mscrJ</code>	mathematical script capital j						
U+1D4A6	\mathcal{K}	<code>\mscrK</code>	mathematical script capital k						
U+1D4A9	\mathcal{N}	<code>\mscrN</code>	mathematical script capital n						
U+1D4AA	\mathcal{O}	<code>\mscrO</code>	mathematical script capital o						
U+1D4AB	\mathcal{P}	<code>\mscrP</code>	mathematical script capital p						
U+1D4AC	\mathcal{Q}	<code>\mscrQ</code>	mathematical script capital q						
U+1D4AE	\mathcal{S}	<code>\mscrS</code>	mathematical script capital s						
U+1D4AF	\mathcal{T}	<code>\mscrT</code>	mathematical script capital t						
U+1D4B0	\mathcal{U}	<code>\mscrU</code>	mathematical script capital u						
U+1D4B1	\mathcal{V}	<code>\mscrV</code>	mathematical script capital v						
U+1D4B2	\mathcal{W}	<code>\mscrW</code>	mathematical script capital w						
U+1D4B3	\mathcal{X}	<code>\mscrX</code>	mathematical script capital x						
U+1D4B4	\mathcal{Y}	<code>\mscrY</code>	mathematical script capital y						
U+1D4B5	\mathcal{Z}	<code>\mscrZ</code>	mathematical script capital z						

USV	M	S	E	P	D	L	G	Macro	Description
-----	---	---	---	---	---	---	---	-------	-------------

15.1.8 Script, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D4B6		<i>a</i>		<i>a</i>	<i>ā</i>	<i>à</i>	<i>á</i>	<code>\mscra</code>	mathematical script small a
U+1D4B7		<i>b</i>		<i>b</i>	<i>b̄</i>	<i>b̂</i>	<i>b̃</i>	<code>\mscrb</code>	mathematical script small b
U+1D4B8		<i>c</i>		<i>c</i>	<i>c̄</i>	<i>ĉ</i>	<i>c̃</i>	<code>\mscrc</code>	mathematical script small c
U+1D4B9		<i>d</i>		<i>d</i>	<i>d̄</i>	<i>d̂</i>	<i>d̃</i>	<code>\mscrd</code>	mathematical script small d
U+1D4BB		<i>f</i>		<i>f</i>	<i>f̄</i>	<i>f̂</i>	<i>f̃</i>	<code>\mscrf</code>	mathematical script small f
U+1D4BD		<i>h</i>		<i>h</i>	<i>h̄</i>	<i>ĥ</i>	<i>h̃</i>	<code>\mscrh</code>	mathematical script small h
U+1D4BE		<i>i</i>		<i>i</i>	<i>ī</i>	<i>î</i>	<i>ï</i>	<code>\mscri</code>	mathematical script small i
U+1D4BF		<i>j</i>		<i>j</i>	<i>j̄</i>	<i>ĵ</i>	<i>j̃</i>	<code>\mscrj</code>	mathematical script small j
U+1D4C0		<i>k</i>		<i>k</i>	<i>k̄</i>	<i>k̂</i>	<i>k̃</i>	<code>\mscrk</code>	mathematical script small k
U+1D4C1		<i>l</i>		<i>l</i>	<i>l̄</i>	<i>l̂</i>	<i>l̃</i>	<code>\mscr l</code>	mathematical script small l
U+1D4C2		<i>m</i>		<i>m</i>	<i>m̄</i>	<i>m̂</i>	<i>m̃</i>	<code>\mscrm</code>	mathematical script small m
U+1D4C3		<i>n</i>		<i>n</i>	<i>n̄</i>	<i>n̂</i>	<i>ñ</i>	<code>\mscrn</code>	mathematical script small n
U+1D4C5		<i>p</i>		<i>p</i>	<i>p̄</i>	<i>p̂</i>	<i>p̃</i>	<code>\mscrp</code>	mathematical script small p
U+1D4C6		<i>q</i>		<i>q</i>	<i>q̄</i>	<i>q̂</i>	<i>q̃</i>	<code>\mscrq</code>	mathematical script small q
U+1D4C7		<i>r</i>		<i>r</i>	<i>r̄</i>	<i>r̂</i>	<i>r̃</i>	<code>\mscrr</code>	mathematical script small r
U+1D4C8		<i>s</i>		<i>s</i>	<i>s̄</i>	<i>ŝ</i>	<i>s̃</i>	<code>\mscrs</code>	mathematical script small s
U+1D4C9		<i>t</i>		<i>t</i>	<i>t̄</i>	<i>t̂</i>	<i>t̃</i>	<code>\mscrt</code>	mathematical script small t
U+1D4CA		<i>u</i>		<i>u</i>	<i>ū</i>	<i>û</i>	<i>ü</i>	<code>\mscru</code>	mathematical script small u
U+1D4CB		<i>v</i>		<i>v</i>	<i>v̄</i>	<i>v̂</i>	<i>ṽ</i>	<code>\mscrv</code>	mathematical script small v
U+1D4CC		<i>w</i>		<i>w</i>	<i>w̄</i>	<i>ŵ</i>	<i>w̃</i>	<code>\mscrw</code>	mathematical script small w
U+1D4CD		<i>x</i>		<i>x</i>	<i>x̄</i>	<i>x̂</i>	<i>x̃</i>	<code>\mscrx</code>	mathematical script small x
U+1D4CE		<i>y</i>		<i>y</i>	<i>ȳ</i>	<i>ŷ</i>	<i>ỹ</i>	<code>\mscry</code>	mathematical script small y
U+1D4CF		<i>z</i>		<i>z</i>	<i>z̄</i>	<i>ẑ</i>	<i>z̃</i>	<code>\mscrz</code>	mathematical script small z

15.1.9 Fraktur, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D504	A	Â	Ȧ	Ǡ	Ȧ̂	Ȧ̃	Ǡ	<code>\mfrakA</code>	mathematical fraktur capital a
U+1D505	B	B̂	Ȧ	Ǡ	Ȧ̂	Ȧ̃	Ǡ	<code>\mfrakB</code>	mathematical fraktur capital b

USV	M	S	E	P	D	L	G	Macro	Description
U+1D507	𝔻	𝔸	𝔼	𝔻	𝔻	𝔻	𝔻	\mfracD	mathematical fraktur capital d
U+1D508	𝔼	𝔼	𝔼	𝔼	𝔼	𝔼	𝔼	\mfracE	mathematical fraktur capital e
U+1D509	𝔽	𝔽	𝔽	𝔽	𝔽	𝔽	𝔽	\mfracF	mathematical fraktur capital f
U+1D50A	𝔾	𝔾	𝔾	𝔾	𝔾	𝔾	𝔾	\mfracG	mathematical fraktur capital g
U+1D50D	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracJ	mathematical fraktur capital j
U+1D50E	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracK	mathematical fraktur capital k
U+1D50F	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracL	mathematical fraktur capital l
U+1D510	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracM	mathematical fraktur capital m
U+1D511	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracN	mathematical fraktur capital n
U+1D512	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracO	mathematical fraktur capital o
U+1D513	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracP	mathematical fraktur capital p
U+1D514	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracQ	mathematical fraktur capital q
U+1D516	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracS	mathematical fraktur capital s
U+1D517	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracT	mathematical fraktur capital t
U+1D518	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracU	mathematical fraktur capital u
U+1D519	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracV	mathematical fraktur capital v
U+1D51A	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracW	mathematical fraktur capital w
U+1D51B	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracX	mathematical fraktur capital x
U+1D51C	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	𝔸	\mfracY	mathematical fraktur capital y

15.1.10 Fraktur, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D51E	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfraka	mathematical fraktur small a
U+1D51F	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfrakb	mathematical fraktur small b
U+1D520	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfracc	mathematical fraktur small c
U+1D521	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfracd	mathematical fraktur small d
U+1D522	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfrace	mathematical fraktur small e
U+1D523	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfracf	mathematical fraktur small f
U+1D524	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfracg	mathematical fraktur small g
U+1D525	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfrach	mathematical fraktur small h
U+1D526	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfraci	mathematical fraktur small i
U+1D527	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfracj	mathematical fraktur small j
U+1D528	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	𝔞	\mfrack	mathematical fraktur small k

USV	M	S	E	P	D	L	G	Macro	Description
U+1D529	l	l	l	l	l	l	l	\mfrakl	mathematical fraktur small l
U+1D52A	m	m	m	m	m	m	m	\mfrakm	mathematical fraktur small m
U+1D52B	n	n	n	n	n	n	n	\mfrakn	mathematical fraktur small n
U+1D52C	o	o	o	o	o	o	o	\mfrako	mathematical fraktur small o
U+1D52D	p	p	p	p	p	p	p	\mfrakp	mathematical fraktur small p
U+1D52E	q	q	q	q	q	q	q	\mfrakq	mathematical fraktur small q
U+1D52F	r	r	r	r	r	r	r	\mfrakr	mathematical fraktur small r
U+1D530	s	s	s	s	s	s	s	\mfraks	mathematical fraktur small s
U+1D531	t	t	t	t	t	t	t	\mfrakt	mathematical fraktur small t
U+1D532	u	u	u	u	u	u	u	\mfraku	mathematical fraktur small u
U+1D533	v	v	v	v	v	v	v	\mfrakv	mathematical fraktur small v
U+1D534	w	w	w	w	w	w	w	\mfrakw	mathematical fraktur small w
U+1D535	x	x	x	x	x	x	x	\mfrakx	mathematical fraktur small x
U+1D536	y	y	y	y	y	y	y	\mfraky	mathematical fraktur small y
U+1D537	z	z	z	z	z	z	z	\mfrakz	mathematical fraktur small z

15.1.11 Blackboard, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D538	A	A	A	A	A	A	A	\BbbA	mathematical double-struck capital a
U+1D539	B	B	B	B	B	B	B	\BbbB	mathematical double-struck capital b
U+1D53B	D	D	D	D	D	D	D	\BbbD	mathematical double-struck capital d
U+1D53C	E	E	E	E	E	E	E	\BbbE	mathematical double-struck capital e
U+1D53D	F	F	F	F	F	F	F	\BbbF	mathematical double-struck capital f
U+1D53E	G	G	G	G	G	G	G	\BbbG	mathematical double-struck capital g
U+1D540	I	I	I	I	I	I	I	\BbbI	mathematical double-struck capital i
U+1D541	J	J	J	J	J	J	J	\BbbJ	mathematical double-struck capital j
U+1D542	K	K	K	K	K	K	K	\BbbK	mathematical double-struck capital k
U+1D543	L	L	L	L	L	L	L	\BbbL	mathematical double-struck capital l
U+1D544	M	M	M	M	M	M	M	\BbbM	mathematical double-struck capital m

USV	M	S	E	P	D	L	G	Macro	Description
U+1D546	⒪	⓪	ⓐ	ⓑ	ⓒ	ⓓ	ⓔ	\BbbO	mathematical double-struck capital o
U+1D54A	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbS	mathematical double-struck capital s
U+1D54B	Ⓗ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	Ⓨ	\BbbT	mathematical double-struck capital t
U+1D54C	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbU	mathematical double-struck capital u
U+1D54D	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbV	mathematical double-struck capital v
U+1D54E	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbW	mathematical double-struck capital w
U+1D54F	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbX	mathematical double-struck capital x
U+1D550	Ⓔ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	Ⓧ	\BbbY	mathematical double-struck capital y

15.1.12 Blackboard, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D552	ⓐ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbba	mathematical double-struck small a
U+1D553	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbb	mathematical double-struck small b
U+1D554	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbc	mathematical double-struck small c
U+1D555	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbd	mathematical double-struck small d
U+1D556	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbe	mathematical double-struck small e
U+1D557	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbf	mathematical double-struck small f
U+1D558	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbg	mathematical double-struck small g
U+1D559	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbh	mathematical double-struck small h
U+1D55A	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbi	mathematical double-struck small i
U+1D55B	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbj	mathematical double-struck small j
U+1D55C	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbk ^(a)	mathematical double-struck small k
U+1D55D	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbb1	mathematical double-struck small l
U+1D55E	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbm	mathematical double-struck small m
U+1D55F	Ⓡ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ	\Bbbn	mathematical double-struck small n

USV	M	S	E	P	D	L	G	Macro	Description
U+1D560	o	o	o	o	o	o	o	\Bbbo	mathematical double-struck small o
U+1D561	p	p	p	p	p	p	p	\Bbbp	mathematical double-struck small p
U+1D562	q	q	q	q	q	q	q	\Bbbq	mathematical double-struck small q
U+1D563	r	r	r	r	r	r	r	\Bbbr	mathematical double-struck small r
U+1D564	s	s	s	s	s	s	s	\Bbbs	mathematical double-struck small s
U+1D565	t	t	t	t	t	t	t	\Bbbt	mathematical double-struck small t
U+1D566	u	u	u	u	u	u	u	\Bbbu	mathematical double-struck small u
U+1D567	v	v	v	v	v	v	v	\Bbbv	mathematical double-struck small v
U+1D568	w	w	w	w	w	w	w	\Bbbw	mathematical double-struck small w
U+1D569	x	x	x	x	x	x	x	\Bbbx	mathematical double-struck small x
U+1D56A	y	y	y	y	y	y	y	\Bbby	mathematical double-struck small y
U+1D56B	z	z	z	z	z	z	z	\Bbbz	mathematical double-struck small z

15.1.13 Sans serif, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5A0	A	A	A	A	A	A	A	\msansA	mathematical sans-serif capital a
U+1D5A1	B	B	B	B	B	B	B	\msansB	mathematical sans-serif capital b
U+1D5A2	C	C	C	C	C	C	C	\msansC	mathematical sans-serif capital c
U+1D5A3	D	D	D	D	D	D	D	\msansD	mathematical sans-serif capital d
U+1D5A4	E	E	E	E	E	E	E	\msansE	mathematical sans-serif capital e
U+1D5A5	F	F	F	F	F	F	F	\msansF	mathematical sans-serif capital f
U+1D5A6	G	G	G	G	G	G	G	\msansG	mathematical sans-serif capital g
U+1D5A7	H	H	H	H	H	H	H	\msansH	mathematical sans-serif capital h
U+1D5A8	I	I	I	I	I	I	I	\msansI	mathematical sans-serif capital i
U+1D5A9	J	J	J	J	J	J	J	\msansJ	mathematical sans-serif capital j
U+1D5AA	K	K	K	K	K	K	K	\msansK	mathematical sans-serif capital k

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5AB	L	L	L	L	L	L	L	<code>\msansL</code>	mathematical sans-serif capital l
U+1D5AC	M	M	M	M	M	M	M	<code>\msansM</code>	mathematical sans-serif capital m
U+1D5AD	N	N	N	N	N	N	N	<code>\msansN</code>	mathematical sans-serif capital n
U+1D5AE	O	O	O	O	O	O	O	<code>\msansO</code>	mathematical sans-serif capital o
U+1D5AF	P	P	P	P	P	P	P	<code>\msansP</code>	mathematical sans-serif capital p
U+1D5B0	Q	Q	Q	Q	Q	Q	Q	<code>\msansQ</code>	mathematical sans-serif capital q
U+1D5B1	R	R	R	R	R	R	R	<code>\msansR</code>	mathematical sans-serif capital r
U+1D5B2	S	S	S	S	S	S	S	<code>\msansS</code>	mathematical sans-serif capital s
U+1D5B3	T	T	T	T	T	T	T	<code>\msansT</code>	mathematical sans-serif capital t
U+1D5B4	U	U	U	U	U	U	U	<code>\msansU</code>	mathematical sans-serif capital u
U+1D5B5	V	V	V	V	V	V	V	<code>\msansV</code>	mathematical sans-serif capital v
U+1D5B6	W	W	W	W	W	W	W	<code>\msansW</code>	mathematical sans-serif capital w
U+1D5B7	X	X	X	X	X	X	X	<code>\msansX</code>	mathematical sans-serif capital x
U+1D5B8	Y	Y	Y	Y	Y	Y	Y	<code>\msansY</code>	mathematical sans-serif capital y
U+1D5B9	Z	Z	Z	Z	Z	Z	Z	<code>\msansZ</code>	mathematical sans-serif capital z

15.1.14 Sans serif, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5BA	a	a	a	a	a	a	a	<code>\msansa</code>	mathematical sans-serif small a
U+1D5BB	b	b	b	b	b	b	b	<code>\msansb</code>	mathematical sans-serif small b
U+1D5BC	c	c	c	c	c	c	c	<code>\msansc</code>	mathematical sans-serif small c
U+1D5BD	d	d	d	d	d	d	d	<code>\msansd</code>	mathematical sans-serif small d
U+1D5BE	e	e	e	e	e	e	e	<code>\msanse</code>	mathematical sans-serif small e
U+1D5BF	f	f	f	f	f	f	f	<code>\msansf</code>	mathematical sans-serif small f
U+1D5C0	g	g	g	g	g	g	g	<code>\msansg</code>	mathematical sans-serif small g
U+1D5C1	h	h	h	h	h	h	h	<code>\msansh</code>	mathematical sans-serif small h
U+1D5C2	i	i	i	i	i	i	i	<code>\msansi</code>	mathematical sans-serif small i
U+1D5C3	j	j	j	j	j	j	j	<code>\msansj</code>	mathematical sans-serif small j

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5C4	k	<code>\msansk</code>	mathematical sans-serif small k						
U+1D5C5	l	<code>\msansl</code>	mathematical sans-serif small l						
U+1D5C6	m	<code>\msansm</code>	mathematical sans-serif small m						
U+1D5C7	n	<code>\msansn</code>	mathematical sans-serif small n						
U+1D5C8	o	<code>\msanso</code>	mathematical sans-serif small o						
U+1D5C9	p	<code>\msansp</code>	mathematical sans-serif small p						
U+1D5CA	q	<code>\msansq</code>	mathematical sans-serif small q						
U+1D5CB	r	<code>\msansr</code>	mathematical sans-serif small r						
U+1D5CC	s	<code>\msanss</code>	mathematical sans-serif small s						
U+1D5CD	t	<code>\msanst</code>	mathematical sans-serif small t						
U+1D5CE	u	<code>\msansu</code>	mathematical sans-serif small u						
U+1D5CF	v	<code>\msansv</code>	mathematical sans-serif small v						
U+1D5D0	w	<code>\msansw</code>	mathematical sans-serif small w						
U+1D5D1	x	<code>\msansx</code>	mathematical sans-serif small x						
U+1D5D2	y	<code>\msansy</code>	mathematical sans-serif small y						
U+1D5D3	z	<code>\msansz</code>	mathematical sans-serif small z						

15.1.15 Italic sans serif, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D608	A	<code>\mitsansA</code>	mathematical sans-serif italic capital a						
U+1D609	B	<code>\mitsansB</code>	mathematical sans-serif italic capital b						
U+1D60A	C	<code>\mitsansC</code>	mathematical sans-serif italic capital c						
U+1D60B	D	<code>\mitsansD</code>	mathematical sans-serif italic capital d						
U+1D60C	E	<code>\mitsansE</code>	mathematical sans-serif italic capital e						
U+1D60D	F	<code>\mitsansF</code>	mathematical sans-serif italic capital f						
U+1D60E	G	<code>\mitsansG</code>	mathematical sans-serif italic capital g						
U+1D60F	H	<code>\mitsansH</code>	mathematical sans-serif italic capital h						
U+1D610	I	<code>\mitsansI</code>	mathematical sans-serif italic capital i						
U+1D611	J	<code>\mitsansJ</code>	mathematical sans-serif italic capital j						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D612	<i>K</i>	<code>\mitsansK</code>	mathematical sans-serif italic capital k						
U+1D613	<i>L</i>	<code>\mitsansL</code>	mathematical sans-serif italic capital l						
U+1D614	<i>M</i>	<code>\mitsansM</code>	mathematical sans-serif italic capital m						
U+1D615	<i>N</i>	<code>\mitsansN</code>	mathematical sans-serif italic capital n						
U+1D616	<i>O</i>	<code>\mitsansO</code>	mathematical sans-serif italic capital o						
U+1D617	<i>P</i>	<code>\mitsansP</code>	mathematical sans-serif italic capital p						
U+1D618	<i>Q</i>	<code>\mitsansQ</code>	mathematical sans-serif italic capital q						
U+1D619	<i>R</i>	<code>\mitsansR</code>	mathematical sans-serif italic capital r						
U+1D61A	<i>S</i>	<code>\mitsansS</code>	mathematical sans-serif italic capital s						
U+1D61B	<i>T</i>	<code>\mitsansT</code>	mathematical sans-serif italic capital t						
U+1D61C	<i>U</i>	<code>\mitsansU</code>	mathematical sans-serif italic capital u						
U+1D61D	<i>V</i>	<code>\mitsansV</code>	mathematical sans-serif italic capital v						
U+1D61E	<i>W</i>	<code>\mitsansW</code>	mathematical sans-serif italic capital w						
U+1D61F	<i>X</i>	<code>\mitsansX</code>	mathematical sans-serif italic capital x						
U+1D620	<i>Y</i>	<code>\mitsansY</code>	mathematical sans-serif italic capital y						
U+1D621	<i>Z</i>	<code>\mitsansZ</code>	mathematical sans-serif italic capital z						

15.1.16 Italic sans serif, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D622	<i>a</i>	<code>\mitsansa</code>	mathematical sans-serif italic small a						
U+1D623	<i>b</i>	<code>\mitsansb</code>	mathematical sans-serif italic small b						
U+1D624	<i>c</i>	<code>\mitsansc</code>	mathematical sans-serif italic small c						
U+1D625	<i>d</i>	<code>\mitsansd</code>	mathematical sans-serif italic small d						
U+1D626	<i>e</i>	<code>\mitsanse</code>	mathematical sans-serif italic small e						
U+1D627	<i>f</i>	<code>\mitsansf</code>	mathematical sans-serif italic small f						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D628	<i>g</i>	<code>\mitsansg</code>	mathematical sans-serif italic small g						
U+1D629	<i>h</i>	<code>\mitsansh</code>	mathematical sans-serif italic small h						
U+1D62A	<i>i</i>	<code>\mitsansi</code>	mathematical sans-serif italic small i						
U+1D62B	<i>j</i>	<code>\mitsansj</code>	mathematical sans-serif italic small j						
U+1D62C	<i>k</i>	<code>\mitsansk</code>	mathematical sans-serif italic small k						
U+1D62D	<i>l</i>	<code>\mitsansl</code>	mathematical sans-serif italic small l						
U+1D62E	<i>m</i>	<code>\mitsansm</code>	mathematical sans-serif italic small m						
U+1D62F	<i>n</i>	<code>\mitsansn</code>	mathematical sans-serif italic small n						
U+1D630	<i>o</i>	<code>\mitsanso</code>	mathematical sans-serif italic small o						
U+1D631	<i>p</i>	<code>\mitsansp</code>	mathematical sans-serif italic small p						
U+1D632	<i>q</i>	<code>\mitsansq</code>	mathematical sans-serif italic small q						
U+1D633	<i>r</i>	<code>\mitsansr</code>	mathematical sans-serif italic small r						
U+1D634	<i>s</i>	<code>\mitsanss</code>	mathematical sans-serif italic small s						
U+1D635	<i>t</i>	<code>\mitsanst</code>	mathematical sans-serif italic small t						
U+1D636	<i>u</i>	<code>\mitsansu</code>	mathematical sans-serif italic small u						
U+1D637	<i>v</i>	<code>\mitsansv</code>	mathematical sans-serif italic small v						
U+1D638	<i>w</i>	<code>\mitsansw</code>	mathematical sans-serif italic small w						
U+1D639	<i>x</i>	<code>\mitsansx</code>	mathematical sans-serif italic small x						
U+1D63A	<i>y</i>	<code>\mitsansy</code>	mathematical sans-serif italic small y						
U+1D63B	<i>z</i>	<code>\mitsansz</code>	mathematical sans-serif italic small z						

15.1.17 Typewriter, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D670	A	<code>\mttA</code>	mathematical monospace capital a						
U+1D671	B	<code>\mttB</code>	mathematical monospace capital b						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D672	C	C	C	C	C	C	C	<code>\mttC</code>	mathematical monospace capital c
U+1D673	D	D	D	D	D	D	D	<code>\mttD</code>	mathematical monospace capital d
U+1D674	E	E	E	E	E	E	E	<code>\mttE</code>	mathematical monospace capital e
U+1D675	F	F	F	F	F	F	F	<code>\mttF</code>	mathematical monospace capital f
U+1D676	G	G	G	G	G	G	G	<code>\mttG</code>	mathematical monospace capital g
U+1D677	H	H	H	H	H	H	H	<code>\mttH</code>	mathematical monospace capital h
U+1D678	I	I	I	I	I	I	I	<code>\mttI</code>	mathematical monospace capital i
U+1D679	J	J	J	J	J	J	J	<code>\mttJ</code>	mathematical monospace capital j
U+1D67A	K	K	K	K	K	K	K	<code>\mttK</code>	mathematical monospace capital k
U+1D67B	L	L	L	L	L	L	L	<code>\mttL</code>	mathematical monospace capital l
U+1D67C	M	M	M	M	M	M	M	<code>\mttM</code>	mathematical monospace capital m
U+1D67D	N	N	N	N	N	N	N	<code>\mttN</code>	mathematical monospace capital n
U+1D67E	O	O	O	O	O	O	O	<code>\mttO</code>	mathematical monospace capital o
U+1D67F	P	P	P	P	P	P	P	<code>\mttP</code>	mathematical monospace capital p
U+1D680	Q	Q	Q	Q	Q	Q	Q	<code>\mttQ</code>	mathematical monospace capital q
U+1D681	R	R	R	R	R	R	R	<code>\mttR</code>	mathematical monospace capital r
U+1D682	S	S	S	S	S	S	S	<code>\mttS</code>	mathematical monospace capital s
U+1D683	T	T	T	T	T	T	T	<code>\mttT</code>	mathematical monospace capital t
U+1D684	U	U	U	U	U	U	U	<code>\mttU</code>	mathematical monospace capital u
U+1D685	V	V	V	V	V	V	V	<code>\mttV</code>	mathematical monospace capital v
U+1D686	W	W	W	W	W	W	W	<code>\mttW</code>	mathematical monospace capital w
U+1D687	X	X	X	X	X	X	X	<code>\mttX</code>	mathematical monospace capital x
U+1D688	Y	Y	Y	Y	Y	Y	Y	<code>\mttY</code>	mathematical monospace capital y
U+1D689	Z	Z	Z	Z	Z	Z	Z	<code>\mttZ</code>	mathematical monospace capital z

USV	M	S	E	P	D	L	G	Macro	Description
-----	---	---	---	---	---	---	---	-------	-------------

15.1.18 Typewriter, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D68A	a	a	a	a	ā	ā	ā	\mtta	mathematical monospace small a
U+1D68B	b	b	b	b	ḃ	ḃ	ḃ	\mttb	mathematical monospace small b
U+1D68C	c	c	c	c	ċ	ċ	ċ	\mttc	mathematical monospace small c
U+1D68D	d	d	d	d	ḏ	ḏ	ḏ	\mttd	mathematical monospace small d
U+1D68E	e	e	e	e	ē	ē	ē	\mtte	mathematical monospace small e
U+1D68F	f	f	f	f	ḟ	ḟ	ḟ	\mttf	mathematical monospace small f
U+1D690	g	g	g	g	ġ	ġ	ġ	\mttg	mathematical monospace small g
U+1D691	h	h	h	h	ḣ	ḣ	ḣ	\mtth	mathematical monospace small h
U+1D692	i	i	i	i	ī	ī	ī	\mtti	mathematical monospace small i
U+1D693	j	j	j	j	ĵ	ĵ	ĵ	\mttj	mathematical monospace small j
U+1D694	k	k	k	k	ķ	ķ	ķ	\mttk	mathematical monospace small k
U+1D695	l	l	l	l	ļ	ļ	ļ	\mttl	mathematical monospace small l
U+1D696	m	m	m	m	Ṁ	Ṁ	Ṁ	\mttm	mathematical monospace small m
U+1D697	n	n	n	n	Ṇ	Ṇ	Ṇ	\mttn	mathematical monospace small n
U+1D698	o	o	o	o	ō	ō	ō	\mtto	mathematical monospace small o
U+1D699	p	p	p	p	Ṗ	Ṗ	Ṗ	\mttp	mathematical monospace small p
U+1D69A	q	q	q	q	Ṙ	Ṙ	Ṙ	\mttq	mathematical monospace small q
U+1D69B	r	r	r	r	Ṛ	Ṛ	Ṛ	\mttr	mathematical monospace small r
U+1D69C	s	s	s	s	Ṣ	Ṣ	Ṣ	\mtts	mathematical monospace small s
U+1D69D	t	t	t	t	Ṥ	Ṥ	Ṥ	\mttt	mathematical monospace small t
U+1D69E	u	u	u	u	Ṧ	Ṧ	Ṧ	\mttu	mathematical monospace small u
U+1D69F	v	v	v	v	Ṟ	Ṟ	Ṟ	\mttv	mathematical monospace small v

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6A0	W	W	W	W	W	W	W	\mttw	mathematical monospace small w
U+1D6A1	x	x	x	x	x	x	x	\mttx	mathematical monospace small x
U+1D6A2	y	y	y	y	y	y	y	\mtty	mathematical monospace small y
U+1D6A3	z	z	z	z	z	z	z	\mttz	mathematical monospace small z

15.2 Bold

15.2.1 Bold, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D400	A	A	A	A	A	A	A	\mbfA	mathematical bold capital a
U+1D401	B	B	B	B	B	B	B	\mbfB	mathematical bold capital b
U+1D402	C	C	C	C	C	C	C	\mbfC	mathematical bold capital c
U+1D403	D	D	D	D	D	D	D	\mbfD	mathematical bold capital d
U+1D404	E	E	E	E	E	E	E	\mbfE	mathematical bold capital e
U+1D405	F	F	F	F	F	F	F	\mbfF	mathematical bold capital f
U+1D406	G	G	G	G	G	G	G	\mbfG	mathematical bold capital g
U+1D407	H	H	H	H	H	H	H	\mbfH	mathematical bold capital h
U+1D408	I	I	I	I	I	I	I	\mbfI	mathematical bold capital i
U+1D409	J	J	J	J	J	J	J	\mbfJ	mathematical bold capital j
U+1D40A	K	K	K	K	K	K	K	\mbfK	mathematical bold capital k
U+1D40B	L	L	L	L	L	L	L	\mbfL	mathematical bold capital l
U+1D40C	M	M	M	M	M	M	M	\mbfM	mathematical bold capital m
U+1D40D	N	N	N	N	N	N	N	\mbfN	mathematical bold capital n
U+1D40E	O	O	O	O	O	O	O	\mbfO	mathematical bold capital o
U+1D40F	P	P	P	P	P	P	P	\mbfP	mathematical bold capital p
U+1D410	Q	Q	Q	Q	Q	Q	Q	\mbfQ	mathematical bold capital q
U+1D411	R	R	R	R	R	R	R	\mbfR	mathematical bold capital r
U+1D412	S	S	S	S	S	S	S	\mbfS	mathematical bold capital s
U+1D413	T	T	T	T	T	T	T	\mbfT	mathematical bold capital t
U+1D414	U	U	U	U	U	U	U	\mbfU	mathematical bold capital u
U+1D415	V	V	V	V	V	V	V	\mbfV	mathematical bold capital v
U+1D416	W	W	W	W	W	W	W	\mbfW	mathematical bold capital w

USV	M	S	E	P	D	L	G	Macro	Description
U+1D417	X	<code>\mbfX</code>	mathematical bold capital x						
U+1D418	Y	<code>\mbfY</code>	mathematical bold capital y						
U+1D419	Z	<code>\mbfZ</code>	mathematical bold capital z						

15.2.2 Bold, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D41A	a	<code>\mbfa</code>	mathematical bold small a						
U+1D41B	b	<code>\mbfb</code>	mathematical bold small b						
U+1D41C	c	<code>\mbfc</code>	mathematical bold small c						
U+1D41D	d	<code>\mbfd</code>	mathematical bold small d						
U+1D41E	e	<code>\mbfe</code>	mathematical bold small e						
U+1D41F	f	<code>\mbff</code>	mathematical bold small f						
U+1D420	g	<code>\mbfg</code>	mathematical bold small g						
U+1D421	h	<code>\mbfh</code>	mathematical bold small h						
U+1D422	i	<code>\mbfi</code>	mathematical bold small i						
U+1D423	j	<code>\mbfj</code>	mathematical bold small j						
U+1D424	k	<code>\mbfk</code>	mathematical bold small k						
U+1D425	l	<code>\mbfl</code>	mathematical bold small l						
U+1D426	m	<code>\mbfm</code>	mathematical bold small m						
U+1D427	n	<code>\mbfn</code>	mathematical bold small n						
U+1D428	o	<code>\mbfo</code>	mathematical bold small o						
U+1D429	p	<code>\mbfp</code>	mathematical bold small p						
U+1D42A	q	<code>\mbfq</code>	mathematical bold small q						
U+1D42B	r	<code>\mbfr</code>	mathematical bold small r						
U+1D42C	s	<code>\mbfs</code>	mathematical bold small s						
U+1D42D	t	<code>\mbft</code>	mathematical bold small t						
U+1D42E	u	<code>\mbfu</code>	mathematical bold small u						
U+1D42F	v	<code>\mbfv</code>	mathematical bold small v						
U+1D430	w	<code>\mbfw</code>	mathematical bold small w						
U+1D431	x	<code>\mbfx</code>	mathematical bold small x						
U+1D432	y	<code>\mbfy</code>	mathematical bold small y						
U+1D433	z	<code>\mbfz</code>	mathematical bold small z						

15.2.3 Bold Greek, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6A8	Α	<code>\mbfAlpha</code>	mathematical bold capital alpha						
U+1D6A9	Β	<code>\mbfBeta</code>	mathematical bold capital beta						
U+1D6AA	Γ	<code>\mbfGamma</code>	mathematical bold capital gamma						
U+1D6AB	Δ	<code>\mbfDelta</code>	mathematical bold capital delta						
U+1D6AC	Ε	<code>\mbfEpsilon</code>	mathematical bold capital epsilon						
U+1D6AD	Ζ	<code>\mbfZeta</code>	mathematical bold capital zeta						
U+1D6AE	Η	<code>\mbfEta</code>	mathematical bold capital eta						
U+1D6AF	Θ	<code>\mbfTheta</code>	mathematical bold capital theta						
U+1D6B0	Ι	<code>\mbfIota</code>	mathematical bold capital iota						
U+1D6B1	Κ	<code>\mbfKappa</code>	mathematical bold capital kappa						
U+1D6B2	Λ	<code>\mbfLambda</code>	mathematical bold capital lambda						
U+1D6B3	Μ	<code>\mbfMu</code>	mathematical bold capital mu						
U+1D6B4	Ν	<code>\mbfNu</code>	mathematical bold capital nu						
U+1D6B5	Ξ	<code>\mbfXi</code>	mathematical bold capital xi						
U+1D6B6	Ο	<code>\mbfOmicron</code>	mathematical bold capital omicron						
U+1D6B7	Π	<code>\mbfPi</code>	mathematical bold capital pi						
U+1D6B8	Ρ	<code>\mbfRho</code>	mathematical bold capital rho						
U+1D6B9	ϑ	<code>\mbfvarTheta</code>	mathematical bold capital theta symbol						
U+1D6BA	Σ	<code>\mbfSigma</code>	mathematical bold capital sigma						
U+1D6BB	Τ	<code>\mbfTau</code>	mathematical bold capital tau						
U+1D6BC	Υ	<code>\mbfUpsilon</code>	mathematical bold capital upsilon						
U+1D6BD	Φ	<code>\mbfPhi</code>	mathematical bold capital phi						
U+1D6BE	Χ	<code>\mbfChi</code>	mathematical bold capital chi						
U+1D6BF	Ψ	<code>\mbfPsi</code>	mathematical bold capital psi						
U+1D6C0	Ω	<code>\mbfOmega</code>	mathematical bold capital omega						

15.2.4 Bold Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6C2	α	α	α	α	α	α	α	\mbfalpha	mathematical bold small alpha
U+1D6C3	β	β	β	β	β	β	β	\mbfbeta	mathematical bold small beta
U+1D6C4	γ	γ	γ	γ	γ	γ	γ	\mbfgamma	mathematical bold small gamma
U+1D6C5	δ	δ	δ	δ	δ	δ	δ	\mbfdelta	mathematical bold small delta
U+1D6C6	ε	ε	ε	ε	ε	ε	ε	\mbfvarepsilon	mathematical bold small varepsilon
U+1D6C7	ζ	ζ	ζ	ζ	ζ	ζ	ζ	\mbfzeta	mathematical bold small zeta
U+1D6C8	η	η	η	η	η	η	η	\mbfeta	mathematical bold small eta
U+1D6C9	θ	θ	θ	θ	θ	θ	θ	\mbftheta	mathematical bold small theta
U+1D6CA	ι	ι	ι	ι	ι	ι	ι	\mbfiota	mathematical bold small iota
U+1D6CB	κ	κ	κ	κ	κ	κ	κ	\mbfkappa	mathematical bold small kappa
U+1D6CC	λ	λ	λ	λ	λ	λ	λ	\mbflambda	mathematical bold small lambda
U+1D6CD	μ	μ	μ	μ	μ	μ	μ	\mbfmu	mathematical bold small mu
U+1D6CE	ν	ν	ν	ν	ν	ν	ν	\mbfnu	mathematical bold small nu
U+1D6CF	ξ	ξ	ξ	ξ	ξ	ξ	ξ	\mbfxi	mathematical bold small xi
U+1D6D0	ο	ο	ο	ο	ο	ο	ο	\mbfomicron	mathematical bold small omicron
U+1D6D1	π	π	π	π	π	π	π	\mbfpi	mathematical bold small pi
U+1D6D2	ρ	ρ	ρ	ρ	ρ	ρ	ρ	\mbfrho	mathematical bold small rho
U+1D6D3	ς	ς	ς	ς	ς	ς	ς	\mbfvarsigma	mathematical bold small final sigma
U+1D6D4	σ	σ	σ	σ	σ	σ	σ	\mbfsigma	mathematical bold small sigma
U+1D6D5	τ	τ	τ	τ	τ	τ	τ	\mbftau	mathematical bold small tau
U+1D6D6	υ	υ	υ	υ	υ	υ	υ	\mbfupsilon	mathematical bold small up-silon
U+1D6D7	φ	φ	φ	φ	φ	φ	φ	\mbfvarphi	mathematical bold small phi
U+1D6D8	χ	χ	χ	χ	χ	χ	χ	\mbfchi	mathematical bold small chi
U+1D6D9	ψ	ψ	ψ	ψ	ψ	ψ	ψ	\mbfpsi	mathematical bold small psi
U+1D6DA	ω	ω	ω	ω	ω	ω	ω	\mbfomega	mathematical bold small omega
U+1D6DB	∂	∂	∂	∂	∂	∂	∂	\mbfpartial	mathematical bold partial differential
U+1D6DC	ε	ε	ε	ε	ε	ε	ε	\mbfepsilon	mathematical bold varepsilon symbol
U+1D6DD	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	\mbfvartheta	mathematical bold theta symbol
U+1D6DE	κ	κ	κ	κ	κ	κ	κ	\mbfvarkappa	mathematical bold kappa symbol
U+1D6DF	ϕ	ϕ	ϕ	ϕ	ϕ	ϕ	ϕ	\mbfphi	mathematical bold phi symbol
U+1D6EO	ϱ	ϱ	ϱ	ϱ	ϱ	ϱ	ϱ	\mbfvarrho	mathematical bold rho symbol

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6E1	ϰ	ϱ	ϲ	ϳ	ϴ	ϵ	϶	<code>\mbfvarpi</code>	mathematical bold pi symbol

15.2.5 Bold italic, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D468	A	<code>\mbfitA</code>	mathematical bold italic capital a						
U+1D469	B	<code>\mbfitB</code>	mathematical bold italic capital b						
U+1D46A	C	<code>\mbfitC</code>	mathematical bold italic capital c						
U+1D46B	D	<code>\mbfitD</code>	mathematical bold italic capital d						
U+1D46C	E	<code>\mbfitE</code>	mathematical bold italic capital e						
U+1D46D	F	<code>\mbfitF</code>	mathematical bold italic capital f						
U+1D46E	G	<code>\mbfitG</code>	mathematical bold italic capital g						
U+1D46F	H	<code>\mbfitH</code>	mathematical bold italic capital h						
U+1D470	I	<code>\mbfitI</code>	mathematical bold italic capital i						
U+1D471	J	<code>\mbfitJ</code>	mathematical bold italic capital j						
U+1D472	K	<code>\mbfitK</code>	mathematical bold italic capital k						
U+1D473	L	<code>\mbfitL</code>	mathematical bold italic capital l						
U+1D474	M	<code>\mbfitM</code>	mathematical bold italic capital m						
U+1D475	N	<code>\mbfitN</code>	mathematical bold italic capital n						
U+1D476	O	<code>\mbfitO</code>	mathematical bold italic capital o						
U+1D477	P	<code>\mbfitP</code>	mathematical bold italic capital p						
U+1D478	Q	<code>\mbfitQ</code>	mathematical bold italic capital q						
U+1D479	R	<code>\mbfitR</code>	mathematical bold italic capital r						
U+1D47A	S	<code>\mbfitS</code>	mathematical bold italic capital s						
U+1D47B	T	<code>\mbfitT</code>	mathematical bold italic capital t						
U+1D47C	U	<code>\mbfitU</code>	mathematical bold italic capital u						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D47D	V	<code>\mbfitV</code>	mathematical bold italic capital v						
U+1D47E	W	<code>\mbfitW</code>	mathematical bold italic capital w						
U+1D47F	X	<code>\mbfitX</code>	mathematical bold italic capital x						
U+1D480	Y	<code>\mbfitY</code>	mathematical bold italic capital y						
U+1D481	Z	<code>\mbfitZ</code>	mathematical bold italic capital z						

15.2.6 Bold italic, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D482	a	<code>\mbfita</code>	mathematical bold italic small a						
U+1D483	b	<code>\mbfitb</code>	mathematical bold italic small b						
U+1D484	c	<code>\mbfitc</code>	mathematical bold italic small c						
U+1D485	d	<code>\mbfitd</code>	mathematical bold italic small d						
U+1D486	e	<code>\mbfite</code>	mathematical bold italic small e						
U+1D487	f	<code>\mbfitf</code>	mathematical bold italic small f						
U+1D488	g	<code>\mbfitg</code>	mathematical bold italic small g						
U+1D489	h	<code>\mbfith</code>	mathematical bold italic small h						
U+1D48A	i	<code>\mbfiti</code>	mathematical bold italic small i						
U+1D48B	j	<code>\mbfitj</code>	mathematical bold italic small j						
U+1D48C	k	<code>\mbfitk</code>	mathematical bold italic small k						
U+1D48D	l	<code>\mbfitl</code>	mathematical bold italic small l						
U+1D48E	m	<code>\mbfitm</code>	mathematical bold italic small m						
U+1D48F	n	<code>\mbfitn</code>	mathematical bold italic small n						
U+1D490	o	<code>\mbfito</code>	mathematical bold italic small o						
U+1D491	p	<code>\mbfitp</code>	mathematical bold italic small p						
U+1D492	q	<code>\mbfitq</code>	mathematical bold italic small q						
U+1D493	r	<code>\mbfitr</code>	mathematical bold italic small r						
U+1D494	s	<code>\mbfits</code>	mathematical bold italic small s						
U+1D495	t	<code>\mbfitt</code>	mathematical bold italic small t						
U+1D496	u	<code>\mbfitu</code>	mathematical bold italic small u						
U+1D497	v	<code>\mbfitv</code>	mathematical bold italic small v						
U+1D498	w	<code>\mbfitw</code>	mathematical bold italic small w						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D499	<i>x</i>	<code>\mbfitx</code>	mathematical bold italic small x						
U+1D49A	<i>y</i>	<code>\mbfity</code>	mathematical bold italic small y						
U+1D49B	<i>z</i>	<code>\mbfitz</code>	mathematical bold italic small z						

15.2.7 Bold italic Greek, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D71C	<i>A</i>	<code>\mbfitAlpha</code>	mathematical bold italic capital alpha						
U+1D71D	<i>B</i>	<code>\mbfitBeta</code>	mathematical bold italic capital beta						
U+1D71E	<i>Γ</i>	<code>\mbfitGamma</code>	mathematical bold italic capital gamma						
U+1D71F	<i>Δ</i>	<code>\mbfitDelta</code>	mathematical bold italic capital delta						
U+1D720	<i>E</i>	<code>\mbfitEpsilon</code>	mathematical bold italic capital epsilon						
U+1D721	<i>Z</i>	<code>\mbfitZeta</code>	mathematical bold italic capital zeta						
U+1D722	<i>H</i>	<code>\mbfitEta</code>	mathematical bold italic capital eta						
U+1D723	<i>Θ</i>	<code>\mbfitTheta</code>	mathematical bold italic capital theta						
U+1D724	<i>I</i>	<code>\mbfitIota</code>	mathematical bold italic capital iota						
U+1D725	<i>K</i>	<code>\mbfitKappa</code>	mathematical bold italic capital kappa						
U+1D726	<i>Λ</i>	<code>\mbfitLambda</code>	mathematical bold italic capital lambda						
U+1D727	<i>Μ</i>	<code>\mbfitMu</code>	mathematical bold italic capital mu						
U+1D728	<i>Ν</i>	<code>\mbfitNu</code>	mathematical bold italic capital nu						
U+1D729	<i>Ξ</i>	<code>\mbfitXi</code>	mathematical bold italic capital xi						
U+1D72A	<i>Ο</i>	<code>\mbfitOmicron</code>	mathematical bold italic capital omicron						
U+1D72B	<i>Π</i>	<code>\mbfitPi</code>	mathematical bold italic capital pi						
U+1D72C	<i>Ρ</i>	<code>\mbfitRho</code>	mathematical bold italic capital rho						
U+1D72D	<i>ϑ</i>	<code>\mbfitvarTheta</code>	mathematical bold italic capital theta symbol						
U+1D72E	<i>Σ</i>	<code>\mbfitSigma</code>	mathematical bold italic capital sigma						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D72F	<i>Τ</i>	<code>\mbfitTau</code>	mathematical bold italic capital tau						
U+1D730	<i>Υ</i>	<code>\mbfitUpsilon</code>	mathematical bold italic capital upsilon						
U+1D731	<i>Φ</i>	<code>\mbfitPhi</code>	mathematical bold italic capital phi						
U+1D732	<i>Χ</i>	<code>\mbfitChi</code>	mathematical bold italic capital chi						
U+1D733	<i>Ψ</i>	<code>\mbfitPsi</code>	mathematical bold italic capital psi						
U+1D734	<i>Ω</i>	<code>\mbfitOmega</code>	mathematical bold italic capital omega						

15.2.8 Bold italic Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D736	<i>α</i>	<code>\mbfitalpha</code>	mathematical bold italic small alpha						
U+1D737	<i>β</i>	<code>\mbfitbeta</code>	mathematical bold italic small beta						
U+1D738	<i>γ</i>	<code>\mbfitgamma</code>	mathematical bold italic small gamma						
U+1D739	<i>δ</i>	<code>\mbfitdelta</code>	mathematical bold italic small delta						
U+1D73A	<i>ε</i>	<code>\mbfitvarepsilon</code>	mathematical bold italic small varepsilon						
U+1D73B	<i>ζ</i>	<code>\mbfitzeta</code>	mathematical bold italic small zeta						
U+1D73C	<i>η</i>	<code>\mbfiteta</code>	mathematical bold italic small eta						
U+1D73D	<i>θ</i>	<code>\mbfittheta</code>	mathematical bold italic small theta						
U+1D73E	<i>ι</i>	<code>\mbfitiota</code>	mathematical bold italic small iota						
U+1D73F	<i>κ</i>	<code>\mbfitkappa</code>	mathematical bold italic small kappa						
U+1D740	<i>λ</i>	<code>\mbfitlambda</code>	mathematical bold italic small lambda						
U+1D741	<i>μ</i>	<code>\mbfitmu</code>	mathematical bold italic small mu						
U+1D742	<i>ν</i>	<code>\mbfitnu</code>	mathematical bold italic small nu						
U+1D743	<i>ξ</i>	<code>\mbfitxi</code>	mathematical bold italic small xi						
U+1D744	<i>ο</i>	<code>\mbfitomicron</code>	mathematical bold italic small omicron						
U+1D745	<i>π</i>	<code>\mbfitpi</code>	mathematical bold italic small pi						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D746	ρ	<code>\mbfitrho</code>	mathematical bold italic small rho						
U+1D747	ς	<code>\mbfitvarsigma</code>	mathematical bold italic small final sigma						
U+1D748	σ	<code>\mbfitsigma</code>	mathematical bold italic small sigma						
U+1D749	τ	<code>\mbfittau</code>	mathematical bold italic small tau						
U+1D74A	υ	<code>\mbfitupsilon</code>	mathematical bold italic small upsilon						
U+1D74B	φ	<code>\mbfitvarphi</code>	mathematical bold italic small phi						
U+1D74C	χ	<code>\mbfitchi</code>	mathematical bold italic small chi						
U+1D74D	ψ	<code>\mbfitpsi</code>	mathematical bold italic small psi						
U+1D74E	ω	<code>\mbfitomega</code>	mathematical bold italic small omega						
U+1D74F	∂	<code>\mbfitpartial</code>	mathematical bold italic partial differential						
U+1D750	ϵ	<code>\mbfitepsilon</code>	mathematical bold italic varepsilon symbol						
U+1D751	ϑ	<code>\mbfitvartheta</code>	mathematical bold italic theta symbol						
U+1D752	κ	<code>\mbfitvarkappa</code>	mathematical bold italic kappa symbol						
U+1D753	ϕ	<code>\mbfitphi</code>	mathematical bold italic phi symbol						
U+1D754	ϱ	<code>\mbfitvarrho</code>	mathematical bold italic rho symbol						
U+1D755	ϖ	<code>\mbfitvarpi</code>	mathematical bold italic pi symbol						

15.2.9 Bold script, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D4D0	\mathcal{A}	<code>\mbfscrA</code>	mathematical bold script capital a						
U+1D4D1	\mathcal{B}	<code>\mbfscrB</code>	mathematical bold script capital b						
U+1D4D2	\mathcal{C}	<code>\mbfscrC</code>	mathematical bold script capital c						
U+1D4D3	\mathcal{D}	<code>\mbfscrD</code>	mathematical bold script capital d						
U+1D4D4	\mathcal{E}	<code>\mbfscrE</code>	mathematical bold script capital e						
U+1D4D5	\mathcal{F}	<code>\mbfscrF</code>	mathematical bold script capital f						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D4D6	<i>𝑮</i>	<code>\mbfscrG</code>	mathematical bold script capital g						
U+1D4D7	<i>𝑯</i>	<code>\mbfscrH</code>	mathematical bold script capital h						
U+1D4D8	<i>𝑰</i>	<code>\mbfscrI</code>	mathematical bold script capital i						
U+1D4D9	<i>𝑱</i>	<code>\mbfscrJ</code>	mathematical bold script capital j						
U+1D4DA	<i>𝑲</i>	<code>\mbfscrK</code>	mathematical bold script capital k						
U+1D4DB	<i>𝑳</i>	<code>\mbfscrL</code>	mathematical bold script capital l						
U+1D4DC	<i>𝑴</i>	<code>\mbfscrM</code>	mathematical bold script capital m						
U+1D4DD	<i>𝑵</i>	<code>\mbfscrN</code>	mathematical bold script capital n						
U+1D4DE	<i>𝑶</i>	<code>\mbfscrO</code>	mathematical bold script capital o						
U+1D4DF	<i>𝑷</i>	<code>\mbfscrP</code>	mathematical bold script capital p						
U+1D4E0	<i>𝑲</i>	<code>\mbfscrQ</code>	mathematical bold script capital q						
U+1D4E1	<i>𝑹</i>	<code>\mbfscrR</code>	mathematical bold script capital r						
U+1D4E2	<i>𝑺</i>	<code>\mbfscrS</code>	mathematical bold script capital s						
U+1D4E3	<i>𝑽</i>	<code>\mbfscrT</code>	mathematical bold script capital t						
U+1D4E4	<i>𝑼</i>	<code>\mbfscrU</code>	mathematical bold script capital u						
U+1D4E5	<i>𝑽</i>	<code>\mbfscrV</code>	mathematical bold script capital v						
U+1D4E6	<i>𝑾</i>	<code>\mbfscrW</code>	mathematical bold script capital w						
U+1D4E7	<i>𝑿</i>	<code>\mbfscrX</code>	mathematical bold script capital x						
U+1D4E8	<i>𝑻</i>	<code>\mbfscrY</code>	mathematical bold script capital y						
U+1D4E9	<i>𝑿</i>	<code>\mbfscrZ</code>	mathematical bold script capital z						

15.2.10 Bold script, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D4EA		<i>𝒶</i>		<i>𝒶</i>	<i>𝒶</i>	<i>𝒶</i>	<i>𝒶</i>	<code>\mbfscra</code>	mathematical bold script small a
U+1D4EB		<i>𝒷</i>		<i>𝒷</i>	<i>𝒷</i>	<i>𝒷</i>	<i>𝒷</i>	<code>\mbfscrb</code>	mathematical bold script small b

USV	M	S	E	P	D	L	G	Macro	Description
U+1D4EC		<i>c</i>		<i>c</i>	<i>c</i>	<i>c</i>	<i>c</i>	<code>\mbfscrc</code>	mathematical bold script small c
U+1D4ED		<i>d</i>		<i>d</i>	<i>d</i>	<i>d</i>	<i>d</i>	<code>\mbfscrd</code>	mathematical bold script small d
U+1D4EE		<i>e</i>		<i>e</i>	<i>e</i>	<i>e</i>	<i>e</i>	<code>\mbfscree</code>	mathematical bold script small e
U+1D4EF		<i>f</i>		<i>f</i>	<i>f</i>	<i>f</i>	<i>f</i>	<code>\mbfscrf</code>	mathematical bold script small f
U+1D4F0		<i>g</i>		<i>g</i>	<i>g</i>	<i>g</i>	<i>g</i>	<code>\mbfscrg</code>	mathematical bold script small g
U+1D4F1		<i>h</i>		<i>h</i>	<i>h</i>	<i>h</i>	<i>h</i>	<code>\mbfscrh</code>	mathematical bold script small h
U+1D4F2		<i>i</i>		<i>i</i>	<i>i</i>	<i>i</i>	<i>i</i>	<code>\mbfscri</code>	mathematical bold script small i
U+1D4F3		<i>j</i>		<i>j</i>	<i>j</i>	<i>j</i>	<i>j</i>	<code>\mbfscrj</code>	mathematical bold script small j
U+1D4F4		<i>k</i>		<i>k</i>	<i>k</i>	<i>k</i>	<i>k</i>	<code>\mbfscrk</code>	mathematical bold script small k
U+1D4F5		<i>l</i>		<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<code>\mbfscr1</code>	mathematical bold script small l
U+1D4F6		<i>m</i>		<i>m</i>	<i>m</i>	<i>m</i>	<i>m</i>	<code>\mbfscrm</code>	mathematical bold script small m
U+1D4F7		<i>n</i>		<i>n</i>	<i>n</i>	<i>n</i>	<i>n</i>	<code>\mbfscrn</code>	mathematical bold script small n
U+1D4F8		<i>o</i>		<i>o</i>	<i>o</i>	<i>o</i>	<i>o</i>	<code>\mbfscro</code>	mathematical bold script small o
U+1D4F9		<i>p</i>		<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<code>\mbfscrp</code>	mathematical bold script small p
U+1D4FA		<i>q</i>		<i>q</i>	<i>q</i>	<i>q</i>	<i>q</i>	<code>\mbfscrq</code>	mathematical bold script small q
U+1D4FB		<i>r</i>		<i>r</i>	<i>r</i>	<i>r</i>	<i>r</i>	<code>\mbfscrr</code>	mathematical bold script small r
U+1D4FC		<i>s</i>		<i>s</i>	<i>s</i>	<i>s</i>	<i>s</i>	<code>\mbfscrs</code>	mathematical bold script small s
U+1D4FD		<i>t</i>		<i>t</i>	<i>t</i>	<i>t</i>	<i>t</i>	<code>\mbfscrt</code>	mathematical bold script small t
U+1D4FE		<i>u</i>		<i>u</i>	<i>u</i>	<i>u</i>	<i>u</i>	<code>\mbfscru</code>	mathematical bold script small u
U+1D4FF		<i>v</i>		<i>v</i>	<i>v</i>	<i>v</i>	<i>v</i>	<code>\mbfscr1</code>	mathematical bold script small v
U+1D500		<i>w</i>		<i>w</i>	<i>w</i>	<i>w</i>	<i>w</i>	<code>\mbfscrw</code>	mathematical bold script small w
U+1D501		<i>x</i>		<i>x</i>	<i>x</i>	<i>x</i>	<i>x</i>	<code>\mbfscrx</code>	mathematical bold script small x
U+1D502		<i>y</i>		<i>y</i>	<i>y</i>	<i>y</i>	<i>y</i>	<code>\mbfscry</code>	mathematical bold script small y
U+1D503		<i>z</i>		<i>z</i>	<i>z</i>	<i>z</i>	<i>z</i>	<code>\mbfscrz</code>	mathematical bold script small z

15.2.11 Bold fraktur, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D56C	𐒞	𐒟	𐒠	𐒡	𐒢	𐒣	𐒤	\mbffrakA	mathematical bold fraktur capital a
U+1D56D	𐒥	𐒦	𐒧	𐒨	𐒩	𐒪	𐒫	\mbffrakB	mathematical bold fraktur capital b
U+1D56E	𐒬	𐒭	𐒮	𐒯	𐒰	𐒱	𐒲	\mbffrakC	mathematical bold fraktur capital c
U+1D56F	𐒳	𐒴	𐒵	𐒶	𐒷	𐒸	𐒹	\mbffrakD	mathematical bold fraktur capital d
U+1D570	𐒺	𐒻	𐒼	𐒽	𐒾	𐒿	𐓀	\mbffrakE	mathematical bold fraktur capital e
U+1D571	𐓁	𐓂	𐓃	𐓄	𐓅	𐓆	𐓇	\mbffrakF	mathematical bold fraktur capital f
U+1D572	𐓈	𐓉	𐓊	𐓋	𐓌	𐓍	𐓎	\mbffrakG	mathematical bold fraktur capital g
U+1D573	𐓏	𐓐	𐓑	𐓒	𐓓	𐓔	𐓕	\mbffrakH	mathematical bold fraktur capital h
U+1D574	𐓖	𐓗	𐓘	𐓙	𐓚	𐓛	𐓜	\mbffrakI	mathematical bold fraktur capital i
U+1D575	𐓝	𐓞	𐓟	𐓠	𐓡	𐓢	𐓣	\mbffrakJ	mathematical bold fraktur capital j
U+1D576	𐓤	𐓥	𐓦	𐓧	𐓨	𐓩	𐓪	\mbffrakK	mathematical bold fraktur capital k
U+1D577	𐓫	𐓬	𐓭	𐓮	𐓯	𐓰	𐓱	\mbffrakL	mathematical bold fraktur capital l
U+1D578	𐓲	𐓳	𐓴	𐓵	𐓶	𐓷	𐓸	\mbffrakM	mathematical bold fraktur capital m
U+1D579	𐓹	𐓺	𐓻	𐓼	𐓽	𐓾	𐓿	\mbffrakN	mathematical bold fraktur capital n
U+1D57A	𐓿	𐔀	𐔁	𐔂	𐔃	𐔄	𐔅	\mbffrakO	mathematical bold fraktur capital o
U+1D57B	𐔆	𐔇	𐔈	𐔉	𐔊	𐔋	𐔌	\mbffrakP	mathematical bold fraktur capital p
U+1D57C	𐔍	𐔎	𐔏	𐔐	𐔑	𐔒	𐔓	\mbffrakQ	mathematical bold fraktur capital q
U+1D57D	𐔔	𐔕	𐔖	𐔗	𐔘	𐔙	𐔚	\mbffrakR	mathematical bold fraktur capital r
U+1D57E	𐔛	𐔜	𐔝	𐔞	𐔟	𐔠	𐔡	\mbffrakS	mathematical bold fraktur capital s
U+1D57F	𐔢	𐔣	𐔤	𐔥	𐔦	𐔧	𐔨	\mbffrakT	mathematical bold fraktur capital t
U+1D580	𐔩	𐔪	𐔫	𐔬	𐔭	𐔮	𐔯	\mbffrakU	mathematical bold fraktur capital u
U+1D581	𐔰	𐔱	𐔲	𐔳	𐔴	𐔵	𐔶	\mbffrakV	mathematical bold fraktur capital v
U+1D582	𐔷	𐔸	𐔹	𐔺	𐔻	𐔼	𐔽	\mbffrakW	mathematical bold fraktur capital w
U+1D583	𐔿	𐕀	𐕁	𐕂	𐕃	𐕄	𐕅	\mbffrakX	mathematical bold fraktur capital x
U+1D584	𐕆	𐕇	𐕈	𐕉	𐕊	𐕋	𐕌	\mbffrakY	mathematical bold fraktur capital y
U+1D585	𐕍	𐕎	𐕏	𐕐	𐕑	𐕒	𐕓	\mbffrakZ	mathematical bold fraktur capital z

USV	M	S	E	P	D	L	G	Macro	Description
-----	---	---	---	---	---	---	---	-------	-------------

15.2.12 Bold fraktur, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D586	a	<code>\mbffraka</code>	mathematical bold fraktur small \mathfrak{a}						
U+1D587	b	<code>\mbffrakb</code>	mathematical bold fraktur small \mathfrak{b}						
U+1D588	c	<code>\mbffrakc</code>	mathematical bold fraktur small \mathfrak{c}						
U+1D589	d	<code>\mbffrakd</code>	mathematical bold fraktur small \mathfrak{d}						
U+1D58A	e	<code>\mbffrake</code>	mathematical bold fraktur small \mathfrak{e}						
U+1D58B	f	<code>\mbffrakf</code>	mathematical bold fraktur small \mathfrak{f}						
U+1D58C	g	<code>\mbffrakg</code>	mathematical bold fraktur small \mathfrak{g}						
U+1D58D	h	<code>\mbffrakh</code>	mathematical bold fraktur small \mathfrak{h}						
U+1D58E	i	<code>\mbffraki</code>	mathematical bold fraktur small \mathfrak{i}						
U+1D58F	j	<code>\mbffrakj</code>	mathematical bold fraktur small \mathfrak{j}						
U+1D590	k	<code>\mbffrakk</code>	mathematical bold fraktur small \mathfrak{k}						
U+1D591	l	<code>\mbffrakl</code>	mathematical bold fraktur small \mathfrak{l}						
U+1D592	m	<code>\mbffrakm</code>	mathematical bold fraktur small \mathfrak{m}						
U+1D593	n	<code>\mbffrakn</code>	mathematical bold fraktur small \mathfrak{n}						
U+1D594	o	<code>\mbffrako</code>	mathematical bold fraktur small \mathfrak{o}						
U+1D595	p	<code>\mbffrakp</code>	mathematical bold fraktur small \mathfrak{p}						
U+1D596	q	<code>\mbffrakq</code>	mathematical bold fraktur small \mathfrak{q}						
U+1D597	r	<code>\mbffrakr</code>	mathematical bold fraktur small \mathfrak{r}						
U+1D598	s	<code>\mbffraks</code>	mathematical bold fraktur small \mathfrak{s}						
U+1D599	t	<code>\mbffrakt</code>	mathematical bold fraktur small \mathfrak{t}						
U+1D59A	u	<code>\mbffraku</code>	mathematical bold fraktur small \mathfrak{u}						
U+1D59B	v	<code>\mbffrakv</code>	mathematical bold fraktur small \mathfrak{v}						
U+1D59C	w	<code>\mbffrakw</code>	mathematical bold fraktur small \mathfrak{w}						
U+1D59D	x	<code>\mbffrakx</code>	mathematical bold fraktur small \mathfrak{x}						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D59E	ŧ	ŧ	ŧ	ŧ	ŧ	ŧ	ŧ	<code>\mbffraky</code>	mathematical bold fraktur small y
U+1D59F	Ẓ	Ẓ	Ẓ	Ẓ	Ẓ	Ẓ	Ẓ	<code>\mbffrakz</code>	mathematical bold fraktur small z

15.2.13 Bold sans serif, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5D4	A	A	A	A	A	A	A	<code>\mbfsansA</code>	mathematical sans-serif bold capital a
U+1D5D5	B	B	B	B	B	B	B	<code>\mbfsansB</code>	mathematical sans-serif bold capital b
U+1D5D6	C	C	C	C	C	C	C	<code>\mbfsansC</code>	mathematical sans-serif bold capital c
U+1D5D7	D	D	D	D	D	D	D	<code>\mbfsansD</code>	mathematical sans-serif bold capital d
U+1D5D8	E	E	E	E	E	E	E	<code>\mbfsansE</code>	mathematical sans-serif bold capital e
U+1D5D9	F	F	F	F	F	F	F	<code>\mbfsansF</code>	mathematical sans-serif bold capital f
U+1D5DA	G	G	G	G	G	G	G	<code>\mbfsansG</code>	mathematical sans-serif bold capital g
U+1D5DB	H	H	H	H	H	H	H	<code>\mbfsansH</code>	mathematical sans-serif bold capital h
U+1D5DC	I	I	I	I	I	I	I	<code>\mbfsansI</code>	mathematical sans-serif bold capital i
U+1D5DD	J	J	J	J	J	J	J	<code>\mbfsansJ</code>	mathematical sans-serif bold capital j
U+1D5DE	K	K	K	K	K	K	K	<code>\mbfsansK</code>	mathematical sans-serif bold capital k
U+1D5DF	L	L	L	L	L	L	L	<code>\mbfsansL</code>	mathematical sans-serif bold capital l
U+1D5E0	M	M	M	M	M	M	M	<code>\mbfsansM</code>	mathematical sans-serif bold capital m
U+1D5E1	N	N	N	N	N	N	N	<code>\mbfsansN</code>	mathematical sans-serif bold capital n
U+1D5E2	O	O	O	O	O	O	O	<code>\mbfsansO</code>	mathematical sans-serif bold capital o
U+1D5E3	P	P	P	P	P	P	P	<code>\mbfsansP</code>	mathematical sans-serif bold capital p
U+1D5E4	Q	Q	Q	Q	Q	Q	Q	<code>\mbfsansQ</code>	mathematical sans-serif bold capital q
U+1D5E5	R	R	R	R	R	R	R	<code>\mbfsansR</code>	mathematical sans-serif bold capital r
U+1D5E6	S	S	S	S	S	S	S	<code>\mbfsansS</code>	mathematical sans-serif bold capital s
U+1D5E7	T	T	T	T	T	T	T	<code>\mbfsansT</code>	mathematical sans-serif bold capital t

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5E8	U	U	U	U	U	U	U	<code>\mbfsansU</code>	mathematical sans-serif bold capital u
U+1D5E9	V	V	V	V	V	V	V	<code>\mbfsansV</code>	mathematical sans-serif bold capital v
U+1D5EA	W	W	W	W	W	W	W	<code>\mbfsansW</code>	mathematical sans-serif bold capital w
U+1D5EB	X	X	X	X	X	X	X	<code>\mbfsansX</code>	mathematical sans-serif bold capital x
U+1D5EC	Y	Y	Y	Y	Y	Y	Y	<code>\mbfsansY</code>	mathematical sans-serif bold capital y
U+1D5ED	Z	Z	Z	Z	Z	Z	Z	<code>\mbfsansZ</code>	mathematical sans-serif bold capital z

15.2.14 Bold sans serif, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5EE	a	a	a	a	a	a	a	<code>\mbfsansa</code>	mathematical sans-serif bold small a
U+1D5EF	b	b	b	b	b	b	b	<code>\mbfsansb</code>	mathematical sans-serif bold small b
U+1D5F0	c	c	c	c	c	c	c	<code>\mbfsansc</code>	mathematical sans-serif bold small c
U+1D5F1	d	d	d	d	d	d	d	<code>\mbfsansd</code>	mathematical sans-serif bold small d
U+1D5F2	e	e	e	e	e	e	e	<code>\mbfsanse</code>	mathematical sans-serif bold small e
U+1D5F3	f	f	f	f	f	f	f	<code>\mbfsansf</code>	mathematical sans-serif bold small f
U+1D5F4	g	g	g	g	g	g	g	<code>\mbfsansg</code>	mathematical sans-serif bold small g
U+1D5F5	h	h	h	h	h	h	h	<code>\mbfsansh</code>	mathematical sans-serif bold small h
U+1D5F6	i	i	i	i	i	i	i	<code>\mbfsansi</code>	mathematical sans-serif bold small i
U+1D5F7	j	j	j	j	j	j	j	<code>\mbfsansj</code>	mathematical sans-serif bold small j
U+1D5F8	k	k	k	k	k	k	k	<code>\mbfsansk</code>	mathematical sans-serif bold small k
U+1D5F9	l	l	l	l	l	l	l	<code>\mbfsansl</code>	mathematical sans-serif bold small l
U+1D5FA	m	m	m	m	m	m	m	<code>\mbfsansm</code>	mathematical sans-serif bold small m
U+1D5FB	n	n	n	n	n	n	n	<code>\mbfsansn</code>	mathematical sans-serif bold small n
U+1D5FC	o	o	o	o	o	o	o	<code>\mbfsanso</code>	mathematical sans-serif bold small o
U+1D5FD	p	p	p	p	p	p	p	<code>\mbfsansp</code>	mathematical sans-serif bold small p

USV	M	S	E	P	D	L	G	Macro	Description
U+1D5FE	q	q	q	q	q	q	q	\mbfsansq	mathematical sans-serif bold small q
U+1D5FF	r	r	r	r	r	r	r	\mbfsansr	mathematical sans-serif bold small r
U+1D600	s	s	s	s	s	s	s	\mbfsanss	mathematical sans-serif bold small s
U+1D601	t	t	t	t	t	t	t	\mbfsanst	mathematical sans-serif bold small t
U+1D602	u	u	u	u	u	u	u	\mbfsansu	mathematical sans-serif bold small u
U+1D603	v	v	v	v	v	v	v	\mbfsansv	mathematical sans-serif bold small v
U+1D604	w	w	w	w	w	w	w	\mbfsansw	mathematical sans-serif bold small w
U+1D605	x	x	x	x	x	x	x	\mbfsansx	mathematical sans-serif bold small x
U+1D606	y	y	y	y	y	y	y	\mbfsansy	mathematical sans-serif bold small y
U+1D607	z	z	z	z	z	z	z	\mbfsansz	mathematical sans-serif bold small z

15.2.15 Bold italic sans serif, Latin, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D63C	A	A	A	A	A	A	A	\mbfitsansA	mathematical sans-serif bold italic capital a
U+1D63D	B	B	B	B	B	B	B	\mbfitsansB	mathematical sans-serif bold italic capital b
U+1D63E	C	C	C	C	C	C	C	\mbfitsansC	mathematical sans-serif bold italic capital c
U+1D63F	D	D	D	D	D	D	D	\mbfitsansD	mathematical sans-serif bold italic capital d
U+1D640	E	E	E	E	E	E	E	\mbfitsansE	mathematical sans-serif bold italic capital e
U+1D641	F	F	F	F	F	F	F	\mbfitsansF	mathematical sans-serif bold italic capital f
U+1D642	G	G	G	G	G	G	G	\mbfitsansG	mathematical sans-serif bold italic capital g
U+1D643	H	H	H	H	H	H	H	\mbfitsansH	mathematical sans-serif bold italic capital h
U+1D644	I	I	I	I	I	I	I	\mbfitsansI	mathematical sans-serif bold italic capital i
U+1D645	J	J	J	J	J	J	J	\mbfitsansJ	mathematical sans-serif bold italic capital j
U+1D646	K	K	K	K	K	K	K	\mbfitsansK	mathematical sans-serif bold italic capital k
U+1D647	L	L	L	L	L	L	L	\mbfitsansL	mathematical sans-serif bold italic capital l

USV	M	S	E	P	D	L	G	Macro	Description
U+1D648	<i>M</i>	<code>\mbfitsansM</code>	mathematical sans-serif bold italic capital m						
U+1D649	<i>N</i>	<code>\mbfitsansN</code>	mathematical sans-serif bold italic capital n						
U+1D64A	<i>O</i>	<code>\mbfitsansO</code>	mathematical sans-serif bold italic capital o						
U+1D64B	<i>P</i>	<code>\mbfitsansP</code>	mathematical sans-serif bold italic capital p						
U+1D64C	<i>Q</i>	<code>\mbfitsansQ</code>	mathematical sans-serif bold italic capital q						
U+1D64D	<i>R</i>	<code>\mbfitsansR</code>	mathematical sans-serif bold italic capital r						
U+1D64E	<i>S</i>	<code>\mbfitsansS</code>	mathematical sans-serif bold italic capital s						
U+1D64F	<i>T</i>	<code>\mbfitsansT</code>	mathematical sans-serif bold italic capital t						
U+1D650	<i>U</i>	<code>\mbfitsansU</code>	mathematical sans-serif bold italic capital u						
U+1D651	<i>V</i>	<code>\mbfitsansV</code>	mathematical sans-serif bold italic capital v						
U+1D652	<i>W</i>	<code>\mbfitsansW</code>	mathematical sans-serif bold italic capital w						
U+1D653	<i>X</i>	<code>\mbfitsansX</code>	mathematical sans-serif bold italic capital x						
U+1D654	<i>Y</i>	<code>\mbfitsansY</code>	mathematical sans-serif bold italic capital y						
U+1D655	<i>Z</i>	<code>\mbfitsansZ</code>	mathematical sans-serif bold italic capital z						

15.2.16 Bold italic sans serif, Latin, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D656	<i>a</i>	<code>\mbfitsansa</code>	mathematical sans-serif bold italic small a						
U+1D657	<i>b</i>	<code>\mbfitsansb</code>	mathematical sans-serif bold italic small b						
U+1D658	<i>c</i>	<code>\mbfitsansc</code>	mathematical sans-serif bold italic small c						
U+1D659	<i>d</i>	<code>\mbfitsansd</code>	mathematical sans-serif bold italic small d						
U+1D65A	<i>e</i>	<code>\mbfitsanse</code>	mathematical sans-serif bold italic small e						
U+1D65B	<i>f</i>	<code>\mbfitsansf</code>	mathematical sans-serif bold italic small f						
U+1D65C	<i>g</i>	<code>\mbfitsansg</code>	mathematical sans-serif bold italic small g						
U+1D65D	<i>h</i>	<code>\mbfitsansh</code>	mathematical sans-serif bold italic small h						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D65E	<i>i</i>	<code>\mbfitsansi</code>	mathematical sans-serif bold italic small i						
U+1D65F	<i>j</i>	<code>\mbfitsansj</code>	mathematical sans-serif bold italic small j						
U+1D660	<i>k</i>	<code>\mbfitsansk</code>	mathematical sans-serif bold italic small k						
U+1D661	<i>l</i>	<code>\mbfitsansl</code>	mathematical sans-serif bold italic small l						
U+1D662	<i>m</i>	<code>\mbfitsansm</code>	mathematical sans-serif bold italic small m						
U+1D663	<i>n</i>	<code>\mbfitsansn</code>	mathematical sans-serif bold italic small n						
U+1D664	<i>o</i>	<code>\mbfitsanso</code>	mathematical sans-serif bold italic small o						
U+1D665	<i>p</i>	<code>\mbfitsansp</code>	mathematical sans-serif bold italic small p						
U+1D666	<i>q</i>	<code>\mbfitsansq</code>	mathematical sans-serif bold italic small q						
U+1D667	<i>r</i>	<code>\mbfitsansr</code>	mathematical sans-serif bold italic small r						
U+1D668	<i>s</i>	<code>\mbfitsanss</code>	mathematical sans-serif bold italic small s						
U+1D669	<i>t</i>	<code>\mbfitsanst</code>	mathematical sans-serif bold italic small t						
U+1D66A	<i>u</i>	<code>\mbfitsansu</code>	mathematical sans-serif bold italic small u						
U+1D66B	<i>v</i>	<code>\mbfitsansv</code>	mathematical sans-serif bold italic small v						
U+1D66C	<i>w</i>	<code>\mbfitsansw</code>	mathematical sans-serif bold italic small w						
U+1D66D	<i>x</i>	<code>\mbfitsansx</code>	mathematical sans-serif bold italic small x						
U+1D66E	<i>y</i>	<code>\mbfitsansy</code>	mathematical sans-serif bold italic small y						
U+1D66F	<i>z</i>	<code>\mbfitsansz</code>	mathematical sans-serif bold italic small z						

15.2.17 Bold sans serif Greek, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D756	Α	<code>\mbfsansAlpha</code>	mathematical sans-serif bold capital alpha						
U+1D757	Β	<code>\mbfsansBeta</code>	mathematical sans-serif bold capital beta						
U+1D758	Γ	<code>\mbfsansGamma</code>	mathematical sans-serif bold capital gamma						
U+1D759	Δ	<code>\mbfsansDelta</code>	mathematical sans-serif bold capital delta						

USV	M	S	E	P	D	L	G	Macro	Description
U+1D75A	Ε	Ε	Ε	Ε	Ε	Ε	Ε	\mbfsansEpsilon	mathematical sans-serif bold capital epsilon
U+1D75B	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ	\mbfsansZeta	mathematical sans-serif bold capital zeta
U+1D75C	Η	Η	Η	Η	Η	Η	Η	\mbfsansEta	mathematical sans-serif bold capital eta
U+1D75D	Θ	Θ	Θ	Θ	Θ	Θ	Θ	\mbfsansTheta	mathematical sans-serif bold capital theta
U+1D75E	Ι	Ι	Ι	Ι	Ι	Ι	Ι	\mbfsansIota	mathematical sans-serif bold capital iota
U+1D75F	Κ	Κ	Κ	Κ	Κ	Κ	Κ	\mbfsansKappa	mathematical sans-serif bold capital kappa
U+1D760	Λ	Λ	Λ	Λ	Λ	Λ	Λ	\mbfsansLambda	mathematical sans-serif bold capital lambda
U+1D761	Μ	Μ	Μ	Μ	Μ	Μ	Μ	\mbfsansMu	mathematical sans-serif bold capital mu
U+1D762	Ν	Ν	Ν	Ν	Ν	Ν	Ν	\mbfsansNu	mathematical sans-serif bold capital nu
U+1D763	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	\mbfsansXi	mathematical sans-serif bold capital xi
U+1D764	Ο	Ο	Ο	Ο	Ο	Ο	Ο	\mbfsansOmicron	mathematical sans-serif bold capital omicron
U+1D765	Π	Π	Π	Π	Π	Π	Π	\mbfsansPi	mathematical sans-serif bold capital pi
U+1D766	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ	\mbfsansRho	mathematical sans-serif bold capital rho
U+1D767	Ϡ	Ϡ	Ϡ	Ϡ	Ϡ	Ϡ	Ϡ	\mbfsansvarTheta	mathematical sans-serif bold capital theta symbol
U+1D768	Σ	Σ	Σ	Σ	Σ	Σ	Σ	\mbfsansSigma	mathematical sans-serif bold capital sigma
U+1D769	Τ	Τ	Τ	Τ	Τ	Τ	Τ	\mbfsansTau	mathematical sans-serif bold capital tau
U+1D76A	Υ	Υ	Υ	Υ	Υ	Υ	Υ	\mbfsansUpsilon	mathematical sans-serif bold capital upsilon
U+1D76B	Φ	Φ	Φ	Φ	Φ	Φ	Φ	\mbfsansPhi	mathematical sans-serif bold capital phi
U+1D76C	Χ	Χ	Χ	Χ	Χ	Χ	Χ	\mbfsansChi	mathematical sans-serif bold capital chi
U+1D76D	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	Ψ	\mbfsansPsi	mathematical sans-serif bold capital psi
U+1D76E	Ω	Ω	Ω	Ω	Ω	Ω	Ω	\mbfsansOmega	mathematical sans-serif bold capital omega

15.2.18 Bold sans serif Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D770	α	α	α	α	α	α	α	\mbfsansalpha	mathematical sans-serif bold small alpha

USV	M	S	E	P	D	L	G	Macro	Description
U+1D771	β	β	β	β	β	β	β	\mbfsansbeta	mathematical sans-serif bold small beta
U+1D772	γ	γ	γ	γ	γ	γ	γ	\mbfsansgamma	mathematical sans-serif bold small gamma
U+1D773	δ	δ	δ	δ	δ	δ	δ	\mbfsansdelta	mathematical sans-serif bold small delta
U+1D774	ε	ε	ε	ε	ε	ε	ε	\mbfsansvarepsilon	mathematical sans-serif bold small varepsilon
U+1D775	ζ	ζ	ζ	ζ	ζ	ζ	ζ	\mbfsanszeta	mathematical sans-serif bold small zeta
U+1D776	η	η	η	η	η	η	η	\mbfsanseta	mathematical sans-serif bold small eta
U+1D777	θ	θ	θ	θ	θ	θ	θ	\mbfsanstheta	mathematical sans-serif bold small theta
U+1D778	ι	ι	ι	ι	ι	ι	ι	\mbfsansiota	mathematical sans-serif bold small iota
U+1D779	κ	κ	κ	κ	κ	κ	κ	\mbfsanskappa	mathematical sans-serif bold small kappa
U+1D77A	λ	λ	λ	λ	λ	λ	λ	\mbfsanslambda	mathematical sans-serif bold small lambda
U+1D77B	μ	μ	μ	μ	μ	μ	μ	\mbfsansmu	mathematical sans-serif bold small mu
U+1D77C	ν	ν	ν	ν	ν	ν	ν	\mbfsansnu	mathematical sans-serif bold small nu
U+1D77D	ξ	ξ	ξ	ξ	ξ	ξ	ξ	\mbfsansxi	mathematical sans-serif bold small xi
U+1D77E	ο	ο	ο	ο	ο	ο	ο	\mbfsansomicron	mathematical sans-serif bold small omicron
U+1D77F	π	π	π	π	π	π	π	\mbfsanspi	mathematical sans-serif bold small pi
U+1D780	ρ	ρ	ρ	ρ	ρ	ρ	ρ	\mbfsansrho	mathematical sans-serif bold small rho
U+1D781	ς	ς	ς	ς	ς	ς	ς	\mbfsansvarsigma	mathematical sans-serif bold small final sigma
U+1D782	σ	σ	σ	σ	σ	σ	σ	\mbfsanssigma	mathematical sans-serif bold small sigma
U+1D783	τ	τ	τ	τ	τ	τ	τ	\mbfsanstau	mathematical sans-serif bold small tau
U+1D784	υ	υ	υ	υ	υ	υ	υ	\mbfsansupsilon	mathematical sans-serif bold small upsilon
U+1D785	φ	φ	φ	φ	φ	φ	φ	\mbfsansvarphi	mathematical sans-serif bold small phi
U+1D786	χ	χ	χ	χ	χ	χ	χ	\mbfsanschi	mathematical sans-serif bold small chi
U+1D787	ψ	ψ	ψ	ψ	ψ	ψ	ψ	\mbfsanspsi	mathematical sans-serif bold small psi
U+1D788	ω	ω	ω	ω	ω	ω	ω	\mbfsansomega	mathematical sans-serif bold small omega
U+1D789	∂	∂	∂	∂	∂			\mbfsanspartial	mathematical sans-serif bold partial differential
U+1D78A	ε	ε	ε	ε	ε		ε	\mbfsansepsilon	mathematical sans-serif bold varepsilon symbol

USV	M	S	E	P	D	L	G	Macro	Description
U+1D78B	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	ϑ	\mbfsansvartheta	mathematical sans-serif bold theta symbol
U+1D78C	κ	κ	κ	κ	κ			\mbfsansvarkappa	mathematical sans-serif bold kappa symbol
U+1D78D	ϕ	ϕ	ϕ	ϕ	ϕ			\mbfsansphi	mathematical sans-serif bold phi symbol
U+1D78E	ρ	ρ	ρ	ρ	ρ			\mbfsansvarrho	mathematical sans-serif bold rho symbol
U+1D78F	ω	ω	ω	ω	ω			\mbfsansvarpi	mathematical sans-serif bold pi symbol

15.2.19 Bold italic sans serif Greek, uppercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D790	Α	Α	Α	Α	Α	Α		\mbfitsansAlpha	mathematical sans-serif bold italic capital alpha
U+1D791	Β	Β	Β	Β	Β	Β		\mbfitsansBeta	mathematical sans-serif bold italic capital beta
U+1D792	Γ	Γ	Γ	Γ	Γ	Γ		\mbfitsansGamma	mathematical sans-serif bold italic capital gamma
U+1D793	Δ	Δ	Δ	Δ	Δ	Δ		\mbfitsansDelta	mathematical sans-serif bold italic capital delta
U+1D794	Ε	Ε	Ε	Ε	Ε	Ε		\mbfitsansEpsilon	mathematical sans-serif bold italic capital epsilon
U+1D795	Ζ	Ζ	Ζ	Ζ	Ζ	Ζ		\mbfitsansZeta	mathematical sans-serif bold italic capital zeta
U+1D796	Η	Η	Η	Η	Η	Η		\mbfitsansEta	mathematical sans-serif bold italic capital eta
U+1D797	Θ	Θ	Θ	Θ	Θ	Θ		\mbfitsansTheta	mathematical sans-serif bold italic capital theta
U+1D798	Ι	Ι	Ι	Ι	Ι	Ι		\mbfitsansIota	mathematical sans-serif bold italic capital iota
U+1D799	Κ	Κ	Κ	Κ	Κ	Κ		\mbfitsansKappa	mathematical sans-serif bold italic capital kappa
U+1D79A	Λ	Λ	Λ	Λ	Λ	Λ		\mbfitsansLambda	mathematical sans-serif bold italic capital lambda
U+1D79B	Μ	Μ	Μ	Μ	Μ	Μ		\mbfitsansMu	mathematical sans-serif bold italic capital mu
U+1D79C	Ν	Ν	Ν	Ν	Ν	Ν		\mbfitsansNu	mathematical sans-serif bold italic capital nu
U+1D79D	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ		\mbfitsansXi	mathematical sans-serif bold italic capital xi
U+1D79E	Ο	Ο	Ο	Ο	Ο	Ο		\mbfitsansOmicron	mathematical sans-serif bold italic capital omicron
U+1D79F	Π	Π	Π	Π	Π	Π		\mbfitsansPi	mathematical sans-serif bold italic capital pi
U+1D7A0	Ρ	Ρ	Ρ	Ρ	Ρ	Ρ		\mbfitsansRho	mathematical sans-serif bold italic capital rho

USV	M	S	E	P	D	L	G	Macro	Description
U+1D7A1	Θ	θ	Θ	θ	Θ	θ		<code>\mbfitsansvarTheta</code>	mathematical sans-serif bold italic capital theta symbol
U+1D7A2	Σ	σ	Σ	σ	Σ	σ		<code>\mbfitsansSigma</code>	mathematical sans-serif bold italic capital sigma
U+1D7A3	Τ	τ	Τ	τ	Τ	τ		<code>\mbfitsansTau</code>	mathematical sans-serif bold italic capital tau
U+1D7A4	Υ	υ	Υ	υ	Υ	υ		<code>\mbfitsansUpsilon</code>	mathematical sans-serif bold italic capital upsilon
U+1D7A5	Φ	φ	Φ	φ	Φ	φ		<code>\mbfitsansPhi</code>	mathematical sans-serif bold italic capital phi
U+1D7A6	Χ	χ	Χ	χ	Χ	χ		<code>\mbfitsansChi</code>	mathematical sans-serif bold italic capital chi
U+1D7A7	Ψ	ψ	Ψ	ψ	Ψ	ψ		<code>\mbfitsansPsi</code>	mathematical sans-serif bold italic capital psi
U+1D7A8	Ω	ω	Ω	ω	Ω	ω		<code>\mbfitsansOmega</code>	mathematical sans-serif bold italic capital omega

15.2.20 Bold italic sans serif Greek, lowercase

USV	M	S	E	P	D	L	G	Macro	Description
U+1D7AA	α	α	α	α	α	α		<code>\mbfitsansalpha</code>	mathematical sans-serif bold italic small alpha
U+1D7AB	β	β	β	β	β	β		<code>\mbfitsansbeta</code>	mathematical sans-serif bold italic small beta
U+1D7AC	γ	γ	γ	γ	γ	γ		<code>\mbfitsansgamma</code>	mathematical sans-serif bold italic small gamma
U+1D7AD	δ	δ	δ	δ	δ	δ		<code>\mbfitsansdelta</code>	mathematical sans-serif bold italic small delta
U+1D7AE	ε	ε	ε	ε	ε	ε		<code>\mbfitsansvarepsilon</code>	mathematical sans-serif bold italic small varepsilon
U+1D7AF	ζ	ζ	ζ	ζ	ζ	ζ		<code>\mbfitsanszeta</code>	mathematical sans-serif bold italic small zeta
U+1D7B0	η	η	η	η	η	η		<code>\mbfitsanseta</code>	mathematical sans-serif bold italic small eta
U+1D7B1	θ	θ	θ	θ	θ	θ		<code>\mbfitsanstheta</code>	mathematical sans-serif bold italic small theta
U+1D7B2	ι	ι	ι	ι	ι	ι		<code>\mbfitsansiota</code>	mathematical sans-serif bold italic small iota
U+1D7B3	κ	κ	κ	κ	κ	κ		<code>\mbfitsanskappa</code>	mathematical sans-serif bold italic small kappa
U+1D7B4	λ	λ	λ	λ	λ	λ		<code>\mbfitsanslambda</code>	mathematical sans-serif bold italic small lambda
U+1D7B5	μ	μ	μ	μ	μ	μ		<code>\mbfitsansmu</code>	mathematical sans-serif bold italic small mu
U+1D7B6	ν	ν	ν	ν	ν	ν		<code>\mbfitsansnu</code>	mathematical sans-serif bold italic small nu
U+1D7B7	ξ	ξ	ξ	ξ	ξ	ξ		<code>\mbfitsansxi</code>	mathematical sans-serif bold italic small xi

USV	M	S	E	P	D	L	G	Macro	Description
U+1D7B8	<i>o</i>	<code>\mbfitsansomicron</code>	mathematical sans-serif bold italic small omicron						
U+1D7B9	<i>π</i>	<code>\mbfitsanspi</code>	mathematical sans-serif bold italic small pi						
U+1D7BA	<i>ρ</i>	<code>\mbfitsansrho</code>	mathematical sans-serif bold italic small rho						
U+1D7BB	<i>ς</i>	<code>\mbfitsansvarsigma</code>	mathematical sans-serif bold italic small final sigma						
U+1D7BC	<i>σ</i>	<code>\mbfitsanssigma</code>	mathematical sans-serif bold italic small sigma						
U+1D7BD	<i>τ</i>	<code>\mbfitsanstau</code>	mathematical sans-serif bold italic small tau						
U+1D7BE	<i>υ</i>	<code>\mbfitsansupsilon</code>	mathematical sans-serif bold italic small upsilon						
U+1D7BF	<i>φ</i>	<code>\mbfitsansvarphi</code>	mathematical sans-serif bold italic small phi						
U+1D7C0	<i>χ</i>	<code>\mbfitsanschi</code>	mathematical sans-serif bold italic small chi						
U+1D7C1	<i>ψ</i>	<code>\mbfitsanspsi</code>	mathematical sans-serif bold italic small psi						
U+1D7C2	<i>ω</i>	<code>\mbfitsansomega</code>	mathematical sans-serif bold italic small omega						
U+1D7C3	<i>∂</i>	<code>\mbfitsanspartial</code>	mathematical sans-serif bold italic partial differential						
U+1D7C4	<i>ε</i>	<code>\mbfitsansepsilon</code>	mathematical sans-serif bold italic varepsilon symbol						
U+1D7C5	<i>ϑ</i>	<code>\mbfitsansvartheta</code>	mathematical sans-serif bold italic theta symbol						
U+1D7C6	<i>κ</i>	<code>\mbfitsansvarkappa</code>	mathematical sans-serif bold italic kappa symbol						
U+1D7C7	<i>φ</i>	<code>\mbfitsansphi</code>	mathematical sans-serif bold italic phi symbol						
U+1D7C8	<i>ρ</i>	<code>\mbfitsansvarrho</code>	mathematical sans-serif bold italic rho symbol						
U+1D7C9	<i>ω</i>	<code>\mbfitsansvarpi</code>	mathematical sans-serif bold italic pi symbol						

15.3 Miscellaneous

USV	M	S	E	P	D	L	G	Macro	Description
U+000F0	<i>ð</i>	<code>\matheth</code>	eth						
U+02010	-	<code>\mathhyphen</code>	hyphen						
U+02102	<i>Ɔ</i>	<code>\BbbC</code>	/bbb c, open face c						
U+0210A	<i>Œ</i>	<code>\mscrG</code>	/scr g, script letter g						
U+0210B	<i>ℋ</i>	<code>\mscrH</code>	hamiltonian (script capital h)						
U+0210C	<i>ℎ</i>	<code>\mfracH</code>	/frac h, upper case h						

USV	M	S	E	P	D	L	G	Macro	Description
U+0210D	Ⓗ	ℋ	ⓗ	ℋ	ℋ	ℋ	ℋ	\BbbH	/bbb h, open face h
U+0210F	ℏ	ℏ	ℏ	ℏ	ℏ	ℏ	ℏ	\hslash ^(a)	/hslash - variant planck's over 2pi
U+02110	ℐ	ℐ	ℐ	ℐ	ℐ	ℐ	ℐ	\mscrI	/scr i, script letter i
U+02111	ℑ	ℑ	ℑ	ℑ	ℑ	ℑ	ℑ	\Im ^(p)	imaginary part
U+02112	ℒ	ℒ	ℒ	ℒ	ℒ	ℒ	ℒ	\mscrL	lagrangian (script capital l)
U+02113	ℓ	ℓ	ℓ	ℓ	ℓ	ℓ	ℓ	\ell ^(p)	cursive small l
U+02115	Ⓝ	ℕ	Ⓝ	ℕ	ℕ	ℕ	ℕ	\BbbN	/bbb n, open face n
U+02118	℘	℘	℘	℘	℘	℘	℘	\wp ^(p)	weierstrass p
U+02119	Ⓟ	ℙ	Ⓟ	ℙ	ℙ	ℙ	ℙ	\BbbP	/bbb p, open face p
U+0211A	Ⓠ	ℚ	Ⓠ	ℚ	ℚ	ℚ	ℚ	\BbbQ	/bbb q, open face q
U+0211B	ℛ	ℛ	ℛ	ℛ	ℛ	ℛ	ℛ	\mscrR	/scr r, script letter r
U+0211C	ℜ	ℜ	ℜ	ℜ	ℜ	ℜ	ℜ	\Re ^(p)	real part
U+0211D	ℝ	ℝ	ℝ	ℝ	ℝ	ℝ	ℝ	\BbbR	/bbb r, open face r
U+02124	ℤ	ℤ	ℤ	ℤ	ℤ	ℤ	ℤ	\BbbZ	/bbb z, open face z
U+02128	ℤ	ℤ	ℤ	ℤ	ℤ	ℤ	ℤ	\mfracZ	/frac z, upper case z
U+02129	ι							\turnediota	turned iota
U+0212B	Å	Å	Å	Å	Å	Å	Å	\Angstrom	angstrom capital a, ring
U+0212C	ℬ	ℬ	ℬ	ℬ	ℬ	ℬ	ℬ	\mscrB	bernoulli function (script capital b)
U+0212D	℄	℄	℄	℄	℄	℄	℄	\mfracC	black-letter capital c
U+0212F	ℓ	ℓ	ℓ	ℓ	ℓ	ℓ	ℓ	\mscre	/scr e, script letter e
U+02130	ℰ	ℰ	ℰ	ℰ	ℰ	ℰ	ℰ	\mscrE	/scr e, script letter e
U+02131	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	ℱ	\mscrF	/scr f, script letter f
U+02133	ℳ	ℳ	ℳ	ℳ	ℳ	ℳ	ℳ	\mscrM	physics m-matrix (script capital m)
U+02134	ℴ	ℴ	ℴ	ℴ	ℴ	ℴ	ℴ	\mscro	order of (script small o)
U+02135	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	ℵ	\aleph ^(p)	aleph, hebrew
U+02136	ℶ	ℶ	ℶ	ℶ	ℶ	ℶ	ℶ	\beth ^(a)	beth, hebrew
U+02137	ℷ	ℷ	ℷ	ℷ	ℷ	ℷ	ℷ	\gimel ^(a)	gimel, hebrew
U+02138	ℸ	ℸ	ℸ	ℸ	ℸ	ℸ	ℸ	\daleth ^(a)	daleth, hebrew
U+0213D	ℳ	ℳ	ℳ	ℳ	ℳ	ℳ	ℳ	\Bbbgamma	double-struck small gamma
U+0213E	ℴ	ℴ	ℴ	ℴ	ℴ	ℴ	ℴ	\BbbGamma	double-struck capital gamma
U+0213F	ℰ	ℰ	ℰ	ℰ	ℰ	ℰ	ℰ	\BbbPi	double-struck capital pi
U+02202	∂	∂	∂	∂	∂	∂	∂	\partial ^(p)	partial differential
U+02207	∇	∇	∇	∇	∇	∇	∇	\nabla ^(p)	nabla, del, hamilton operator

USV	M	S	E	P	D	L	G	Macro	Description
U+1D6A4	<i>ı</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<i>l</i>	<code>\imath^(p)</code>	mathematical italic small dotless i
U+1D6A5	<i>Ƶ</i>	<code>\jmath^(p)</code>	mathematical italic small dotless j						
U+1D6C1	∇	∇	∇	∇	∇	∇	∇	<code>\mbfnabla</code>	mathematical bold nabla
U+1D6FB	∇	∇	∇	∇	∇	∇	∇	<code>\mitnabla</code>	mathematical italic nabla
U+1D735	∇	∇	∇	∇	∇	∇	∇	<code>\mbfitnabla</code>	mathematical bold italic nabla
U+1D76F	∇	∇	∇	∇	∇	∇	∇	<code>\mbfsansnabla</code>	mathematical sans-serif bold nabla
U+1D7A9	∇	∇	∇	∇	∇	∇		<code>\mbfitsansnabla</code>	mathematical sans-serif bold italic nabla
U+1D7CA		Ɔ				Ɔ		<code>\mbfDigamma</code>	mathematical bold capital digamma
U+1D7CB		Ɔ				Ɔ		<code>\mbfdigamma</code>	mathematical bold small digamma